A Catalogue of



1890

New, Beautiful and Rare Plants and Orchids

Offered by

WILLIAM BULL

F.L.S., F.R.G.S., F.Z.S., F.R.H.S., M.A.I., F.R.B.S.,

M. Soc. Hort. Berol. Bruxell. S. Petersburgh et Paris et Soc. Agric. et Bot. Gandav. Socius.

MU. BOT. GARD. 1911

New Plant Merchant,

536, KINGS RD.,

CHELSEA,

LONDON, S.W.

and Ashburnham Park.

SHOUT
SHARE
IT

MR. WILLIAM BULL'S
ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS SERENE HIGHNESS THE DUKE OF TECK
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF THE BELGIANS.
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
HIS HIGHNESS PRINCE LIECHENSTEIN
HIS HIGHNESS PRINCE WILTGENSTEIN
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ARGYLL
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
His Grace the DUKE OF FIFE
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF AILESBURY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY AND TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BALCARRES
The Right Hon. the EARL OF MORTON
The Right Hon. the EARL OF EGLINTON AND WINTON
The Right Hon. the EARL OF HADDINGTON
The Right Hon. the EARL OF STRATHMORE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF SOUTHESK
The Right Hon. the EARL OF KINNOULL
The Right Hon the EARL OF CORK AND ORRERY
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF KINTORE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AYLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF DARNLEY
The Right Hon. the EARL OF WARWICK
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF LISBURNE
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON

LIST OF PATRONS—Continued.

The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF LEITRIM
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CASTLE-STUART
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY
The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL OF LISTOWEL
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF YARBOROUGH
The Right Hon. the EARL OF DUCIE
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ZETLAND
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF STRAFFORD
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon. VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT GALWAY
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. VISCOUNT EMLYN
The Right Hon. LORD BROOKE
The Right Hon. LORD ESME GORDON
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD WINDSOR
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SUFFIELD

The Right Hon. LORD KENYON
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD SANDYS
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD CAREW
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD WENLOCK
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ANNALY
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD O'NEILL
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD TREVOR
The Right Hon. LORD LAMINGTON
The Right Hon. LORD DERWENT
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD NORTHBOURNE
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD WANTAGE
The Right Hon. LORD ESHER
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
The Right Hon. LORD HAMILTON OF DALZELL
The Right Hon. LORD ARMSTRONG
The Right Hon. LORD CHEYLESMORE
M. LE DUC DE MASSA
M. LE COMTE DE GERMINY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING MANY

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

JAVA, THE ARRACAN HILLS, JAPAN, THE UNITED STATES OF COLOMBIA, THE EASTERN ARCHIPELAGO, &c., &c.,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

At the Principal London and International Flower Shows.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.

NEW SONERILAS.

For description and price, *vide* page 8.

ENCEPHALARTOS REGALIS.

For description and price, *vide* page 127.

GLORIOSA SUPERBA GRANDIFLORA.

For description and price, *vide* page 7.

RHOPALOBLASTE HEXANDRA.

For description and price, *vide* page 7.

NEW PLANTS

ANNOUNCED FOR THE FIRST TIME

BY

WILLIAM BULL, F.L.S.

EUCHARIS BAKERIANA.

This desirable new species has been imported from the United States of Colombia. It differs from those already in commerce in the shape of the corona and the tube of the perianth, the latter being almost of a uniform size throughout its entire length. The flowers are pure white, with the exception of six pale yellow stripes on the corona, which is funnel-shaped, with two obtuse oblong teeth between each pair of filaments. 5*s.* each; 2 guineas per dozen.

GLORIOSA SUPERBA GRANDIFLORA.

One of the most handsome stove climbing plants of recent introduction. Its magnificent flowers are composed of six broad lanceolate petals, which completely recurve as the blossoms open and mature; the basal part is of a brilliant vermilion scarlet colour, fading through rich orange to greenish yellow at the tips. The plant is of free growth and an abundant bloomer; the stems furnished with neat sessile bright green leaves. It is of Asiatic origin. *Vide* Illustration, page 5. 10*s.* 6*d.* each; three for 21*s.*

LASTREA CORUSCA.

An interesting greenhouse fern, introduced from Japan, with dark shining green bipinnate fronds, acutely triangular in outline, having the lower pinnæ deflexed, and the points of all the pinnæ gracefully recurved. The pinnules are narrow, elliptical or oblong, rounded at the tips and with serrated edges, the underside assuming with age a silvery-grey appearance. The sori are large and plentifully produced, being accompanied by many persistent indusia. 5*s.*

RHOPALOBLASTE HEXANDRA.

A very handsome and remarkably graceful palm with dark olive green pinnate leaves, broadly ovate in outline, composed of numerous narrow elongated segments in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. *Vide* Illustration, page 6. Price on application.

NEW SONERILAS.

SONERILA ORIENTALIS. | **SONERILA ORIENTALIS PICTA.**
SONERILA ORIENTALIS GUTTULATA. | **SONERILA ORIENTALIS PUNCTATA.**

These new and handsome flowering ornamental foliaged stove plants form a very distinct and desirable addition to the Melastomaceæ, four varieties being now offered for the first time. The flowers, which are of a bright rose or purple colour, are produced in the utmost profusion from the top of every growth, the mass of bloom thus thrown just above the foliage having a most pleasing effect, considerably enhanced by the prominent horn-like, bright golden anthers. As will be seen by the illustration, the foliage is also very ornamental, one variety having a very striking blotch or bar of creamy white in the centre of the leaf, another has crimson maroon leaves, covered with scarlet hairs, while the foliage of the other two kinds are decorated with a multitude of white dots or spots on light and dark green grounds respectively. They were discovered on the Arracan Hills at an elevation of 4,000 feet. *Vide* woodcut page 3. 7*s.* 6*d.* each, or the set of four varieties for 21*s.* A beautiful coloured illustration of these four varieties can be supplied, price 1*s.*

STREPTOCARPUS REXII PURPUREUS.

A very pretty and distinct hybrid, producing a profusion of bluish purple flowers, the lower lobes being ornamented with a rich plum-coloured blotch or marking. During the summer these useful decorative plants will succeed well in a greenhouse, but in the winter require the temperature of a stove. 5*s.*

GREENHOUSE RHODODENDRON, MYRA.

This chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being charmingly crisped and undulated. 10*s.* 6*d.*

NEW COLEUS.

AILSA, a handsome and desirable variety, with dark velvety maroon leaves, a rich magenta crimson band extending the whole length of midrib, 3*s.* 6*d.*

LESBIA, the leaves of this handsome variety have a reddish crimson centre, margined with dark olive green, edged with yellowish green. 3*s.* 6*d.*

PLINY, fine leaves, creamy white ground, richly blotched and marked with deep crimson magenta, dark maroon, emerald green, and gold. 3*s.* 6*d.*

For General Collection, *vide* page 146.

NEW REGAL PELARGONIUM.

PRINCE GEORGE, large trusses of finely fringed white flowers, faintly suffused with blush, all the petals spotted with purplish lake, the two upper petals more heavily marked than the others. 10*s.* 6*d.*

For General Collection, *vide* page 107.

PETUNIA SNOWDRIFT.

A very beautiful new double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3*s.* 6*d.*

See also page 148.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. *5s.*

ACACIA SPHÆROCEPHALA. *7s. 6d.*
ACALYPHA ILLUSTRATA, *2s. 6d.* and *3s. 6d.*
MACROPHYLLA, *2s. 6d.* and *3s. 6d.*
MARGINATA, *2s. 6d.* and *3s. 6d.*
MUSAICA, *2s. 6d.* and *3s. 6d.*
OBOVATA, *3s. 6d.*
TRIUMPHANS, *3s. 6d.*
ACANTHUS MONTANUS, *3s. 6d.*
ACHIMENES, *vide* Index.
ÆCHMEA AMAZONICA, *5s.* and *7s. 6d.*
DISCOLOR, *vide* Lamprococcus discolor
ÆCHMEA FULGENS, *vide* Lamprococcus fulgens
MINIATA, *vide* Lamprococcus miniata
MARIÆ REGINÆ, *10s. 6d.*
PANICULIGERA, *10s. 6d.*
VEITCHII, *vide* Chovalliera Veitchii
WEILBACHII, *vide* Lamprococcus Weilbachii
ÆSCHYNANTHUS GRANDIFLORUS, *3s. 6d.*
LOBBIANUS, *2s. 6d.* and *3s. 6d.*
PULCHER, *3s. 6d.*
of sorts, *2s. 6d.* and *3s. 6d.*

AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing green, with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. *5s.* and *7s. 6d.*

AGLAONEMA MARANTÆFOLIA (oblongifolia), *5s.*
PICTA GRACILE, *5s.*
ALLAMANDA CHELSONI, *3s. 6d.*
GRANDIFLORA, *5s.*
HENDERSONI, *3s. 6d.*
MAGNIFICA, *10s. 6d.*
NERIIFOLIA, *3s. 6d.*
NOBILIS, *3s. 6d.*
ALOCASIA CHANTRIERI, *21s.*
EMINENS, *5s.*
ALOCASIA GIGANTEA, *3s. 6d.* and *5s.*
GRANDIS, *5s.*
HYBRIDA, *7s. 6d.*
INTERMEDIA, *7s. 6d.*
JENNINGSII, *2s. 6d.*
JOHNSTONI, *vide* Cyrtosperma Johnstoni
LOWII, *3s. 6d.* and *5s.*
MACRORHIZA VARIEGATA, *3s. 6d.* and *5s.*
MARSHALLII, *2s. 6d.*
METALLICA, *3s. 6d.* and *5s.*

ALOCASIA MARGINATA.

A striking and ornamental Aroidaceous plant, introduced from Brazil. The leaf-blade is broadly cordate, rounded into a sharply pointed apex; the basal lobes very obtusely rounded at the apex, with a deep narrow sinus between. The upper leaf surface is of a dark green colour, the reverse being slightly tinted purple, with pale reddish midrib and nerves. *7s. 6d.*

ALOCASIA PRINCEPS.

This ornamental and effective stove plant has been imported from the Malay Archipelago. The leaf-blades are saggitate, the margins deeply sinuous, imparting to the plant a very distinct character. On the upper surface the leaves are of a metallic olive-green colour, the under surface being greyish green, a well defined margin of chocolate-brown surrounding the entire leaf. 1 and 1½ guinea.

ALOCASIA (SCHISTOCASIA) PORTEI, *10s. 6d.* & *15s.*
PUCCIANA, 1 guinea
REGINÆ, *10s. 6d.*
SANDERIANA, *15s.* and *21s.*
SEDENI, *5s.*
THIBAUTIANA, *7s. 6d.* and *10s. 6d.*
VEITCHII, *7s. 6d.*
ZEBRINA, *7s. 6d.* and *10s. 6d.*
ALPINIA MUTICA, *7s. 6d.*
VITTATA, *3s. 6d.* and *5s.*
AMARYLLIS ACHIEVEMENT, *7s. 6d.*
ACHILLES, *10s. 6d.*
ACRAMANNI PULCHERRIMA, *15s.*
AMAZON, *10s. 6d.*
AMBASSADOR, *7s. 6d.*
ARIADNE, *10s. 6d.*
ASPASIA, *5s.*
AMARYLLIS AULICA, *3s. 6d.*
AULICA SUPERBA, *5s.* and *7s. 6d.*
BARON, *5s.*
BRILLIANT, *10s. 6d.*
CERBERUS, *10s. 6d.*
COMMANDER, *7s. 6d.*
COQUETTE, *5s.*
CORSAIR, *10s. 6d.*
COUNTESS, *10s. 6d.*
CYRUS, *10s. 6d.*
DIADEM, *15s.*
DR. MASTERS, *10s. 6d.*
ELECTRA, *10s. 6d.*
EMMELINE, *7s. 6d.*
EMPRESS OF INDIA, *7s. 6d*
EUROPA, 1 guinea
EUTERPE, *15s.*

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. From the free manner in which the beautiful spathes are produced and the long time which they last in perfection, combined with the ornamental character of the foliage, this handsome hybrid is a most desirable acquisition. 1 and 1½ guinea.

AMARYLLIS FIGARO, 7*s.* 6*d.*
FORMOSISSIMA (*Jacobæa Lily*), 6*d.*
GENERAL, 1 guinea
HENDERSONI, 10*s.* 6*d.* and 15*s.*
—— COCCINEA, 10*s.* 6*d.* and 15*s.*
HEROINE, 10*s.* 6*d.*
IGNESCENS, 2*s.* 6*d.* and 3*s.* 6*d.*
IMPERIALIS, 1 guinea
JOHNSONII, 5*s.*
(BRUNSVIGIA) JOSEPHINÆ, 7*s.* 6*d.*
JUPITER, 7*s.* 6*d.*
LEOPOLDII, 10*s.* 6*d.*
MABEL, 10*s.* 6*d.*
METEOR, 10*s.* 6*d.*
NEPTUNE, 10*s.* 6*d.*
NIMROD, 5*s.*
OBERON, 1 guinea
ONDINE, 10*s.* 6*d.*
OPTIMA, 10*s.* 6*d.*
OSCAR, 10*s.* 6*d.*
PARDINA HYBRIDA, 7*s.* 6*d.* and 10*s.* 6*d.*
PAULINE, 15*s.*

AMARYLLIS PORTIA, 5*s.*
PRINCEPS, 1½ guinea
PROCERA, 1 guinea
PYRROCHROA, 5*s.* and 7*s.* 6*d.*
REGALIS, 1 guinea
REGINA, 7*s.* 6*d.*
RETICULATA, 5*s.*
ROMEO, 7*s.* 6*d.*
ROSALIND, 5*s.*
SAPPHO, 7*s.* 6*d.*
SOUVENIR, 7*s.* 6*d.*
STELLA, 7*s.* 6*d.*
SULTANA, 10*s.* 6*d.*
SYLVIA, 7*s.* 6*d.*
THOMAS SPEED, 10*s.* 6*d.*
TITANIA, 7*s.* 6*d.*
TROJAN, 10*s.* 6*d.*
URANIE, 7*s.* 6*d.*
VERONA, 15*s.*
VESTA, 10*s.* 6*d.*
VESUVIUS, 7*s.* 6*d.*
VICTORIA, 10*s.* 6*d.*

AMARYLLIS, choice selections of good sorts, 3, 4, and 6 guineas per dozen.

AMASONIA CALYCINA, 5*s.*

AMHERSTIA NOBILIS, price on application

AMOMUM VITTATUM.

A very remarkable plant, on account of its striking resemblance to a Maranta. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous green leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 10*s.* 6*d.*

AMORPHOPHALLUS VIROSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas
ANACARDIUM OCCIDENTALE (*Cashew Nut*), 31*s.* 6*d.*
ANŒCTOCHILUS, *vide* Orchids

ANONA MURICATA (*Sour Sop*), 15*s.*
RETICULATA (*Netted-leaf Custard Apple*), 15*s.*
ANANASSA PENANGENSIS VARIEGATA, 21*s.*
SATIVA VARIEGATA, 10*s.* 6*d.*
ANCHOMANES DUBIUS, 10*s.* 6*d.*
ANCYLOGYNE LONGIFLORA, 3*s.* 6*d.*

ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium oriatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 5*s.* and 7*s.* 6*d.*

ANTHURIUM ANDREANUM, 5*s.* and 7*s.* 6*d.*
BAKERI, 10*s.* 6*d.*
CANDIDUM, 3*s.* 6*d.*
CHANTRIERI, 10*s.* 6*d.* and 15*s.*
CHELSEIENSE, *vide* page 10.
CRUENTUM, 15*s.* and 1 guinea

ANTHURIUM CRYSTALLINUM, 3*s.* 6*d.*, 5*s.* & 7*s.* 6*d.*
DECHARDI, 3*s.* 6*d.* and 5*s.*
FERRIERENSE, 3*s.* 6*d.* and 5*s.*
GALEOTTIANUM, 5*s.*
HARRISII PULCHRUM, 7*s.* 6*d.* and 10*s.* 6*d.*
HYBRIDUM, 7*s.* 6*d.* and 10*s.* 6*d.*

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 10*s.* 6*d.* and 15*s.*

ANTHURIUM INTERMEDIUM, 7*s.* 6*d.* & 10*s.* 6*d.*
LIEVENSII, 15*s.* and 1 guinea
LEUCONEURUM, 3*s.* 6*d.*
LUCIDUM, 5*s.*
MACROLOBUM, 5*s.* and 7*s.* 6*d.*
MAGNIFICUM—*syn.* **A. grande** and **A. cordifolium**, 3*s.* 6*d.*
MARQUIS DE BEAUVOIR, 2 guineas
MOOREANUM, 15*s.* and 1 guinea
NYMPHÆIFOLIUM, 10*s.* 6*d.*
ORNATUM, 10*s.* 6*d.*

ANTHURIUM REGALE, 3*s.* 6*d.* and 5*s.*
ROTHSCHILDIANUM, 15*s.*
SCHERZERIANUM, 3*s.* 6*d.* and 5*s.*
—— ALBUM (true) 2 and 3 guineas
—— GIGANTEUM, 1 to 2 guineas
—— PALMERI, 10*s.* 6*d.* and 15*s.*
—— SPLENDENS, 1 to 2 guineas
—— WARDII, 3 guineas
—— WILLIAMSII, 3*s.* 6*d.*
SPLENDIDUM, 10*s.* 6*d.*
TRIUMPHANS, 10*s.* 6*d.* and 15*s.*

APHELANDRA CHRYSOPS.

One of the most handsome species yet introdueed, producing a grand golden inflorescence a foot in length, composed of four rows of compound ovate pointed braets, proceeding from which are its flowers, which are of the same bright yellow colour. To add to its beauty, this plant has also striking variegated leaves, thus combining two attractive qualities, and rendering it one of the most desirable of ornamental plants. It has been imported from Brazil and has received a First-class Certificate from the Floral Committee of the Royal Horticultural Society. *5s.* and *7s. 6d.*

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species of neat growth, imported from Brazil. It has cordato ovate leaves, smooth above, and glaucescent beneath. The handsome and elegant flowers have a slightly distended tube, which is suddenly bent upwards, the upper part dilated into a cordate cup-shaped limb of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. It has been certificated by the Royal Horticultural Society, and is described and figured in the *Gardeners' Chronicle* for September 5, 1885. *3s. 6d. & 5s.*

ARISTOLOCHIA RIDICULA.

A very remarkable and most interesting new species introduced from Brazil. The tube of the flower is from 3½ to 4½ inches long, abruptly contracted and then bent upon itself below the middle, the basal part being much inflated; the upper portion somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, closely covered with dark purple reticulations on a cream coloured ground; the lobes are dark with light reticulations, and are sparsely covered with clavato dark purple brown hairs. The bright green leaves are orbicular reniform, the entire plant, stems, leaves and flowers being covered with hair. 7*s*. 6*d*. and 10*s*. 6*d*.

ANTHURIUM Veitchii, 21*s.*
Vicomte Amédé de la Combe, 2 guineas.
Warocqueanum, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
Fine Plants, 10*s.* 6*d.* and 15*s.*

ANTIGONON amabile, 5*s.*
insigne, 7*s.* 6*d.*
leptopus, 7*s.* 6*d.*
speciosum, 7*s.* 6*d.*

APHELANDRA AMŒNA.

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 5*s.* and 7*s.* 6*d.*

APHELANDRA aurantiaca, 2*s.* 6*d.* and 3*s.* 6*d.*
aurantiaca Roezlii, 2*s.* 6*d.* and 3*s.* 6*d.*
Chamissoniana, 3*s.* 6*d.* and 5*s.*
chrysops, *vide* page 12.
cristata, 2*s.* 6*d.*
fascinator, 2*s.* 6*d.*
Leopoldii, 2*s.* 6*d.*
Margaritæ, 2*s.* 6*d.*
Porteana, 3*s.* 6*d.*
ARALIA Chabrieri, *vide* Elæodendron orientale
cochleata, 7*s.* 6*d.*
elegantissima, 5*s.*
filicifolia, 3*s.* 6*d.*
ARALIA Guilfoylei, 5*s.*
leptophylla, 3*s.* 6*d.*
longipes, 10*s.* 6*d.*
maculata, 5*s.*
reticulata, 3*s.* 6*d.*
rotunda, 7*s.* 6*d.*
Veitchii, 5*s.*
—— gracillima, 3*s.* 6*d.* and 5*s.*
See also page 47.
ARDISIA mamillata, 3*s.* 6*d.*
Oliveri, 3*s.* 6*d.*
picta, 1 guinea.
ARDISIAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

ARDISIA POLYCEPHALA.

An attractive berry-bearing stove shrub, introduced from the East Indies. It is of free growth, and has opposite dark glossy green leaves, which, when young, are of a charming bright crimson colour, imparting to the plant a most distinct appearance. The flowers are white, borne in umbels on short lateral branches, being succeeded in due course by jet black berries 5*s.* and 7*s.* 6*d.*

ARISTOLOCHIA caudata, 10*s.* 6*d.*
clypeata, 7*s.* 6*d.*
elegans, *vide* page 13.
floribunda, 7*s.* 6*d.*
gioas, 3*s.* 6*d.* and 5*s.*
ornithocephala, 5*s.* and 7*s.* 6*d.*
ridicula, *vide* page 14.
tricaudata, 5*s.*
trilobata, 3*s.* 6*d.* and 5*s.*
ARTANTHE rubronodosa, 7*s.* 6*d.*
ARTOCARPUS Cannoni, *see* Ficus.
eburneus, 5*s.*
integrifolius (The Jack Fruit), 10*s.* 6*d.*
laciniatus metallicus, *see* Ficus.
ASPARAGUS, of sorts, *vide* pages 47 and 48.
ATACCIA cristata, 7*s.* 6*d.* and 10*s.* 6*d.*
BARLERIA aroentea, 5*s.*
BATATAS paniculata, 3*s.* 6*d.* and 5*s.*
BAUHINIAS, of sorts, 5*s.* and 7*s.* 6*d.*
BEAUMONTIA grandiflora, 5*s.* and 7*s.* 6*d.*
BEGONIA, *vide* Index
BELOPERONE atropurpurea, 5*s.*
BERTOLONIA formosa, 7*s.* 6*d.*
guttata splendens, 15*s.*
Marchandi, 5*s.*
margaritaofa superba, 7*s.* 6*d.* and 10*s.* 6*d.*
marmorea superba, 3*s.* 6*d.* & 5*s.*
Mirandæi, 7*s.* 6*d.*
ornata, 7*s.* 6*d.*
pubescens, 3*s.* 6*d.*
superbissima, 1 guinea.
Van Houttei, 5*s.*
velutina, 5*s.*
vittata, 7*s.* 6*d.*
BIGNONIA aurantiaca, 7*s.* 6*d.* and 10*s.* 6*d.*
Chamberlaynii, 3*s.* 6*d.* and 5*s.*
magnifica, 5*s.* and 7*s.* 6*d.*
picta, 3*s.* 6*d.* and 5*s.*

BIGNONIA REGALIS.

A very handsome stove climber, with opposite elliptic lanceolate leaves. The flowers are exceedingly beautiful, very large, and of a bright yellow and red colour. It has been recently imported from British Guiana, and is a decided acquisition to this beautiful genus. 10*s.* 6*d.*

BIGNONIA reticulata, 5*s.*
Roezliana, 5*s.*
—— villosa, 5*s.*
venusta, 3*s.* 6*d.* and 5*s.*
See also page 48.
BILLBERGIA chlorosticta, 15*s.* and 21*s.*
farinosa, 10*s.* 6*d.*
Leopoldii, 7*s.* 6*d.*
BILLBERGIA Moreliana, 5*s.* and 7*s.* 6*d.*
Saundersii, 10*s.* 6*d.*
vittata, 5*s.*
BOMAREAS, *vide* page 48.
BOUGAINVILLEA glabra, 2*s.* 6*d.* and 3*s.* 6*d.*
lateritia, 2*s.* 6*d.* and 3*s.* 6*d.*
speciosa, 2*s.* 6*d.* and 3*s.* 6*d.*
spectabilis, 2*s.* 6*d.* and 3*s.* 6*d.*

BOUGAINVILLEA REFULGENS.

This desirable introduction from Brazil will be found one of the most beautiful Stove climbers extant. It partakes of the general character of its congeners, but the magnificent bracts surrounding the flowers are of the richest and most brilliant purple-mauve imaginable, produced in long and pendulous racemes. The pubescent foliage is of a rich dark green colour. 7*s.* 6*d.*

BOUGAINVILLEA splendens, 2*s.* 6*d.* and 3*s.* 6*d.*
BROSIMUM, *vide* Galactodendron
BROWNEA coccinea, 1 guinea.
erecta, 1 and 1½ guinea.
grandiceps, 10*s.* 6*d.*
hybrida, 1½ guinea.
BRUNFELSIA americana, 5*s.*
BRUNSVIGIA Josephinæ, *vide* Amaryllis Josephinæ
BURBIDGEA nitida, 3*s.* 6*d.*
BURCHELLIA capensis, 2*s.* 6*d.* and 3*s.* 6*d.*
capensis grandiflora, 3*s.* 6*d.*

HALF NATURAL SIZE.

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 3 guineas.

CALADIUM, *vide* Index
CALLIPHRURIA HARTWEGIANA, 7*s.* 6*d.*
SUBEDENTATA, 2*s.* 6*d.*
CALPICARPUM ORNATUM, 1 guinea
CAMOENSIA MAXIMA, *vide* page 16.
CAMPSIDIUM FILICIFOLIUM, 2*s.* 6*d.* & 3*s.* 6*d.*
CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS FRONDOSA, 5*s.*
CARAGUATA, *vide* Tillandsia.
CAREX ELEGANS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARLUDOVICA, *vide* Index
CENTRADENIA FLORIBUNDA ROSEA, 3*s.* 6*d.*
CEROPEGIA GARDNERI, 3*s.* 6*d.* and 5*s.*
CENTROPOGON LUCYANUS, 1*s.* 6*d.* and 2*s.* 6*d.*
CENTROSOLENIA BULLATA (EPISCIA TESSELLATA), 5*s.*
CHAMÆCLADON RUBENS, 5*s.*
CHAMERANTHEMUM BEYRICHII VARIEGATUM, 3*s.* 6*d.*
NITIDUM, *vide* Ebermaiera nitida
CHEVALLIERA (ÆCHMEA) VEITCHII, 7*s.* 6*d.* & 10*s.* 6*d.*
CHIRITA MOONII, 7*s.* 6*d.*
SINENSIS, 3*s.* 6*d.*
CHRYSOPHYLLUM CAINITO (Star Apple), 10*s.* 6*d.*
IMPERIALE, 10*s.* 6*d.*, 15*s.*, and 21*s.*

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3*s.* 6*d.*, 5*s.* & 7*s.* 6*d.*

CINNAMOMUM CASSIA (*Cassia*), 10*s.* 6*d.*
VERUM, 7*s.* 6*d.*
ZEYLANICUM (*Cinnamon*), 7*s.* 6*d.*
CISSUS ALBO-NITENS, 3*s.* 6*d.*
DISCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.* and 5*s.*
PORPHYROPHYLLA, 3*s.* 6*d.* and 5*s.*
CLERODENDRON BALFOURIANUM, 2*s.* 6*d.* & 3*s.* 6*d.*
CALAMITOSUM, 3*s.* 6*d.* and 5*s.*
DELECTUM, 3*s.* 6*d.* and 5*s.*
FALLAX, 3*s.* 6*d.*
FRAGRANS FLORE PLENO, 2*s.* 6*d.*
KEMPFERI, 3*s.* 6*d.* and 5*s.*

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 5*s.* and 7*s.* 6*d.*

CLERODENDRON MINAHASSÆ.

This species has been introduced from Celebes. The flowers have a large leafy calyx, the lobes of which are tipped with red; the corolla is yellowish-white, with exserted purple anthers. In its fruiting state it is very ornamental, as the calyx grows much larger after the flowers fall, spreading out so as to resemble a flower three inches across, sanguineous red, with a round blue berry in the centre. 10*s.* 6*d.* and 15*s.*

CLERODENDRON NUTANS.

A very beautiful and desirable stove shrub, introduced from India. It is quite distinct from other Clerodendrons, being much branched and of dwarf compact habit, with long narrow leaves. The flowers, which are produced in drooping racemes from the tips of the young shoots, are large, pure white, with reddish purple calices, being followed in due course with indigo-blue berries. 7*s.* 6*d.* and 10*s.* 6*d.*

CLERODENDRON RUMPHIANUM.

A remarkably distinct stove flowering plant, introduced from Java. The flowers, which form erect pyramidal panicles at the ends of the branches, emerge from sanguineous bracts, and are long-tubed, with a sub-equal limb of obovate segments, which are at first flesh-coloured, deepening to a pleasing tint of red, eventually crimson; they have red exserted stamens. 10*s.* 6*d.*

CLERODENDRON SPECIOSUM, 3*s.* 6*d.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
COCCOCYPSELUM DISCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
COCCOLOBA PLATYCLADA, 3*s.* 6*d.*
COCHLIOSTEMA JACOBIANUM, 3*s.* 6*d.*, 5*s.* & 7*s.* 6*d.*
COFFEA ARABICA, 3*s.* 6*d.* and 5*s.*
LIBERICA, 3*s.* 6*d.* and 5*s.*
COLA ACUMINATA (KOLA NUT), 15*s.*
COLEUS, *vide* Index
COLOCASIA, *vide* Aloeasia
COMBRETUM GRANDIFLORUM, 5*s.*
PURPUREUM, 5*s.*
CORYNOSTYLIS HYBANTHUS ALBIFLORA, 3*s.* 6*d.*
COSSIGNIA BORBONICA, 10*s.* 6*d.*
COSTUS ALBESCENS, 7*s.* 6*d.*
ELEGANS, 5*s.*
MOSAICUS, 5*s.*
CRINUM ASIATICUM, 5*s.*
FORMOSUM, 3*s.* 6*d.*
CRINUM GIGANTEUM, 7*s.* 6*d.*
MOOREI, *vide* page 50.
NOBILE, *vide* page 18.
ORNATUM, 5*s.*
SCABRUM, 10*s.* 6*d.*
ZEYLANICUM, 3*s.* 6*d.*
CROSSANDRA INFUNDIBULIFORMIS, 3*s.* 6*d.*
UNDULATA, 3*s.* 6*d.*
CROTON (CODIÆUM) AIOBURTH GEM, 21*s.*
ANDREANUS, 2*s.* 6*d.*
ANGUSTIFOLIUS, 2*s.* 6*d.*
APPENDICULATUS, 2*s.* 6*d.*
AUREO-PUNCTATUS, 3*s.* 6*d.*
BARON FRANK SEILLIÈRE, 3*s.* 6*d.*
BARONNE JAMES DE ROTHSCHILD, 3*s.* 6*d.*
BISMARCKI, 3*s.* 6*d.*
BROOMFIELDII, 5*s.*
CERBERUS, 5*s.*
CHALLENGER (IMPERATOR), 5*s.*

CRINUM NOBILE.

A very fine new Crinum producing immense flowers, individually measuring about seven inches in diameter; they are of a creamy white colour suffused with purplish-rose on the outer halves of the petals, the same colour being more prominently shown on the exterior of the flowers. The blooms are produced in umbels on dark purplish-bronze scapes, springing from stout short-necked bulbs, the olive green leaves being undulated and wavy at the margins. 10*s.* 6*d.*

CROTON BEAUTY.

An exceedingly handsome variegated variety from the South Pacific. The leaves are lanceolate, profusely and strikingly variegated with golden yellow on a rich green ground; as they attain age the green ground colour gradually becomes a deep bronze, while the yellow variegation develops into a rich rosy-crimson. It is a variety of medium growth and highly ornamental character. 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON CHELSONI, 3*s.* 6*d.*
CONCINNUS, 2*s.* 6*d.*
CONQUEST, 5*s.*
COUNTESS, 5*s.*
CROTON CRŒSUS, 7*s.* 6*d.*
CYRUS, 5*s.*
DIANA, 3*s.* 6*d.*
DISRAELI, 2*s.* 6*d.*

CROTON DELIGHT.

An extremely handsome variety, imported from the Antipodes. It has oblong acute leaves, six to eight inches long by one and a half to two inches wide. In the young state they are of a bright yellow colour, margined with green, the costa and primary veins being cream-coloured; as the leaves attain maturity, the bright central variegation changes to a clear ivory-white, with here and there a few dots of the same colour scattered through the margin of the leaf. 10*s.* 6*d.*

CROTON DORMANIANUS, 3*s.* 6*d.*
DUKE OF BUCCLEUCH, 2*s.* 6*d.*
EARL OF DERBY, 2*s.* 6*d.*
EBURNEUS, 3*s.* 6*d.* and 5*s.*
ECLIPSE, 7*s.* 6*d.*
ELEGANTISSIMUS, *vide* page 20.
EMBLEM, 5*s.*
CROTON EMINENS, 7*s.* 6*d.* and 10*s.* 6*d.*
ENSIGN, 3*s.* 6*d.*
ETNA, 5*s.*
EVANSIANUS, 2*s.* 6*d.* and 3*s.* 6*d.*
EXCURRENS, 10*s.* 6*d.*
FALCATUS, *vide* C. variabilis
FASCIATUS, *vide* C. Hendersoni

CROTON FLAMINGO.

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it, being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. 10*s.* 6*d.*

CROTON FORMOSUS, 5*s.* and 7*s.* 6*d.*
GLORIOSUS (Princess of Wales), 3*s.* 6*d.*
GRACILIS, 10*s.* 6*d.*
HASTIFERUS, 2*s.* 6*d.* and 3*s.* 6*d.*
HARWOODIANUS, *vide* C. triumphans
HAWKERII, 3*s.* 6*d.*
CROTON HENDERSONI (FASCIATUS), 2*s.* 6*d.* & 3*s.* 6*d.*
HEROICUS, 5*s.*
ILLUSTRIS, 5*s.* and 7*s.* 6*d.*
IMPERATOR, *vide* C. Challenger
IMPERIALIS, 3*s.* 6*d.* and 5*s.*
JAMESII, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-crimson. 5*s.* and 7*s.* 6*d.*

CROTON JUBILEE, 2*s.* 6*d.* and 3*s.* 6*d.*
CROTON JUNON, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green, a coloration in striking contrast to the bright orange-scarlet of the stem and petioles. 7*s.* 6*d.*

CROTON LACTEUS, 3*s.* 6*d.*
LANCIFOLIUS, 3*s.* 6*d.* and 5*s.*
CROTON MACAFEEANUS, 3*s.* 6*d.*
MACARTHURI, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON MAGNIFICENT.

A very striking and most handsome variety, with ovate lanceolate leaves, from six to eight inches long by two and a half inches wide. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature the margins become deep olive green, while the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. 15*s.*

CROTON MAJESTICUS, 5*s.* 6*d.* and 3*s.* 6*d.*
CROTON MASSANOEANUS, 3*s.* 6*d.* and 5*s.*

CROTON MEMPHIS.

One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmorated with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf, the olive green ultimately assuming a rich reddish bronze colour. 15*s.*



CROTON ELEGANTISSIMUS.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. This variety was one of the new plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. *5s.* and *7s. 6d.*

CROTON NESTOR.

CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation ; the costa or midrib is of a bright magenta crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. 15*s*.

CROTON MIRABILE.

This variety forms one of the most attractive of variegated Crotons. The colours are very rich, the midrib and margins being crimson, the intervening colouring consisting of mixed blotches unequal in size, of bright orange red, crimson, orange-yellow and pale greenish yellow. With such a combination of colours so happily blended as they are here, the effect is extremely beautiful. 15*s.*

CROTON MORTII, 3*s.* 6*d.*
MUTABILIS, *vide* C. princeps
NEPTUNE, 3*s.* 6*d.* and 5*s.*
NESTOR, *vide* page 21.

CROTON NIMROD, 5*s.* and 7*s.* 6*d.*
NOBILIS, 2*s.* 6*d.*
OBERON, 3*s.* 6*d.*
ORESTES, 3*s.* 6*d.*

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON PRINCE OF ORANGE.

The most effective and best of all the golden variegated series of Codiæums. It is of free growth, having long lanceolate leaves, broadest near the base of the leaf blade, the variegation being of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. It has been imported from the South Sea Islands. 21*s.*

CROTON PICTURATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
PRINCE OF WALES, 3*s.* 6*d.*

CROTON PRINCEPS (MUTABILIS), 3*s.* 6*d.* and 5*s.*
PRINCESS OF WALES, *vide* C. gloriosus

CROTON REIDII.

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson cerise, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with a suffusion of golden orange, with a few irregular blotches and patches of dark olive green, here and there. 21*s.*

CROTON QUEEN VICTORIA, 2*s.* 6*d.* and 3*s.* 6*d.*
REX, 2*s.* 6*d.* and 3*s.* 6*d.*
RECURVATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEO-PICTUS, 3*s.* 6*d.* and 5*s.*
RUBERRIMUS, 7*s.* 6*d.*
RUBESCENS, 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON SCEPTRE, 10*s.* 6*d.*
SCHOMBURGKIANUS, 3*s.* 6*d.*
SPECIOSUS, 3*s.* 6*d.* and 5*s.*
SPIRALIS, 2*s.* 6*d.*
SPLENDIDUS, 5*s.*
SUPERBIENS, 3*s.* 6*d.*

CROTON SUNBEAM.

An attractive variety with dark bronzy leaves from nine to ten inches long, and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy-crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. The contrast of the variegation in its various stages with the dark olive bronzy-green of the remaining portions of the leaves, renders this variety very ornamental and attractive. It has been imported from the South Sea Islands. 10*s.* 6*d.*

CROTON TORQUATUS, 2*s.* 6*d.*
TORTILIS, 2*s.* 6*d.*
TRIUMPHANS (HARWOODIANUS), 5*s.* and 7*s.* 6*d.*
TRICOLOR, 7*s.* 6*d.*

CROTON UNDULATUS, 2*s.* 6*d.*
VARIABILIS (FALCATUS), 2*s.* 6*d.*
VARIEGATUS, 2*s.* 6*d.*
VEITCHIANUS, 2*s.* 6*d.*

CROTON VICTORY.

A magnificent variety with a very effective variegation of bright crimson. The mature leaves are about a foot long by two and a half inches broad, of a deep olive green colour, with rich crimson veins and costa, from which extends in an arcuate manner, a rich coloration of reddish-crimson, the deep green of the laminæ between the primary veins being broken up in an irregular manner by the same bright colour. In a young state the leaves are deep orange-yellow, suffused with crimson. 10*s.* 6*d.*

CROTON VITTATUS, 5*s.* and 7*s.* 6*d.*
VOLUTUS, 2*s.* 6*d.* and 3*s.* 6*d.*
WARRENII, 3*s.* 6*d.* and 5*s.*
WEISMANNI, 2*s.* 6*d.* and 3*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.* and 5*s.*
CRYPTANTHUS (TILLANDSIA) ACAULIS, 3*s.* 6*d.*

CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5*s.*
(TILLANDSIA) ACAULIS ZEBRINA AUREA, 7*s.* 6*d.*
(——) BEUCKERII, 10*s.* 6*d.*
(——) BIVITTATA, 5*s.* and 7*s.* 6*d.*
CUPANIA FILICIFOLIA, *vide* Jacaranda Clausseniana

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 10*s*. 6*d*.

CURCULIGO RECURVATA, 3*s*. 6*d*.
RECURVATA STRIATA, 7*s*. 6*d*.
—— VARIEGATA, 5*s*. and 7*s*. 6*d*.
CURCUMA CORDATA, 5*s*.
LUTEO-VIRIDIS, 7*s*. 6*d*.
PETIOLATA, 3*s*. 6*d*.
ROSCOEANA, 5*s*.
RUBRICAULIS, 5*s*.
CURMERIA PICTURATA, 3*s*. 6*d*.
WALLISII, 5*s*.
CYANOPHYLLUM BOWMANNI, 5*s*.
MAGNIFICUM, 3*s*. 6*d*. and 5*s*.
CYANOTIS (TRADESCANTIA) MULTICOLOR, 2*s*. 6*d*.
(TRADESCANTIA) ZANONIA, 3*s*. 6*d*.
(——) ZEBRINA, 2*s*. 6*d*.
(——) —— ARGENTEA, 2*s*. 6*d*.
CYCADS, *vide* Index.

CYPERUS ALTERNIFOLIUS, 1*s*. 6*d*. and 2*s*. 6*d*.
ALTERNIFOLIUS VARIEGATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
DISTANS, 2*s*. 6*d*. and 3*s*. 6*d*.
LAXUS, 1*s*. 6*d*.
—— VARIEGATUS, 3*s*. 6*d*. and 5*s*.
CYPRIPEDIUM, *vide* Orchids
CYRTANTHERA CHRYSOSTEPHANA, 3*s*. 6*d*.
POHLIANA, 3*s*. 6*d*.
CYRTOCERAS REFLEXUM, 3*s*. 6*d*. and 5*s*.
CYRTODEIRA CHONTALENSIS, 2*s*. 6*d*. and 3*s*. 6*d*.
FULGIDA, 2*s*. 6*d*. and 3*s*. 6*d*.
METALLICA, 2*s*. 6*d*. and 3*s*. 6*d*.
CYRTOSPERMA JOHNSTONI, 7*s*. 6*d*. and 10*s*. 6*d*.
DALECHAMPIA ROEZLIANA ALBA, 2*s*. 6*d*. & 3*s*. 6*d*.
ROEZLIANA CARNEA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— ROSEA, 2*s*. 6*d*. and 3*s*. 6*d*.

DAVIDSONIA PRURIENS.

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnæ, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. 15*s*., 1 and 1½ guinea.

DICHORISANDRA AUBLETII, 7*s*. 6*d*.
MUSAICA, 7*s*. 6*d*.
UNDATA, 3*s*. 6*d*. and 5*s*.
DICHOTRICHUM TERNATEUM, 7*s*. 6*d*.
DIEFFENBACHIA AMAZONICA, 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.
AMŒNA, 2*s*. 6*d*. and 3*s*. 6*d*.
BARAQUINIANA, 2*s*. 6*d*. and 3*s*. 6*d*.
BAUSEI, 2*s*. 6*d*. and 3*s*. 6*d*.
BOWMANNII, 2*s*. 6*d*. and 3*s*. 6*d*.
CARDERI, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
CHELSONIENSIS, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
COSTATA, 5*s*.
EBURNEA, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
FLAVO-VIRENS, 2*s*. 6*d*. and 3*s*. 6*d*.
GRANDIS, 3*s*. 6*d*.
ILLUSTRIS, 5*s*.
INSIGNIS, 7*s*. 6*d*.
LANCEOLA, 5*s*.
LEOPOLDII, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
LUCINDA, 3*s*. 6*d*.
MACULOSA, 3*s*. 6*d*.
MAONIFICA 3*s*. 6*d*.

DIEFFENBACHIA MAJESTICA, 10*s*. 6*d*.
MEMORIA CORSI, 7*s*. 6*d* and 10*s*. 6*d*.
NEBULOSA 3*s*. 6*d*.
NOBILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
PICTA, 2*s*. 6*d*. and 3*s*. 6*d*.
PRINCEPS, 7*s*. 6*d*.
REGINA, *vide* page 24.
REX, *vide* page 25.
SHUTTLEWORTHII, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
SPLENDENS, 2*s*. 6*d*. and 3*s*. 6*d*.
TRIUMPHANS, *vide* page 24.
VELUTINA, 2*s*. 6*d*. and 3*s*. 6*d*.
WEIRII, 2*s*. 6*d*. and 3*s*. 6*d*.
DIONÆA MUSCIPULA, *vide* page 52.
DIOSCOREA ANŒCTOCHILUS, 5*s*. and 7*s*. 6*d*.
ARGYREIA, 5*s*. and 7*s*. 6*d*.
BULBIFERA, 5*s*.
CHRYSOPHYLLA, 5*s*.
DISCOLOR VARIEGATA, 3*s*. 6*d*.
ILLUSTRATA, 3*s*. 6*d*.
MELANOLEUCA, 7*s*. 6*d*.
METALLICA, 5*s*.

DIOSCOREA SPECIOSA.

A free growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5*s*.

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

DIPLADENIA AMABILIS, 3*s*. 6*d*.
AMŒNA, 3*s*. 6*d*.
BOLIVIENSIS, 3*s*. 6*d*.
CARISSIMA, 5*s*.
DIADEMA, 15*s*.
ELIOTTI, 3*s*. 6*d*.
HYBRIDA, 3*s*. 6*d*.
INSIGNIS, 3*s*. 6*d*.
MAONIFICA (ACUMINATA), 3*s*. 6*d*. and 5*s*.
PROFUSA, 3*s*. 6*d*.

DIPLADENIA REGINA, 5*s*.
DIPTERIX ODORATA (**TONQUIN BEAN**), 42*s*.
DISSOTIS PLUMOSA, 5*s*.
DORSTENIA BARTERI, 7*s*. 6*d*.
CAULESCENS, 7*s*. 6*d*.
THOMSONI, 7*s*. 6*d*.
DRACÆNA ALBO-MARGINATA, 3*s*. 6*d*.
AMABILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
AMBOINENSIS, 1 guinea.

DIEFFENBACHIA REGINA.

DIEFFENBACHIA REGINA.

A very distinct and striking variety from South America. It has oblong elliptic leaves, which are rounded at the base, shortly acuminate and almost wholly covered with greenish-white, mottled with blotches of pale green, and having a narrow margin, and a few streaky markings of a deeper shade. The greater portion of the upper surface of the leaf-blade being of this pallid hue, with the few but distinct dark markings, the plant is very effective and well entitled to be regarded as the Queen of the Dieffenbachias. This beautiful plant has frequently been shown in Mr. W. B.'s winning collections of New Plants. *7s. 6d.* and *10s. 6d.*

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. This has been frequently shown in Mr. W. B.'s winning collections of New Plants. *7s. 6d.*

DIEFFENBACHIA REX.

DIEFFENBACHIA REX.

If *D. regina* may be considered as the Queen, we have in this the King of the genus—a very handsomely marked plant of free and vigorous habit. The leaves are of a very deep green colour, thickly covered with oblique-elongate angular white blotches, which take the same direction as the venation, and are here and there slightly veined and suffused with green. 7*s.* 6*d.* and 10*s.* 6*d.*

DRACÆNA ARGENTEO-STRIATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. 1½, 2 & 3 guineas.



DRACÆNA GOLDIEANA.

DRACÆNA GOLDIEANA.

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish-purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s.* 6*d.* and 10*s.* 6*d.*

DRACÆNA ANERLEYENSIS, 3*s.* 6*d.* and 5*s.*
ARGENTEO-STRIATA, *vide page* 26.
AURANTIACA, 3*s.* 6*d.* and 5*s.*
BAPTISTII, 3*s.* 6*d.*
BAUSEI, 3*s.* 6*d.* and 5*s.*
BELLA, 5*s.*
BERKELEYI, 3*s.* 6*d.* and 5*s.*
CANTRELLII, 7*s.* 6*d.*
CAUSTONI, 3*s.* 6*d.* and 5*s.*
CLAUDIA, 10*s.* 6*d.*

DRACÆNA CONOESTA (RUBRA), 2*s.* 6*d.* and 3*s.* 6*d.*
COOPERI, 3*s.* 6*d.*
CRISTULA, 3*s.* 6*d.*
EBURNEA, 1 guinea
ELIZABETHÆ, 5*s.*
ERNESTII, 3*s.* 6*d.* and 5*s.*
EXCELLENS, 15*s.*
FERREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 3*s.* 6*d.*
FRAGRANS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

DRACÆNA FREDERICI, 3*s.* 6*d.* and 5*s.*
GLADSTONEI, 3*s.* 6*d.* and 5*s.*
GOLDIEANA, *vide* page 27.
GRACILIS, 2*s.* 6*d.* and 3*s.* 6*d.*

DRACÆNA GUILFOYLEI, 2*s.* 6*d.* and 3*s.* 6*d.*
IGNEA, 3*s.* 6*d.*
LEONARDII, 7*s.* 6*d.*
MADONNA, 10*s.* 6*d.*

DRACÆNA LINDENI.

In habit this most distinct and striking Dracæna is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly reenrved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

DRACÆNA MAJESTICA, 3*s.* 6*d.* and 5*s.*
MASSANGEANA, *vide* fragrans variegata
MRS. BAUSE, 3*s.* 6*d.* and 5*s.*
MRS. C. J. FREAKE, 3*s.* 6*d.*
MRS. WILLS, 3*s.* 6*d.*
PHRYNIOIDES, 10*s.* 6*d.*
RECURVA, 3*s.* 6*d.* and 5*s.*
REGINA, 3*s.* 6*d.*
RENARDIÆ, 5*s.*
ROSSII, 3*s.* 6*d.* and 5*s.*
RUBRA, *vide* D. congesta
SALMONEA, 3*s.* 6*d.* and 5*s.*
SHEPHERDII, 3*s.* 6*d.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
STRICTA, 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.* and 5*s.*
SURCULOSA MACULATA, 7*s.* 6*d.*
SPINKSII, 3*s.* 6*d.* and 5*s.*
SYDNEYI, 3*s.* 6*d.*

DRACÆNA TERMINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ALBA, 3*s.* 6*d.* and 5*s.*
THOMSONII, 3*s.* 6*d.* and 5*s.*
VIVICANS, 3*s.* 6*d.* and 5*s.*
WILLSII, 3*s.* 6*d.* and 5*s.*
WILSONI, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
See also page 52.
DRACONTIUM ASPERUM, 5*s.*
CARDERI, 7*s.* 6*d.*
SCALPTURATUM, 7*s.* 6*d.*
DRYMONIA MARMORATA, 7*s.* 6*d.*
TURIALVÆ, 5*s.*
DURIO ZIBETHINUS (DURIAN).
DYCKIA BREVIFOLIA, 7*s.* 6*d.*
EBERMAIERA (CHAMERANTHEMUM) NITIDA, 5*s.*
ECHITES, *vide* Dipladenia
PICTA, 3*s.* 6*d.* and 5*s.*
RUBRO-VENOSA, 3*s.* 6*d.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 5*s.* and 7*s.* 6*d.*

ELÆODENDRON ORIENTALE (ARALIA CHABRIERII) 5*s.*
ELETTARIA DIEPENHORSTII, 5*s.*
ENCEPHALARTOS, *vide* Index
ENCHOLIRION CORALLINUM, 7*s.* 6*d.*
JONOHEI, *vide* Tillandsia Jonghei
EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. 30*s.* and 42*s.* per dozen.

EPIPREMNUM MIRABILE "TONGA PLANT" 3*s.* 6*d.* and 5*s.*
EPISCIA TESSELLATA, *vide* Centrosolenia bullata
ERANTHEMUM ANDERSONI (elegans). 2*s.* 6*d.* and 3*s.* 6*d.*
ATROPURPUREUM, 3*s.* 6*d.*
EBORACENSE, 3*s.* 6*d.*
LAXIFLORUM, 2*s.* 6*d.*
MOOREI, 3*s.* 6*d.*

ERANTHEMUM MACROPHYLLUM.

A very desirable winter flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour, forming a pleasing contrast to the celestial blue of the upper petals. It is very free flowering and of good habit. 5*s.*

EUCHARIS MASTERSII.

This new and beautiful Eucharis has been imported from the United States of Colombia. Its deliciously fragrant flowers are of the most snowy whiteness, the free portion of the staminal cup or corona, forming a narrow but united collar-like rim to the perianth tube. This species will be found a desirable acquisition, it being very free flowering and the bloom admirably adapted for cutting. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 2*s.* 6*d.* each; 24*s.* per dozen.

EUCHARIS AMAZONICA, 1*s.* 6*d.* and 2*s.* 6*d.*; 15*s.* and 24*s.* per dozen.
BAKERIANA, *vide* page 7.

EUCHARIS CANDIDA, 1*s.* 6*d.* and 2*s.* 6*d.*; 15*s.* and 24*s.* per dozen.

ERANTHEMUM NIGRESCENS, 3*s.* 6*d.*
PULCHELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
TUBERCULATUM, 3*s.* 6*d.*
VERBENACEUM, 3*s.* 6*d.*
ERANTHEMUM VERSICOLOR, 3*s.* 6*d.*
VELUTINUM, 5*s.*
ERYTHRINA PARCELLII, 10*s.* 6*d.*
see also page 25.
ERYTHROTIS BEDDOMEI, 3*s.* 6*d.* and 5*s.*

ERYTHROXYLON COCA.

This extremely interesting plant is of great officinal importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." 10*s.* 6*d.*

EUADENIA EMINENS, 1 guinea
EUCHARIS *vide* page 29.
EUCODONIA, *vide* Index.
EUGENIA JAMBOS (*Rose Apple*), 10*s.* 6*d.*
PIMENTA (*Allspice*), 5*s.*
vide also page 64.
EUPHORBIA JACQUINIÆFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPLENDENS, 3*s.* 6*d.*
EURYCLES AUSTRALASICA, 3*s.* 6*d.*
CUNNINGHAMII, 3*s.* 6*d.*
EXOSTEMMA CHONTALENSIS, 10*s.* 6*d.*
FERNS, *vide* Index.

FARADAYA PAPUANA.

A climbing shrubby plant from Java, furnished with opposite lanceolate leaves, attached by long thickened petioles, and coarsely bullate on the upper surface. The flowers are white, salver-shaped, with a limb of four sub-equal segments, and are produced in corymbose panicles. 10*s.* 6*d.*

FICUS BARBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
(ARTOCARPUS) CANNONI, 3*s.* 6*d.*
DEALBATA, 7*s.* 6*d.* and 10*s.* 6*d.*
EBURNEA, 5*s.*
ELASTICA, 3*s.* 6*d.*
—— VARIEGATA, 5*s.* and 7*s.* 6*d.*
EXSCULPTA, 3*s.* 6*d.* and 5*s.*
INDICA, 3*s.* 6*d.*
(ARTOCARPUS) LACINIATA METALLICA, 3*s.* 6*d.*
MOOREI, 5*s.*
PAROELLI, 3*s.* 6*d.*
RADICANS, 3*s.* 6*d.*
RELIGIOSA (*Sacred Indian Fig*), 7*s.* 6*d.*
SYCOMORUS (*Sycamore Tree of Scripture*), 7*s.* 6*d.* and 10*s.* 6*d.*
FILICIUM DECIPIENS, 5*s.* and 7*s.* 6*d.*
FITTONIA ARGYRONEURA, 2*s.* 6*d.*
GIGANTEA, 2*s.* 6*d.*
PEARCEI, 2*s.* 6*d.*
FRANCISCEA ACUMINATA, 3*s.* 6*d.*
CALYCINA, 3*s.* 6*d.* and 5*s.*
CONFERTIFLORA (LAURIFOLIA), 3*s.* 6*d.*
EXIMIA, 3*s.* 6*d.*
HOPEANA (UNIFLORA), 3*s.* 6*d.*
LATIFOLIA, 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.* and 5*s.*
ROSEA PERFECTA, 3*s.* 6*d.* and 5*s.*
VIOLACEA GRANDIFLORA, 3*s.* 6*d.* and 5*s.*
GALACTODENDRON UTILE (Milk Tree), 10*s.* 6*d.*
GARCINIA LIVINGSTONI, 10*s.* 6*d.* and 15*s.*
INDICA, 1 guinea.
MANGOSTANA, 2 and 3 guineas.
GARDENIA CITRIODORA, 3*s.* 6*d.*
FLORIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
FORTUNIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
GLOBOSA, 5*s.*
RADICANS, 2*s.* 6*d.* and 3*s.* 6*d.*
THUNBERGII, 5*s.*
GEISSOMERIA MARMORATA, 3*s.* 6*d.*
GESNERA DONKELAARI, 5*s.*
DOUGLASII, 3*s.* 6*d.* and 5*s.*
DUVALII, 3*s.* 6*d.*
LEOPOLDII, 3*s.* 6*d.*
MACRANTHA, 2*s* 6*d.*
MARCHII, 3*s.* 6*d.*
vide ludox
GLONERA JASMINIFLORA, 3*s.* 6*d.*
GLORIOSA PLANTII, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.*
—— GRANDIFLORA, *vide* page 7.
GLOXINIA, *vide* Index
GODWINIA GIGAS, 10*s.* 6*d.*
GOMPHIA DECORA, 5*s.* and 7*s.* 6*d.*
GONOLOBUS CUNDURANGO, *vide* page 52.
GOODYERA, *vide* Orchids

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s.* and 7*s.* 6*d.*

GRIFFINIA BLUMENAVIA, 5*s.* and 7*s.* 6*d.*
DRYADES, 10*s.* 6*d.*
GUZMANNIA PICTA, (NIDULARIUM FULGENS), 7*s.* 6*d.* and 10*s.* 6*d.*
GYNURA AURANTIACA, 1*s.* 6*d.*
HÆMANTHUS COCCINEUS, 2*s.* 6*d.*
KATHERINÆ, 5*s.* and 7*s.* 6*d.*
—— SUPERBUS, 1 guinea.
MULTIFLORUS, 10*s.* 6*d.*
HÆMANTHUS NATALENSIS, 7*s.* 6*d.*
vide also page 53.
HEVEA BRASILIENSIS (*Para Rubber*).
HEDYCHIUM ACUMINATUM, 5*s.*
GARDNERIANUM, *vide* page 53.
HELICONIA AUREO-STRIATA, 5*s.* and 7*s.* 6*d.*
BREVISPATHA, 10*s.* 6*d.*
HEMIGRAPHIS COLORATA, 3*s.* 6*d.*
HIBISCUS ROSA SINENSIS, *vide pages* 31 and 32.

HIBISCUS ROSA SINENSIS FULGIDUS.

A magnificent variety, with flowers of very large size (five inches in diameter), composed of fine broad, rounded and beautifully undulated petals, of an intense carmine scarlet, the base of each petal blotched with deep crimson. 3*s.* 6*d.*

HIBISCUS Rosa sinensis albo-variegatus, 2*s.* 6*d.* and 3*s.* 6*d.*
Rosa sinensis brilliantissimus, 5*s.*
—— —— carminatus perfectus, 3*s.* 6*d.*
—— —— Colleri, 3*s.* 6*d.*
—— —— Cooperi, 2*s.* 6*d.*
—— —— cruentus, 3*s.* 6*d.*
—— —— Dennisoni, 3*s.* 6*d.*
—— —— intermedius, *vide* page 64.

HIBISCUS Rosa sinensis kermesinus, *vide* page 32.
Rosa sinensis Lambertii, 3*s.* 6*d.*
—— —— magnificus, 5*s.*
—— —— miniatus semi-plenus, *vide* page 32.
—— —— puniceus, 3*s.* 6*d.*
—— —— vivicans, 3*s.* 6*d.*
schizopetalus, 2*s.* 6*d.* and 3*s.* 6*d.*
see also page 64.

HIBISCUS ROSA SINENSIS MINIATUS SEMI-PLENUS.

A remarkably showy plant with brilliant semidouble flowers of a vermilion scarlet colour, the petals forming an irregular undulated mass four inches across, from which the partially petaloid staminal column projects two inches. The flowers are remarkable for the absence of formality, the shape being wild, and abounding in fantastic curves. 3*s.* 6*d.*

HIBISCUS ROSA SINENSIS INTERMEDIUS.

A pretty new hybrid variety between *H. rosa-sinensis magnificus* and *H. schizopetalus*, partaking in a marked degree of the characteristics of the last-named parent. The colour is a pleasing shade of cardinal suffused with carmine, the base of each of the segments being rayed or blotched with shining bronzy maroon. 7*s.* 6*d.*

HIBISCUS ROSA SINENSIS KERMESINUS.

A grand flowering stove plant, with the foliage and general habit of other varieties of this extremely ornamental species. The flowers are large and showy, full double, the petals broad, rounded, and undulated, the colour being a fine rich carmine crimson. 5*s.*

HIPPEASTRUM, *vide* AMARYLLIS
HOFFMANNIA (HIGGINSIA) GHIESBREGHTII, 2*s*. 6*d*.
GHIESBREGHTII VARIEGATA, 5*s*.
HOFFMANNIA ORTGIESII, 3*s*. 6*d*.
REFULGENS ROBUSTA, 3*s*. 6*d*.
HOMALOMENA PELTATUM, 10*s*. 6*d*.

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coroual protuberances white, the interstices pink, forming a pleasing contrast. 3*s*. 6*d*. & 5*s*.

HOYA BELLA. 3*s*. 6*d*.
CAMPANULATA, 3*s*. 6*d*. and 5*s*.
CARNOSA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— PICTA AUREA, 3*s*. 6*d*.
—— VARIEGATA, 3*s*. 6*d*. and 5*s*.
IMPERIALIS, 3*s*. 6*d*. and 5*s*.
HOYA PAXTONI, 2*s*. 6*d*. and 3*s*. 6*d*.
TEYSMANNIANA, 7*s*. 6*d*.
HYDROCOTYLE NITIDULA, 3*s*. 6*d*.
HYMENOCALLIS MACROSTEPHANA, 10*s*. 6*d*., 15*s*. and 1 guinea
vide Paneratium

HYMENOSPORUM FLAVUM.

A handsome evergreen plant from Eastern Australia. It is of branching habit, and is furnished with glabrous leaves which are broadly obovate-lanceolate. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 7*s*. 6*d*.

IMPATIENS HAWKERII.

A most lovely flowering plant introduced from the South Sea Islands, where it was discovered by Lieutenant Hawker. The magnificent flowers are very large, flatly expanded, and of the most brilliant rich deep carmine colour, relieved by a lustrous bluish tinge round the small white eye, the spur being red and about two inches long. The handsome flowers of this superb new Impatiens are produced in the greatest profusion from March until October, the plant is of free growth and of good habit, and cannot fail to become one of the most useful of decorative plants. 2*s*. 6*d*. and 3*s*. 6*d*.

IMPATIENS CUSPIDATA, 7*s*. 6*d*.
FLACCIDA (PLATYPETALA), 2*s*. 6*d*.
——(——) ALBA, 1*s*. 6*d*.
SULTANI, 1*s*. 6*d*.
INDIGOFERA DECORA, *vide* page 54
INGA PULCHERRIMA, 10*s*. 6*d*.
IPOMŒA HORSFALLIÆ, 5*s*. and 7*s*. 6*d*.
IPOMÆA LEARII, 2*s*. 6*d*. and 3*s*. 6*d*.
TERNATA (THOMSONIANA), 5*s*.
ISOLOMA HIRSUTA, 3*s*. 6*d*.
MOLLIS, 3*s*. 6*d*.
IXORA AMABILIS, 3*s*. 6*d*.
AMŒNA, 5*s*.
AURELIA, 3*s*. 6*d*.

IXORA AURORA.

Fine trusses of large attractive flowers, orange-buff on opening, changing afterwards to bright salmon. 10*s*. 6*d*.

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10*s*. 6*d*.

IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 10*s*. 6*d*.

IXORA COCCINEA SUPERBA, 3*s*. 6*d*.
IXORA DUFFII, *vide* I. macrothyrsus

IXORA DECORA.

Yellow flaked with rosy crimson; remarkably attractive; a magnificent variety producing noble trusses of very large fine flowers. 10*s*. 6*d*.

IXORA EMINENS.

A splendid variety of exceptional merit, giving trusses of fine, large, well-formed flowers, clear buff on opening, changing afterwards to light salmon pink. 10*s*. 6*d*.

IXORA EXIMIA, 7*s*. 6*d*.
IXORA FORMOSA, 5*s*.

IXORA GEMMA.

A fine addition to this showy and effective genus. It has round and well-formed pips of a rich orange yellow colour, produced in large and compact trusses. This variety will be found of the greatest value for exhibition purposes. 10*s*. 6*d*.

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10*s*. 6*d*.

IXORA INSIGNIS.

A fine variety of close dwarf habit; deep rosy crimson flowers shaded with orange, borne in a compact truss 15*s*.

IXORA LAVERNA, 3*s*. 6*d*.
LOBBII, 7*s*. 6*d*.
IXORA MACROTHYRSUS (DUFFII), 3*s*. 6*d*. and 5*s*.
MIRANDA, 7*s*. 6*d*.

IXORA ORNATA.

A remarkably free-blooming variety, producing good trusses of bright orange-salmon flowers in the greatest profusion. 7*s*. 6*d*.

IXORA MODIOLA, 5*s*.
ODORATA, 5*s*.
PILORIMII, 3*s*. 6*d*.
PRINCE OF ORANGE, 3*s*. 6*d*.
PRINCEPS, 3*s*. 6*d*.
IXORA REGINA, 3*s*. 6*d*.
SANGUINEA, 3*s*. 6*d*.
VERONA, 3*s*. 6*d*.
WESTII, 3*s*. 6*d*.
WILLIAMSII, 3*s*. 6*d*.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free flowering. 10*s*. 6*d*.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s*. 6*d*.

JACARANDA CLAUSSENIANA (CUPANIA FILICIFOLIA), 10*s*. 6*d*. and 15*s*.
ELEGANTISSIMA, 10*s*. 6*d*.
MIMOSÆFOLIA, 5*s*.
JASMINUM DUCHESSE D'ORLEANS, 3*s*. 6*d*.
GRACILLIMUM, 3*s*. 6*d*.
HIRSUTUM (MULTIFLORUM), 2*s*. 6*d*. & 3*s*. 6*d*.
LIGUSTRIFOLIUM, 3*s*. 6*d*.
SAMBAC, 2*s*. 6*d*. and 3*s*. 6*d*.
—— FLORE PLENO, 3*s*. 6*d*.
See also page 54.
JATROPHA MULTIFIDA, 5*s*.
JONESIA ASOCA, 10*s*. 6*d*. and 15*s*.
JUSTICIA PURPUREA, 2*s*. 6*d*.
KÆMPFERIA BENSONLÆ, 7*s*. 6*d*.
BERKELEYI, 7*s*. 6*d*.
GILBERTII, 3*s*. 6*d*.
MOULMEINENSIS, 7*s*. 6*d*.
ROSCOEANA, 5*s*.
ROTUNDA, 5*s*.
UNDULATA, 5*s*.
KYLLINGIA MONOCEPHALA, 3*s*. 6*d*.
LABISIA ALATA, 7*s*. 6*d*.
MALOUANA, 10*s*. 6*d*.
LAMPROCOCCUS (ÆCHMEA) DISCOLOR, 5*s*.
(ÆCHMEA) FULGENS, 3*s*. 6*d*. and 5*s*.
(——) MINIATA, 5*s*.
(——) WEILBACHI, 7*s*. 6*d*.
LANDOLPHIA KIRKII, 10*s*. 6*d*.
WATSONIANA, 7*s*. 6*d*.
LAPORTEA SCHOMBURGKII VERSICOLOR, 10*s*. 6*d*.
LASIANDRA, *vide* page 54.
LAURUS CINNAMOMUM, 5*s*. and 7*s*. 6*d*.
LEDENBERGIA ROSEO-ÆNEA, 3*s*. 6*d*.
LEEA AMABILIS SPLENDENS, 10*s*. 6*d*.
LIBONIA, *vide* page 54.
LUCULIA, *vide* Greenhouse Plants
MACROZAMIA, *vide* Index
MAGNOLIA PUMILA, 5*s*. and 7*s*. 6*d*.
MANETTIA BICOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
CORDATA, 2*s*. 6*d*. and 3*s*. 6*d*.
MICANS, 2*s*. 6*d*. and 3*s*. 6*d*.
MANGIFERA INDICA (MANGO), 1 guinea
MARANTA AMABILIS, 5*s*.
ARUNDINACEA *(The Arrowroot Plant)*, 7*s*. 6*d*.
BARAQUINII, 3*s*. 6*d*.
BELLA, 7*s*. 6*d*.
BICOLOR, 5*s*.
CONSPICUA, 7*s*. 6*d*.
GOVEANA, 5*s*.
ICONIFERA, 7*s*. 6*d*.
ILLUSTRIS, 3*s*. 6*d*.
KERCHOVEANA, 3*s*. 6*d*. and 5*s*.
LINDENI, 3*s*. 6*d*.
LUBBERSII, 2*s*. 6*d*.
MAKOYANA, 3*s*. 6*d*.
MASSANGEANA, 3*s*. 6*d*.
MUSAICA, 10*s*. 6*d*.
NITENS, 7*s*. 6*d*.
NITIDA, 10*s*. 6*d*.
PRASINA, 7*s*. 6*d*.
RADIATA, 5*s*.
ROSEO-PICTA, 3*s*. 6*d*.
SMARAGDINA, 7*s*. 6*d*.
SPLENDIDA, 3*s*. 6*d*.
TUBISPATHA, 3*s*. 6*d*.
VEITCHII, 3*s*. 6*d*.
VITTATA, 3*s*. 6*d*.
WARSCEWICZII, 3*s*. 6*d*.
WIOTII, 5*s*.
ZEBRINA, 3*s*. 6*d*.
MARCGRAVIA DUBIA, 3*s*. 6*d*.
INDICA, *vide* page 36.
PARADOXA, 3*s*. 6*d*.

MUSSÆNDA ERYTHROPHYLLA.

MUSSÆNDA ERYTHROPHYLLA.

A remarkable introduction from the Congo. It is of shrubby habit, and produces heads of the richest dazzling scarlet bracts, which are roundish ovate in form, about three and a-half inches long, by three inches wide; at the base of each bract are borne on short pedicels three or four funnel-shaped flowers, of a sulphur-yellow colour, the whole plant, including the bracts and flowers, being covered with a silky pubescence. The leaves are opposite, roundish ovate, and of a bright green colour. 10*s*. 6*d*.

MARCGRAVIA INDICA.

This plant belongs to a very peculiar group of climbing plants, which cling like Ivy to the surface to which they become affixed. The present is a free-growing species, that will make a neat and very interesting wall climber, on account of the peculiarities of its growth and foliation. The stems are flattened, the leaves being two-ranked, oblong-ovate and of a deep green colour. 10*s.* 6*d.*

MEDINILLA AMABILIS, 3*s.* 6*d.*
CURTISII, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.*
MELASTOMA MALABATHRICA, 5*s.*
MESUA FERREA, 7*s.* 6*d.* and 10*s.* 6*d.*
METHONICA, *vide* Gloriosa
MEYENIA ERECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANIA PULVERULENTA, 3*s.* 6*d.*
MONOLOPHUS SECUNDA, 10*s.* 6*d.*
MONSTERA DELICIOSA (Philodendron pertusum), 5*s.* and 7*s.* 6*d.*
MUSA CAVENDISHII, 10*s.* 6*d.* and 15*s.*
COCCINEA, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
VITTATA, 1, 1½ and 2 guineas
ZEBRINA, 10*s.* 6*d.* and 15*s.*
MUSSÆNDA ERYTHROPHYLLA, *vide* page 35.
FRONDOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
MYRISTICA MOSCHATA (Nutmeg)
NÆGELIA, *vide* GESNERA
NAPOLEONA IMPERIALIS, 5*s.* and 7*s.* 6*d.*

NEPENTHES.

CARNIVOROUS PLANTS.

NEPENTHES AMPULLARIA VITTATA, 10*s.* 6*d.*
AMPULLARIA VITTATA MAJOR, 1 guinea
CHELSONI, 1 guinea
COCCINEA, 15*s.*
COURTII, 1 guinea
DISTILLATORIA, 10*s.* 6*d.*
DOMINII, 10*s.* 6*d.*
GRACILIS MAJOR, 5*s.*
HENRYANA, 15*s.* and 1 guinea
HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea
HOOKERÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
HYBRIDA, 10*s.* 6*d.*
—— MACULATA, 10*s.* 6*d.*
INTERMEDIA, 10*s.* 6*d.*
KENNEDYANA, 10*s.* 6*d.*
LAWRENCEANA, 10*s.* 6*d.* and 15*s.*
MASTERSIANA 1 and 1½ guinea
—— PULCHELLA, 1 and 1½ guinea
MOROANÆ, 10*s.* 6*d.* and 15*s.*
OUTRAMIANA, 10*s.* 6*d.*
PHYLLAMPHORA, 3*s.* 6*d.* and 5*s.*
RAFFLESIANA, 15*s.*
—— INSIGNIS, *vide* page 37.
—— NIVEA, 2 guineas
RATCLIFFIANA, 10*s.* 6*d.* and 15*s.*
SEDENI, 5*s.*
STEWARTII, 10*s.* 6*d.*
SUPERBA, 10*s.* 6*d.*
ZEYLANICA RUBRA, 10*s.* 6*d.*

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7*s.* 6*d.*

NEPHTHYTIS PICTURATA, *vide* page 38.
NIDULARIUM FULGENS, *vide* Guzmannia picta
INNOCENTII, 5*s.* and 7*s.* 6*d.*
SPECTABILE, 7*s.* 6*d.* and 10*s.* 6*d.*
STRIATUM, *vide* page 39.
OCHROSIA ELLIPTICA, 5*s.*
ONCIDIUM, *vide* ORCHIDS
OPHIOPOGON, *vide* page 55.
OPLISMENUS IMBECILLIS VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
INTERMEDIUS (PANICUM INTERMEDIUM), 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, *vide* Index
OXALIS BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*
PALICOUREA JUCOSA, 7*s.* 6*d.*
PALISOTA BARTERI, 5*s.*
PALMS, of sorts, *vide* Index

NEPENTHES RAFFLESIANA INSIGNIS.

A very distinct and magnificent variety of robust growth, producing extremely handsome and gigantic pitchers, about nine inches in length by four in breadth, heavily mottled in a most effective manner with purplish brown on a green ground. The deeply-ribbed rim surrounding the mouth of the pitcher is prolonged at the upper end into a stalk terminated by a large ovate oblong spreading lid, the under side of which is mottled with purplish brown. It has been described and illustrated in the *Gardeners' Chronicle*, September 30th, 1882. 3 and 4 guineas.

NEPHTHYTIS PICTURATA.

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. *21s.*

NIDULARIUM STRIATUM.

NIDULARIUM STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are freely furnished with small spinose teeth. 1½, 2 & 3 guineas.

PANAX CRISPATUM.

A very dwarf and compact growing stove plant, introduced from Brazil. It is densely furnished with triangular pinnately divided deep green leaves, consisting of several pairs of overlapping leaflets and a terminal one, each of which is deeply incised and slightly toothed on the margin, thus giving the plants a crispy and very ornamental appearance. The stem and petioles are of a deep olive green colour, sparsely spotted with lighter green. 7*s.* 6*d.*

PANAX DIFFISSUM, 5*s.* and 7*s.* 6*d.*
DISSECTUM, 7*s.* 6*d.*
DUMOSUM, 5*s.* and 7*s.* 6*d.*
PANAX FISSUM, 5*s.* and 7*s.* 6*d.*
FRUTICOSUM, 7*s.* 6*d.*
NITIDUM, 5*s.*

PANAX LEPIDUM.

This distinct and compact ornamental stove plant is of dense habit with biternate leaves of a rich deep green colour, the leading division surpassing the others in size; in the secondary divisions the lateral pinnulæ are obliquely obovate, the inner portions of the two blades almost covering the small deflexed centre pinnule. The outside margins are deeply incised in an irregular manner and spinosely toothed. It has been imported from Brazil. 5*s.*

PANAX ORNATUM, 5*s.*
PLUMATUM, 5*s.*
VICTORIÆ, 3*s.* 6*d.* and 5*s.*
PANCRATIUM FRAGRANS, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
OUIANENSIS, *vide* page 41.
MEXICANUM, 1*s.* 6*d.* and 2*s.* 6*d.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
vide Hymenocallis
PANDANOPHYLLUM HUMILE, 1½ guinea
PANDANUS JAVANICUS VARIEGATUS, 3*s.* 6*d.* and 5*s.*
LABYRINTHICUS, 3*s.* 6*d.* and 5*s.*
LAIS, 3*s.* 6*d.* and 5*s.*
UTILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
VANDERMEERSCHII, 7*s.* 6*d.*
VEITCHII, 3*s.* 6*d.* and 5*s.*
PANICUM VARIEGATUM. *vide* Oplismenus
INTERMEDIUM, *vide* Oplismenus
PARITIUM ELATUM (CUBA BAST), 7*s.* 6*d.*
PARMENTIERA CEREIFERA, 1 guinea
PASSIFLORA ALATA, 3*s.* 6*d.*
AMABILIS, 3*s.* 6*d.*
BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani
KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
LOUDONI, 3*s.* 6*d.*
MADONNA, 3*s.* 6*d.*

PASSIFLORA MACROCARPA.

A free-growing climber, introduced from the Rio Negro. The blossoms are very large, white and purple, but it is chiefly remarkable for its immense fruits, which often weigh as much as eight pounds each or more, and are of excellent quality. 3*s.* 6*d.* and 5*s.*

PASSIFLORA PRINCEPS (RACEMOSA), 3*s.* 6*d.*
PASSIFLORA QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*

PASSIFLORA QUADRANGULARIS VARIEGATA.

The bold character and beautiful flowers of *Passiflora quadrangularis* are too well known to need description. The present variety differs from it in having the foliage variegated. The leaves are very freely covered with yellow blotches and spots, producing a colouration which is at once handsome and conspicuous. 3*s.* 6*d.* and 5*s.*

PASSIFLORA SHEPPARDII, 3*s.* 6*d.*
TRIFASCIATA, 2*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani
See also page .
PAULLINIA HOOIBRENKII, 10*s.* 6*d.*
OCEANICA, 10*s.* 6*d.*
SORBILIS, Guarana Tea Plant, 10*s.* 6*d.*
THALICTRIFOLIA, 3*s.* 6*d.*
—— ARGENTEA, 5*s.*
PAVETTA BORBONICA, 10*s.* 6*d.*
PAVONIA MAKOYANA, 3*s.* 6*d.*
MULTIFLORA (WIOTII), 3*s.* 6*d.*
PELLIONIA DAVEAUANA, 2*s.* 6*d.*
PULCHRA, 2*s.* 6*d.*
PENTAS CARNEA, 1*s.* 6*d.* and 2*s.* 6*d.*
KERMESINA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEPEROMIA ARGYREIA, 3*s.* 6*d.*
EBURNEA, 3*s.* 6*d.*
PERSEA GRATISSIMA (Avocado Pear)
PETRÆA VOLUBILIS, 3*s.* 6*d.*
PHILODENDRON CARDERII, 7*s.* 6*d.*
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
GLORIOSUM, 5*s.* and 7*s.* 6*d.*

PAULOWILHELMIA SPECIOSA.

A beautiful soft-wooded stove plant, as distinct as it is showy, and likely to become a very popular plant. Its attractive mauve blue flowers, marked with yellow on the disc, are disposed in large terminal panicles, made up of numerous opposite cymes. The leaves are cordate, irregularly toothed on the margins, and of a cheerful green colour. 7*s.* 6*d.*

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots, the larger ones being surrounded by numerous smaller dots of the same colour. 1 guinea.

PANCRATIUM GUIANENSIS.

A very distinct species introduced from British Guiana, producing its elegant flowers in handsome clusters on erect scapes. The blossoms are pure white, the narrow segments being drooping and most prettily curled and twisted, presenting an aspect of the most charming description. The corona is trumpet-shaped, the filaments which proceed from it being bright green, and furnished with bright yellow anthers. 10*s*. 6*d*.

PHILODENDRON IMPERIALE (MAMEI), *5s.* & *7s.6d.*
LINDENIANUM, *3s. 6d.* and *5s.*
MELANOCHRYSUM, *5s.*
NOBILE, *vide* page 40.
PERTUSUM, *vide* Monstera deliciosa
QUERCIFOLIUM, *5s.*
RADIATUM, *5s.*
PHRYNIUM VARIEGATUM, *7s. 6d.*
PHYLLAGATHIS ROTUNDIFOLIA, *5s.* and *7s. 6d.*
PHYLLANTHUS ATROPURPUREUS, *3s. 6d.*
ELEGANS, *5s.*
PHYLLANTHUS NIVOSUS, *3s. 6d.*
ROSEO-PICTUS, *3s. 6d.*
SEEMANNIANUS, *7s. 6d.*
PHYLLARTHRON COMORENSE. *7s. 6d.*
PHYLLOTÆNIUM LINDENI, *3s. 6d.* and *5s.*
PILEA MUSCOSA, *1s. 6d.* and *2s. 6d.*
PIPER AROENTEUM, *10s. 6d.*
ORNATUM, *2s. 6d.* and *3s. 6d.*
RUBRO-VENOSUM, *3s. 6d.*
PIPERS, of sorts, *2s. 6d.* and *3s. 6d.*
PISTIA STRATIOTES, *2s. 6d.* and *3s. 6d.*

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. *10s. 6d.*

PITCAIRNIA CORALLINA, *5s.* and *7s. 6d.*
PLATYPHYLLA, *7s. 6d.*
TABULÆFORMIS, *3s. 6d.* and *5s.*
PLEROMA MARMORATA, *10s. 6d.*
See also page 57.
PLUMBAGO COCCINEA SUPERBA, *2s. 6d.* & *3s. 6d.*
ROSEA, *2s. 6d.* and *3s. 6d.*
See also page 57.
POGOSTEMON PATCHOULI, *2s. 6d.* and *3s. 6d.*
POINCIANA REGIA, *7s. 6d.*
POINSETTIA PULCHERRIMA, *1s. 6d.* and *2s. 6d.*
PULCHERRIMA ALBA, *2s. 6d.* and *3s. 6d.*
—— PLENISSIMA, *2s. 6d.* and *3s. 6d.*
—— ROSEO-CARMINATA, *2s. 6d.*
POLYGALA, *vide* page 57.
PORTLANDIA GRANDIFLORA, *7s. 6d.*
POSOQUERIA MULTIFLORA, *3s. 6d.* and *5s.*
POTHOS AROYREIA, *2s. 6d.* and *3s. 6d.*

POTHOS ARGENTEUS.

An attractive variegated Araceous plant of climbing habit, imported from Borneo. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green, the leaves being also margined in an irregular manner with the same colour. *10s. 6d.*

POTHOS AUREUS, *3s. 6d.* and *5s.*
CELATOCAULIS, *2s. 6d.*, *3s. 6d.* and *5s.*
POTHOS FLEXUOSUS, *vide* page 43.
MACROPHYLLUS, *3s. 6d.*

POTHOS NITENS.

A distinct looking stove plant, with leaves of a dark shining bronzy-purplish green and climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. *7s. 6d.*

PSIDIUM CATTLEYANUM (The Guava), *3s. 6d.* and *5s.*
PUYA MAIDIFOLIA, *5s.*
SULPHUREA, *7s. 6d.*
UNDULATA, *7s. 6d.*
RAVENALA MADAGASCARIENSIS. "The Traveller's Tree," *15s.* and 1 guinea
REIDIA GLAUCESCENS, *3s. 6d.* and *5s.*
RHOPALA, of sorts, *5s.*, *7s. 6d.* and *10s. 6d.*
ROGIERA CORDATA (AMŒNA), *3s. 6d.*
GRATISSIMA, *vide* page 57.
THYRSIFLORA, *5s.*
RONDELETIA BREVIFOLIA, *3s. 6d.*
SPECIOSA MAJOR, *3s. 6d.*
RONNBERGIA COLOMBIENSIS, 1 guinea
ROSCOEA PURPUREA, *see* Hardy Plants.
RUBUS FLEXUOSUS, *5s.*
RUDGEA MACROPHYLLA, *10s. 6d.* and *15s.*
RUELLIA ACUTANGULA, *5s.*
PORTELLÆ, *3s. 6d.*
ROSEA, *3s. 6d.*
RUSSELIA JUNCEA, *2s. 6d.*
SACCHARUM OFFICINARUM "Sugar Cane," *5s.*
SAMYDA NOBILIS, 1 guinea
SANCHEZIA NOBILIS GLAUCOPHYLLA, *5s.*
NOBILIS VARIEGATA, *3s. 6d.*
SANSEVIERA ZEYLANICA, *3s. 6d.*
SARRACENIAS, *vide* pages 56 and 57.
SCHISMATOGLOTTIS CRISPATA, *5s.*
DECORA, *5s.*
LATIFOLIA, *5s.*
LAVALLEI, *5s.*
LONGISPATHA, *5s.*
SIAMENSIS, *10s. 6d.*
VARIEGATA, *3s. 6d.*
SCHISTOCASIA PORTEI, *vide* Alocasia Portei

SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. *3s. 6d.* & *5s.*

POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10*s*. 6*d*.

SCINDAPSUS ARYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10*s.* 6*d.*

SCINDAPSUS, *vide* POTHOS
SCUTELLARIA MOCINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SERICOGRAPHIS GHIESBREGHTIANA, 2*s.* 6*d.*
SINNINGIA PUNCTATA, 3*s.* 6*d.*
PURPUREA NIORA, 3*s.* 6*d.*
SIPHOCAMPYLUS HUMBOLDTII, 3*s.* 6*d.*

SMILAX DISCOLOR.

A bold growing semi-scandent species, introduced from South America. The leaves are of a rich green colour irregularly blotched in a young state with patches of purplish-brown varying much in size and form. It is a bright cheerful clean-looking plant, desirable on account of the ornamental character of its blotched foliage. 7*s.* 6*d.*

SMILAX LONGIFOLIA VARIEGATA, 5*s.*
SHUTTLEWORTHII, 7*s.* 6*d.*
SOLANDRA GRANDIFLORA, 3*s.* 6*d.*
SONERILA HENDERSONI, 3*s.* 6*d.* and 5*s.*
HENDERSONI AUREA, 3*s.* 6*d.* and 5*s.*
—— PICTURATA, 5*s.*
—— SPECIOSA, 5*s.*
MARGARITACEA 3*s.* 6*d.* and 5*s.*
SONERILAS, NEW, *vide* page 8.
SPATHIPHYLLUM PICTUM, 5*s.*
SPATHODEA CAMPANULATA, 7*s.* 6*d.*
SPHÆROGYNE LATIFOLIA, 3*s.* 6*d.*
SPHÆROSTEMA MARMORATUM, 3*s.* 6*d.* and 5*s.*
STADMANNIA AMABILIS, 10*s.* 6*d.*
STENOSPERMATIUM WALLISII, 5*s.*
STEPHANOTIS FLORIBUNDA, 3*s.* 6*d.*
FLORIBUNDA, "Elvaston" variety, 3*s.* 6*d.* & 5*s.*

STERCULIA DISCOLOR.

An ornamental stove plant, introduced from East and North Australia, having pale green irregularly lobed leaves, the divisions—generally three or five—never extending more than halfway to the centre of the leaf. The flowers, which are borne in spicate panicles, are rose-red in colour, and somewhat campanulate or funnel-shaped. It has been figured in the *Botanical Magazine*, Tab. 6608. 7*s.* 6*d.*

STEUDNERA COLOCASIÆFOLIA, 5*s.*
DISCOLOR, 10*s.* 6*d.*
STIGMAPHYLLUM CILIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
STRELITZIA AUGUSTA, 15*s.*
REGINÆ, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
STREPTOCARPUS DUNNII,
KEWENSIS,
POLYANTHUS, 2*s.* 6*d.*
REXII, 2*s.* 6*d.* and 3*s.* 6*d.*
——PURPUREUS, *vide* page 8.
STREPTOCARPUS WATSONII,
SYNGONIUM ALBO-LINEATUM, 3*s.* 6*d.*
WENDLANDII, 3*s.* 6*d.*
TABERNÆMONTANA CAMASSA, 3*s.* 6*d.*
CORONARIA FLORE PLENO, 3*s.* 6*d.*
WALLICHIANA, 10*s.* 6*d.*
TACSONIA BUCHANANI (VITIFOLIA), 3*s.* 6*d.* & 5*s.*
TAPEINOTIS CAROLINÆ MAJOR, 5*s.*
TERMINALIA ELEGANS, 5*s.* & 7*s.* 6*d.*
TETRANEMA MEXICANA, 1*s.* 6*d.*

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes from the axils of the leaves, the orange-red corolla tube being from three to four inches long 15*s.*

THEOBROMA CACAO (Cocoa), 10*s.* 6*d.*
THROPHRASTA IMPERIALIS, *vide* Chrysophyllum imperiale
THUNBERGIA AFFINIS, *vide* page 45.
FRAGRANS, 2*s.* 6*d.*
GRANDIFLORA, 3*s.* 6*d.*
THUNBERGIA HARRISII (LAURIFOLIA), 2*s.* 6*d.*
THYRSACANTHUS RUTILANS, 2*s.* 6*d.* and 3*s.* 6*d.*
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus BIVITTATA, *vide* Cryptanthus
(CARAGUATA) CARDINALIS, 2 guineas
JONGHEI, 10*s.* 6*d.*

TILLANDSIA HIEROGLYPHICA.

A beautiful Bromeliaceous plant, its attractive foliage ornamented with singularly interesting markings; the leaves are recurved, rather closely set, and of a pale green colour, marked transversely with distinct irregular bands of deeper green figures, which at first sight have the appearance of being hieroglyphical inscriptions. The markings are repeated on the under surface, of a deep chocolate-purple colour. 5*s.* and 7*s.* 6*d.*

THUNBERGIA AFFINIS.

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. When cultivated in pots it assumes a dwarf compact habit, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. *7s. 6d.* & *10s. 6d.*

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10*s.* 6*d.*, 15*s.* & 1 guinea.

TILLANDSIA (CARAGUATA) MUSAICA, 15*s.* & 1 guinea
TESSELATA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
(CARAGUATA) ZAHNII, 3*s.* 6*d.* and 5*s.*
TORENIA ASIATICA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
TOXICOPHLÆA (ACOCANTHERA) SPECTABILIS, 3*s.* 6*d.*
THUNBERGII, 5*s.*
TRADESCANTIA, *vide* Cyanotis
TYDÆA, *vide* Index
URCEOLINA AUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
UROSKINNERA SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
UTRICULARIA MONTANA, 7*s.* 6*d.* and 10*s.* 6*d.*
VANILLA AROMATICA, 5*s.* and 7*s.* 6*d.*
VANILLA PLANIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
VINCA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
ALBA OCULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
VITIS CHONTALENSIS, 5*s.*
VRIESIA BRACHYSTACHYA, 5*s.*
FALKENBERGII, 1 guinea
FENESTRALIS, 5*s.*
SPLENDENS (SPECIOSA), 3*s.* 6*d.* and 5*s.*
WORMIA BURBIDGEI, 3*s.* 6*d.* and 5*s.*
XYLOPHYLLA ANGUSTIFOLIA, 5*s.*
INTERMEDIA, 5*s.*
ZINGIBER OFFICINALE, 2*s.* 6*d.*
ZERUMBET, 3*s.* 6*d.*

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

ALLAMANDAS, of sorts
ANTIGONONS, of sorts
ARISTOLOCHIA ELEGANS
—— RIDICULA
—— of sorts
BIGNONIA CHAMBERLAYNII
—— REGALIS
—— of sorts
BOUGAINVILLEA GLABRA
—— REFULGENS
—— of sorts
CAMPSIDIUM FILICIFOLIUM
CISSUS DISCOLOR
CLERODENDRON BALFOURIANUM
—— of sorts
COMBRETUMS, of sorts
DIOSCOREA ILLUSTRATA
—— SPECIOSA
—— of sorts
DIPLADENIA AMABILIS
—— BOLIVIENSIS
—— BREARLEYANA
—— PROFUSA
—— of sorts
ECHITES, of sorts
FICUS BARBATA
—— RADICANS
—— of sorts
GLORIOSA PLANTII
—— SUPERBA
—— —— GRANDIFLORA
HIBISCUS, of sorts
HOYA CARNOSA
—— GLOBULOSA
—— of sorts
IPOMÆA HORSFALLIÆ
—— TERNATA
—— of sorts
JASMINUM GRACILLIMUM
JASMINUM, of sorts
MARCGRAVIA DUBIA
—— INDICA
—— PARADOXA
PASSIFLORA HAHNII
—— KERMESINA
—— MACROCARPA
—— PRINCEPS
—— QUADRANGULARIS VARIEGATA
—— of sorts
POTHOS FLEXUOSUS
—— of sorts
SMILAX DISCOLOR
—— of sorts
SPATHODEA CAMPANULATA
STEPHANOTIS FLORIBUNDA
THUNBERGIAS, of sorts
TECOMA AMBOINENSIS
TACSONIA BUCHANANI
VANILLA AROMATICA

GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

ACACIA DEALBATA
—— of sorts
ASPARAGUS PLUMOSUS NANUS
BIGNONIA CAPREOLATA
—— OHERERE
—— of sorts
BOMAREA CARDERII
CISSUS ANTARCTICA
—— of sorts
COBEA SCANDENS VARIEGATA
CLEMATIS INDIVISA
—— —— LOBATA
CLIANTHUS, of sorts
FICUS, of sorts
GELSEMIUM SEMPERVIRENS
HABROTHAMNUS AUBLETII
—— AURANTIACUS
HABROTHAMNUS ELEGANS
—— NEWELLII
—— of sorts
HARDENBERGIA MONOPHYLLA
—— —— VARIEGATA
—— of sorts
JASMINUMS, of sorts
KENNEDYA MARRYATTÆ
—— of sorts
LAPAGERIA ALBA
—— ROSEA
—— RUBRA SUPERBA
MANDEVILLEA SUAVEOLENS
PASSIFLORA CAMPBELLI
—— IMPERATRICE EUGENIE
—— LAWSONI
—— MONROI
PASSIFLORA, of sorts
PLUMBAGO CAPENSIS
—— —— ALBA
SENECIO MACROOLOSSUS (The Cape Ivy)
SOLLYA LINEARIS
SOLANUM JASMINOIDES
TACSONIA ERIANTHA
—— EXONIENSIS
—— JAMESONI
—— VAN VOLXEMI
—— of sorts
TECOMA CAPENSIS
—— ROSEA
TRACHELOSPERMUM (RHYNCOSPERMUM), of sorts
TROPÆOLUMS, of sorts

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2*s.* 6*d.*
ABUTILONS, *vide* page 62.
ACACIA ARMATA, 1*s.* 6*d.*
DEALBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
LOPHANTHA, *vide* ALBIZZIA
ORNITHOPHORA, 3*s.* 6*d.*
ACACIA PLATYPTERA, 3*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPHÆROCEPHALA, *vide* page 9.
TENUIFOLIA, 5*s.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5*s.*
ACROPHYLLUM VENOSUM, 5*s.* and 7*s.* 6*d.*

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite leaves on dark purple petioles, the leaves being of an ovate form. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAPANTHUS UMBELLATUS, 1*s.* 6*d.*
AGAPANTHUS UMBELLATUS ALBUS, *vide* A. umbellatus candidus

AGAPANTHUS UMBELLATUS CANDIDUS.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3*s.* 6*d.*

AGAPANTHUS UMBELLATUS MAXIMUS, 3*s.* 6*d.*
UMBELLATUS MINOR, 3*s.* 6*d.*
AGAPANTHUS UMBELLATUS FOLIIS VARIEGATIS, 2*s.* 6*d.* and 3*s.* 6*d.*

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright scarlet flowers individually about one inch long, tubular, with spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10*s.* 6*d.*

AGAVE AMERICANA LONGIFOLIA VARIEGATA, 5*s.*
AMERICANA MEDIO-PICTA, 10*s.* 6*d.*
—— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BULBOSA, *vide* Fourcroya.
CELSIANA, 3*s.* 6*d.* and 5*s.*
FILIFERA, 15*s.* and 1 guinea
SEEMANNI, 1 guinea
SHAWII, 3*s.* 6*d.* and 5*s.*
AGNOSTUS, *vide* Stenocarpus
ALBIZZIA (ACACIA) LOPHANTHA, 1*s.* 6*d.*
ALLAMANDA, *vide* page 9.
ALOE FEROX, 3*s.* 6*d.* and 5*s.*
ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1*s.*
AMARYLLIS, *vide* pages 9 and 11.
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 1*s.* 6*d.* and 2*s.* 6*d.*
ANOPTERUS GLANDULOSA, 5*s.* and 7*s.* 6*d.*
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare
AOTUS GRACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
APHELEXIS HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s.* 6*d.*
ARAUCARIA BIDWILLII, 5*s.* and 7*s.* 6*d.*
BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
COOKII,
CUNNINGHAMII,

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5*s.* and 7*s.* 6*d.*
GOLDIEANA
ARDUINA GRANDIFLORA, 7*s.* 6*d.*
ARUNDO DONAX VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASPARAGUS DECUMBENS, 3*s.* 6*d.* and 5*s.*
FALCATUS, 7*s.* 6*d.*

ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration 3*s.* 6*d.* and 5*s.*

ASPARAGUS PLUMOSUS NANUS

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

ASPARAGUS SCANDENS, 3*s.* 6*d.* and 5*s.*
ASPARAGUS TENUISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*

ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of fruticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbose head of erect branches, of which the lowest is the youngest or most recently developed. 3*s.* 6*d.* and 5*s.*

AZALEA BALSAMINÆFLORA.

Syn :—A. ROSÆFLORA, A ROLLISSONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 30*s.*, 42*s.* and 60*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

NEW HYBRID AZALEAS.

The following new Hybrid Azaleas have been raised between *A. amœna* and some of the Indian varieties. Combined with the well-known proliferousness and early blooming habit of *A. amœna*, they have fine well-shaped attractive flowers, which borne in such profusion are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. This charming variety has been awarded a First-class Certificate by the Royal Horticultural Society. 5*s.*

MAGNET, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5*s.*

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5*s.*

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5*s.*

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5*s.*

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5*s.*

The collection of six varieties. 21*s.*

BAMBUSA, *vide* page 63.
BARKLAYA SYRINGÆFLORA, 7*s.* 6*d.*
BEGONIA, *vide* Index
BERBERIDOPSIS CORALLINA, 3*s.* 6*d.*
BIGNONIA (TECOMA) CAPENSIS, 2*s.* 6*d.*
CAPREOLATA, 2*s.* 6*d.*
CHERERE, 3*s.* 6*d.* and 5*s.*
EXCELSA, 7*s.* 6*d.* and 10*s.* 6*d.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINOIDES, 2*s.* 6*d.*
BIGNONIA JASMINOIDES ALBA MAGNA, 2*s.* 6*d.* to 5*s.*
JASMINOIDES SPLENDIDA, 2*s.* 6*d.* to 5*s.*
SPECIOSA, 3*s.* 6*d.*
TWEEDIANA, 3*s.* 6*d.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
vide also page 15.
BILLARDIERA LONGIFLORA, 2*s.* 6*d.*
BLANDFORDIA AUREA, 10*s.* 6*d.*
FLAMMEA, 10*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
PRINCEPS, *vide* page 49.

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata (grandiflora)*." The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

BOMAREA CARDERI, 10*s.* 6*d.* and 15*s.*
WILLIAMSÆ, 10*s.* 6*d.* and 15*s.*
BORONIA DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
ELATIOR, 2*s.* 6*d.*
HETEROPHYLLA, 5*s.*
BORONIA MEGASTIGMA, 2*s.* 6*d.* and 3*s.* 6*d.*
BOUVARDIAS, *vide* Index
BOWIEA VOLUBILIS, 3*s.* 6*d.*
BRACHYSEMA ACUMINATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
BRACHYCHITON ACERIFOLIUM, 7*s.* 6*d.*

BREDIA HIRSUTA.

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect panicled cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7*s.* 6*d.*

BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2⅓ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

BRUGMANSIA ARBOREA, 3*s.* 6*d.*
KNIGHTII (flore pleno), 3*s.* 6*d.*
SANGUINEA, 3*s.* 6*d.* and 5*s.*
SUAVEOLENS, 3*s.* 6*d.*

CALLA ÆTHIOPICA, *vide* Richardia africana
CALLICARPA PURPUREA, 3*s.* 6*d.*
CALODENDRON CAPENSE (The Cape Chestnut), 5*s.*

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 2, 3, and 4 guineas per dozen. New varieties, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* each.

CAMPANULA VIDALII, 2*s.* 6*d.*
CAMPELIA ZANONIA, 5*s.*
CAMPHORA OFFICINALIS, 5*s.*
CANARINA CAMPANULATA, 1*s.* 6*d.*

CANTUA CORYMBIFLORA, 3*s.* 6*d.*
DEPENDENS, 3*s.* 6*d.*
CARNATIONS, Tree, of sorts, 30*s.* and 42*s.* per dozen.

CAVENDISHIA SPECTABILIS.

A subscandent, handsome greenhouse shrubby-growing plant, with acuminate bright green leaves, rounded at the base, the young growths being of a bright reddish bronze colour, giving it, even when out of flower, an attractive appearance. Its blossoms are produced both from the axils of the leaves and terminals, in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are tubular, slightly ventricose below, opening at the top in a shortly distended five-toothed limb; white shaded with pink, the colour deepening towards the base, while the whole head of flower has the appearance of being varnished. 10*s.* 6*d.*

CEPHALOTUS FOLLICULARIS,
CEREUS C. M. HOVEY 3*s.* 6*d.*
GRANDIFLORUS (night-blooming), 3*s.* 6*d.* & 5*s.*
SPECIOSISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CHLIDANTHUS FRAGRANS, 1*s.*
CHOROZEMA CORDATUM SPLENDENS, 2*s.* 6*d.* & 3*s.* 6*d.*
HENCHMANNI, 3*s.* 6*d.* and 5*s.*

CHOROZEMA LAWRENCEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VARIUM CHANDLERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS (VITIS) ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
(——) CAPENSIS, 3*s.* 6*d.*
RHOMBEA, 3*s.* 6*d.*
CITRUS JAPONICA, 5*s.*
CLEMATIS INDIVISA, 3*s.* 6*d.* and 5*s.*
of sorts, *vide* page 63.

CLEYERA JAPONICA TRICOLOR.

A handsome variegated plant from Japan. The leaves are leathery in texture, obovate in form, of a dark green colour, with longitudinal and oblique bands of greyish green, the margin creamy white, tinged with bright rose colour, which is very conspicuous in the younger foliage. The five-petalled flowers are yellowish white. 10*s.* 6*d.*

CLIANTHUS PUNICEUS MAGNIFICUS, 3*s.* 6*d.*
CLIVIA NOBILIS, 5*s.*
COBÆA SCANDENS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*

COLEUS, *vide* Index
COPROSMA BAUERIANA VARIEGATA, 1*s.* 6*d.* & 2*s.* 6*d.*
CORREAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

CRINUM AUSTRALE.

This bears the name of Botany Bay Lily, and is an ornamental bulbous plant, requiring greenhouse temperature. The flowers are very fragrant, and from ten to fifteen in an umbel, each consisting of a long slender tube, and a spreading or recurved limb of six white segments. 5*s.*

CRINUM, MOOREI, 7*s.* 6*d.*
POWELLII. 7*s.* 6*d.*
RIPARIUM, 3*s.* 6*d.*

CRINUM, *vide* also pages 17, 18 and 64.
CROWEA STRICTA, 3*s.* 6*d.* and 5*s.*
CYCADS, *vide* Index

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 30*s.* and 42*s.* per dozen.

CYCLAMEN PERSICUM ALBUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICUM RUBRUM, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRANDIFLORUM, 3*s.* 6*d.* and 5*s.*
—— of various choice sorts, 3*s.* 6*d.* & 5*s.*
CYRTANTHUS ANGUSTIFOLIUS, red, 5*s.*
MACKENII, white, 2*s.* 6*d.*
MACOWANII, scarlet, 5*s.*

CYRTANTHUS OBLIQUUS, 5*s.*
CYTISUS FILIPES, 3*s.* 6*d.* and 5*s.*
RACEMOSUS, 1*s.* and 1*s.* 6*d.*
—— EVERESTIANUS, 3*s.* 6*d.*
DAHLIA IMPERIALIS, 3*s.* 6*d.*
IMPERIALIS ROSEA, 3*s.* 6*d.*
of sorts, *vide* Bedding Plants

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5*s.*

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 7*s.* 6*d.* and 10*s.* 6*d.*

DAPHNE INDICA ALBA, 3*s.* 6*d.* and 5*s.*
INDICA RUBRA, 2*s.* 6*d.* and 3*s.* 6*d.*

DASYLIRION LONGIFOLIUM, 5*s.*
DESFONTAINEA SPINOSA, 2*s.* 6*d.* and 3*s.* 6*d.*

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3*s.* 6*d.* and 5*s.*

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle Islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5*s.*

DIONÆA MUSCIPULA, 2*s.* 6*d.* and 3*s.* 6*d.*

DORYANTHES PALMERI, 3*s.* 6*d.* and 5*s.*

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to Libertia, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or clustor. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10*s.* 6*d.*

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3*s.* 6*d.* to 10*s.* 6*d.*; fine plants, 15*s.*, 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s.* 6*d.*, 15*s.* and 1 guinea.

DRACÆNA AUSTRALIS VEITCHII, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea.
ARBOREA, 2*s.* 6*d.*
DRACOPHYLLUM GRACILE, 3*s.* 6*d.* and 5*s.*
DROSERA CAPENSIS, 7*s.* 6*d.*
DICHOTOMA, 5*s.*
ECHEVERIA, of sorts, *vide* Index
ELÆOCARPUS RETICULATUS (DENTATUS), 5*s.* and 7*s.* 6*d.*
ENCEPHALARTOS, of sorts, *vide* Index.
EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 51.
EPACRIS, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen.
EPIPHYLLUM, *vide* page 27.
ERICAS, of sorts, 18*s.*, 30*s.* and 42*s.* per doz.
ERIOSTEMON BUXIFOLIUS, 3*s.* 6*d.* and 5*s.*
INTERMEDIUS, 3*s.* 6*d.* and 5*s.*
NERIIFOLIUS, 3*s.* 6*d.*
PULCHELLUS, 3*s.* 6*d.* and 5*s.*
SCABER, 3*s.* 6*d.* and 5*s.*
ERYNGIUM EBRACTEATUM, 10*s.* 6*d.*
ERIOBOTRYA JAPONICA (LOQUAT), 5*s.*
ERYTHRINA, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
COMPACTA, 5*s.*

EMBOTHRIUM COCCINEUM.

One of the rarest and most beautiful of hardy greenhouse shrubs, a native of the Andes of South America. It produces in the most abundant manner long-pendent fiery orange-scarlet flowers, in size and shape somewhat resembling the Honeysuckle. It belongs to the family *Proteaceæ*, and is known as the "Fire Bush." 10*s.* 6*d.*

EUCALYPTUS CITRIODORA, 3*s.* 6*d.*
CORDATA, 3*s.* 6*d.*
FICIFOLIA, 5*s.*
GLOBULUS (Blue Gum), 3*s.* 6*d.*
OBLIQUA, 5*s.*
PANICULATA, 3*s.* 6*d.*
PIPERITA, 3*s.* 6*d.*
ROBUSTA, 3*s.* 6*d.*
SIDEROPHLOIA, 3*s.* 6*d.*
SIEBERIANA 3*s.* 6*d.*
URNIGERA, 3*s.* 6*d.*
EUGENIA UGNI, 1*s.* 6*d.* and 2*s.* 6*d.*
Vide also page 30.
EUPATORIUM BERLANDIERI (GRACILE ODORATUM), 1*s.* 6*d.*
RIPARIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYA LATIFOLIA VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYCLES, *vide* page 30.
EUTAXIA FLORIBUNDA, 3*s.* 6*d.*
FATSIA (ARALIA) JAPONICA, 2*s.* 6*d.* and 3*s.* 6*d.*
(ARALIA) JAPONICA VARIEGATA, 3*s.* 6*d.* and 5*s.*
FERNS, *vide* Index
FICUS AUSTRALIS, 3*s.* 6*d.*
ELASTICA, *vide* page 30.
—— VARIEGATA, *vide* page 30.
FICUS MACROPHYLLA, 5*s.*
MINIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
RHODODENDRIFOLIA, 3*s.* 6*d.*
STIPULATA (REPENS), 1*s.* 6*d.* and 2*s.* 6*d.*
FOURCROYA (AGAVE) BEDDINGHAUSEI, 5*s.*
BULBOSA, 5*s.*
FREESIA HYBRIDA, LEICHTLINII, REFRACTA ALBA — These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.
FUCHSIAS, *vide* Index
GASTRONEMA CLAVATUM, white, 3*s.* 6*d.*
GENETYLLIS (HEDAROMA) FUCHSIOIDES, 5*s.* and 7*s.* 6*d.*
TULIPIFERA, 5*s.* and 7*s.* 6*d.*
GONOLOBUS CUNDURANGO, 10*s.* 6*d.*
GREVILLEA BANKSII, 5*s.*
HILLII, 3*s.* 6*d.*
PREISSII, 7*s.* 6*d.*
ROBUSTA, 2*s.* 6*d.* and 3*s.* 6*d.*
GREYIA SUTHERLANDI, 3*s.* 6*d.* and 5*s.*
HABROTHAMNUS AUBLETII, 2*s.* 6*d.* and 3*s.* 6*d.*
(CESTRUM) AURANTIACUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
NEWELLII, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

HÆMANTHUS ALBIFLOS, 2*s.* 6*d.* and 3*s.* 6*d.*
PUNICEUS, 2*s.* 6*d.* and 3*s.* 6*d.*
TIGRINUS, 2*s.* 6*d.*
Vide also page 30.

HARDENBERGIA MONOPHYLLA, 2*s.* 6*d.*
MONOPHYLLA VARIEGATA, 3*s.* 6*d.*
HEDAROMA, *vide* Genetyllis.
HEDYCHIUM GARDNERIANUM, 2*s.* 6*d.* & 3*s.* 6*d.*

HYDRANGEA STELLATA FIMBRIATA.

The flowers of this handsome new Hydrangea are borne in immense trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance, the flowers having a crimson spot in the centre. 5*s.*

HYDRANGEA HORTENSIS FOL. MARGINATA, 3*s.* 6*d.*
HORTENSIS CYANOCLADA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— THOMAS HOGG, 1*s.* 6*d.* and 2*s.* 6*d.*
JAPONICA 1*s.* 6*d.*
—— ELEGANTISSIMA, 1*s.* 6*d.*
—— FOLIIS TRICOLORIBUS, 3*s.* 6*d.* and 5*s.*

HYDRANGEA JAPONICA SPECIOSA, 3*s.* 6*d.* and 5*s.*
MADAME VON SIEBOLD, 3*s.* 6*d.* and 5*s.*
OTAKSA, 1*s.* 6*d.* and 2*s.* 6*d.*
STELLATA PROLIFERA, 3*s.* 6*d.*
VOLUBILIS (SCANDENS), *vide* page 64.

HIBISCUS CHRYSANTHUS.

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish sub-trilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5*s*.

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose coloured, with an involucel of about eight linear segments. It has been imported from Natal. 5*s*.

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 21*s*.

HYDRANGEAS, *vide* page 53.
IMANTOPHYLLUM CYRTANTHIFLORUM, 5*s*. & 7*s*. 6*d*.
IMANTOPHYLLUM CYRTANTHIFLORUM CHLORACEUM, 10*s*. 6*d*.
CYRTANTHIFLORUM FULGENS, 15*s*.

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3*s*. 6*d*., 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM MINIATUM GRANDIFLORUM, 1 and 1½ guinea
MINIATUM HYBRIDUM, 15*s*.
—— IMPERIALE, 3 guineas
—— INSIGNIS, 2 guineas
—— MADAME VAN HOUTTE, 1½ guinea
—— PRINCEPS, 2 guineas
—— SPECIOSUM, 1½ guinea
—— SUPERBUM, 10*s*. 6*d*., 15*s*. and 1 guinea
INDIGOFERA DECORA, 5*s*.
IRIS ROBINSONIANA, 1*s*. 6*d*.
ISMENE CALATHINA, 1*s*. 6*d*.
JASMINUM ANGULARE, 5*s*.
GRANDIFLORUM, 3*s*. 6*d*.
ODORATISSIMUM, 2*s*. 6*d*. and 3*s*. 6*d*.
POITEAU, 3*s*. 6*d*.
JUSSIÆA MACROCARPA CILIATA, 5*s*.
JUNCUS ZEBRINUS, *vide* Scirpus, page 69.
KENNEDYA MARRYATTÆ, 2*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*.
LACHENALIA, of sorts, 1*s*. to 2*s*. 6*d*.
LAGERSTRŒMIA INDICA, 3*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10*s*. 6*d*., 15*s*. and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.; fine specimens, 1, 2 and 3 guineas and upwards.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s*. 6*d*., 15*s*. and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3*s*. 6*d*.
MACRANTHA FLORIBUNDA, 5*s*.
LAURUS CAMPHORA, 5*s*.
LEUCOPOGON CUNNINGHAMII, 3*s*. 6*d*.
LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3*s*. 6*d*.
LESCHENAULTIA BILOBA SPLENDENS (MAJOR), 3*s*. 6*d*. and 5*s*.
FORMOSA, 2*s*. 6*d*. and 3*s*. 6*d*.

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5*s*.

LIBONIA FLORIBUNDA, 1*s*. 6*d*. and 2*s*. 6*d*.
PENRHOSIENSIS, 1*s*. 6*d*. and 2*s*. 6*d*.
LILIUM, of sorts, *vide* pages 65 to 67.
LINUM TRIGYNUM, *vide* REINWARDTIA

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa*; it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3*s*. 6*d*.

LOMATIA FERRUGINEA, 5*s*. and 7*s*. 6*d*.
LUCULIA GRATISSIMA, 5*s*. and 7*s*. 6*d*.

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3*s*.6*d*. & 5*s*.

MACADAMIA TERNIFOLIA, 5*s*. and 7*s*. 6*d*.
MACROPIPER EXCELSUM, 5*s*.
MACROZAMIA, *vide* Index
MAGNOLIA CAMPBELLII, *vide* page 67.
FUSCATA, 3*s*. 6*d*. and 5*s*.
MANDEVILLA SUAVEOLENS, 2*s*. 6*d*. and 3*s*. 6*d*.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s*. 6*d*. and 10*s*. 6*d*.

MARSILEA MACROPUS, "NARDOO," 10*s*. 6*d*.
METROSIDEROS FLORIBUNDA, 2*s*. 6*d*.
ROBUSTA, 3*s*. 6*d*. and 5*s*.
MITRARIA COCCINEA, 2*s*. 6*d*. and 3*s*. 6*d*.
MONOCHÆTUM SERICEUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
MUSA CAVENDISHII, *vide* page 36.
SUPERBA, *vide* page 36.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves attain a length of eight to ten feet, and are of a beautiful dark green, the mid-rib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

MYRSIPHYLLUM ASPARAGOIDES 2*s*. 6*d*. & 3*s*. 6*d*.
MYRTUS, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
NERINE CORUSCA, 1*s*. 6*d*.
FLEXUOSA, 3*s*. 6*d*.
FOTHERGILLII MAJOR, 3*s*. 6*d*.
SARNIENSIS (GUERNSEY LILY), 1*s*.
VENUSTA, 3*s*. 6*d*.
NERIUM MADONI GRANDIFLORUM, 2*s*. 6*d*.
ALBUM PLENUM (Double White), 2*s*. 6*d*.
LILIAN HENDERSON, 3*s*. 6*d*.
RUBRUM PLENUM (Double Red), 2*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
OLEA FRAGRANS, 3*s*. 6*d*. and 5*s*.
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
SPICATUS AROENTEO-MARGINATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
ORCHIDS, of sorts, *vide* Index
PALMS, of sorts, *vide* Index
PARDANTHUS CHINENSIS, 1*s*. each; 9*s*. per doz.
PASSIFLORA CÆRULEA, *vide* page 67.
CÆRULEA, Eynsford Gem, 2*s*. 6*d*.
—— GRANDIFLORA, 3*s*. 6*d*.
PASSIFLORA CÆRULEA RACEMOSA, 2*s*. 6*d*.
CAMPBELLII, 3*s*. 6*d*.
CLOWESII, 3*s*. 6*d*.
COLVILLII, 2*s*. 6*d*.
EDULIS, 3*s*. 6*d*.
IMPERATRICE EUGENIE, 3*s*. 6*d*.
LAWSONI, 3*s*. 6*d*. and 5*s*.
MUNROI, 3*s*. 6*d*.
of sorts, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
See also page 40.
PELARGONIUM, *vide* Index
PHÆDRANASSA CHLORACEA, 1*s*. 6*d*. and 2*s*. 6*d*.
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s*. 6*d*. and 3*s*. 6*d*.
LINEARE ELEOANS, 5*s*.
PHILESIA BUXIFOLIA, 7*s*. 6*d*. and 10*s*. 6*d*.
PHORMIUM ATROPURPUREUM, 5*s*. and 7*s*. 6*d*.
COLENSOI VARIEGATUM, 5*s*. and 7*s*. 6*d*.
TENAX, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
—— NIGRO-LIMBATUM, 10*s*. 6*d*.
—— NIGRO-PICTUM, 10*s*. 6*d*. and 15*s*.
—— VARIEGATUM, 1 and 1½ guinea
—— VEITCHII VARIEGATUM, 5*s*. and 7*s*. 6*d*.
PHYLLOCACTUS, of sorts, 3*s*. 6*d*. and 5*s*.

PHYLLOCACTUS PEACOCKII.

Handsome as are the flowers of the well-known common leaf flowering Cactus, they are far surpassed in size and gorgeous colouring by the magnificent blossoms of the variety now offered, the brilliancy and richness of which is beyond description. It will succeed in any greenhouse, and with but little care. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

PIMELEA DECUSSATA, 2*s*. 6*d*. and 3*s*. 6*d*.
HENDERSONI, 3*s*. 6*d*. and 5*s*.
NIEPPEROIANA, 3*s*. 6*d*. and 5*s*.
SPECTABILIS, 3*s*. 6*d*. and 5*s*.
PINCINECTITIA TUBERCULATA, 1 guinea.
PINGUICULA CAUDATA, 3*s*. 6*d*. and 5*s*.
CAUDATA RUBRA, 7*s*. 6*d*.
PITTOSPORUM RALPHSII, 5*s*.

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 5*s*.



SARRACENIA DRUMMONDII.

A very beautiful plant, belonging to the family of the Side-saddle flowers, and inhabiting the marshes of Florida. The leaves or pitchers grow from 1½ to 2½ feet high, the upper expanded end being variegated with white, red and green, the hood or lid being similarly marked. The flowers are handsome and attractive, of a rich crimson purple colour. 10*s*. 6*d*., 15*s*. and 1 guinea.

PITTOSPORUM EUGENIOIDES VARIEGATUM.

A slender evergreen plant, with pretty variegated foliage. It is of neat branching habit, with blackish-purple stems and branches, which are furnished with elliptic-oblong leaves of a pale green colour, bordered with white. Introduced from New Zealand. 7*s.* 6*d.* and 10*s.* 6*d.*

PLEROMA ELEGANS, 3*s.* 6*d.*
MARMORATA, *vide* page 42.
SARMENTOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
Also *vide* page 42.
POLYGALA CORDIFOLIA, 3*s.* 6*d.*
DALMAISIANA, 3*s.* 6*d.*

POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels: they are nodding, tubulose, and nearly an inch long; it is of graceful growth, a very desirable half-hardy plant, flowering in the winter months. 3*s.* 6*d.* & 5*s.*

PRIMULA FLORIBUNDA, 2*s.* 6*d.*
SINENSIS ALBA PLENA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FLORE-PLENO, of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
—— —— KING OF PURPLES, 5*s.*
—— —— MAONIFICA, 5*s.*
—— —— MISS EVA FISH, 7*s.* 6*d.*
—— —— PRINCESS OF WALES, 5*s.*

PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus

PUNICA GRANATUM (POMEGRANATE), 3*s.* 6*d.* and 5*s.*
GRANATUM ALBA PLENA 3*s.* 6*d.* and 5*s.*
—— RUBRA PLENA, 3*s.* 6*d.* and 5*s.*
—— LEGRELLII (Double Buff), 3*s.* 6*d.* & 5*s.*

REINECKIA CARNEA, 1*s.* 6*d.*
CARNEA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
REINWARDTIA TETRAGYNE (LINUM TRIGYNUM), 2*s.* 6*d.*
RHODEA JAPONICA, 3*s.* 6*d.* and 5*s.*
JAPONICA ARGENTEA, 15*s.*
RHODODENDRONS, *vide* pages 59 to 61.
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum
RICHARDIA AFRICANA *(Calla æthiopica)*, 1*s.* and 1*s.* 6*d.*
ALBO-MACULATA, 2*s.* 6*d.*
ROGEIRA GRATISSIMA, 3*s.* 6*d.* and 5*s.*
RUBUS ROSÆFOLIUS CORONARIUS, 1*s.* 6*d.* & 2*s.* 6*d.*
SALVIAS, *vide* Bedding Plants

SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*. The pitchers are green, with slight red ribs and reticulations. The lid is marked with red ribs and veins. 10*s.* 6*d.*

SARRACENIA ATROSANGUINEA, 1 guinea
CRISPATA, 5*s.* and 7*s.* 6*d.*
SARRACENIA CHELSONI, 7*s.* 6*d.*
DRUMMONDII, *vide* page 56.

SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect, and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10*s.* 6*d.*

SARRACENIA FLAVA, 5*s.*
ILLUSTRATA, 10*s.* 6*d.*
SARRACENIA MADDISONIANA, 10*s.* 6*d.*
MOOREANA, 7*s.* 6*d.*

SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. 10*s.* 6*d.*

SARRACENIA PATERSONIANA.

This very handsome variety is a hybrid between *S. purpurea* and *S. Drummondii*. The pitchers are of a rich crimson colour, most beautifully veined, especially on the lid, which is large and spreading. 15*s.* and 21*s.*

SARRACENIA PSITTACINA, 10*s.* 6*d.*
PURPUREA, 3*s.* 6*d.* and 5*s.*
RUBRA, 7*s.* 6*d.*
SARRACENIA STEVENSII, 5*s.*
TOLLIANA, 10*s.* 6*d.*
VARIOLARIS, 3*s.* 6*d.*

SARRACENIA WILSONIANA.

A very distinct and striking plant, a hybrid between *S. purpurea* and *S. flava*. The pitchers are erect, with deep purple-crimson ribs, more or less united by cross-veins. The wing and lid are veined and closely reticulated with deep purple-crimson. 10*s.* 6*d.*

SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis, page 64.
SENECIO MACROGLOSSUS (The Cape Ivy), 3*s.* 6*d.*

SOLANUM JASMINOIDES, 2*s.* 6*d.*
SOLLYA LINEARIS, 3*s.* 6*d.* and 5*s.*
SPARMANNIA AFRICANA, 2*s.* 6*d.*
AFRICANA FLORE-PLENO, 3*s.* 6*d.* and 5*s.*
SPHAERALCEA UMBELLATA TRICOLOR, 2*s.* 6*d.*
SPIGELIA SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*
STATICE HOLFORDII, 3*s.* 6*d.* and 5*s.*
MACROPHYLLA, 5*s.*
STATICE PROFUSA (RATTRAYANA), 3*s.* 6*d.* and 5*s.*
STENOCARPUS CUNNINGHAMII, 5*s.* to 10*s.* 6*d.*
STRELITZIA REGINÆ, *vide* page 44.
STREPTOSOLEN (BROWALLIA) JAMESONI, 1*s.* 6*d.*
TACSONIA BUCHANANI, *vide* page 44.
ERIANTHA, 3*s.* 6*d.*
EXONIENSIS, 3*s.* 6*d.*

TACSONIA JAMESONI.

A new species from Ecuador, producing beautiful flowers of a bright rich rose colour. 7*s.* 6*d.*

TACSONIA MANICATA, 3*s.* 6*d.*
MOLLISSIMA, 3*s.* 6*d.*
TACSONIA PINNATISTIPULA, 3*s.* 6*d.*
VAN VOLXEMI, 2*s.* 6*d.* and 3*s.* 6*d.*

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

TECOMA SMITHII.

A very handsome free flowering hybrid greenhouse climber, the result of a cross between *T. velutina* and *T. capensis*. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat; the exterior of the upper side of the corolla is of a bright satiny chestnut brown, the under side being yellow. It has been introduced from Australia, where it has been awarded Certificates of Merit by the Horticultural Societies of South Australia and Victoria. 10*s.* 6*d.*

TECOMA, *vide* Bignonia
THEA ASSAMICA, 3*s.* 6*d.*
THEAS of sorts, 3*s.* 6*d.* and 5*s.*
THIBAUDIA ACUMINATA, 3*s.* 6*d.*
THUNBERGIA, *vide* pages 44 and 45.
TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES, 3*s.* 6*d.* and 5*s.*
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3*s.* 6*d.* and 5*s.*
(——) JASMINOIDES LUTEO-VARIEGATUM, 3*s.* 6*d.* and 5*s.*
TREMANDRA ERICÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
HIRSUTA, 2*s.* 6*d.* and 3*s.* 6*d.*
TREMANDRA VERTICILLATA, 2*s.* 6*d.* and 3*s.* 6*d.*
TROPÆOLUM AZUREUM GRANDIFLORUM, 3*s.* 6*d.* and 5*s.*
BRACHYCERAS, 3*s.* 6*d.*
TRICOLOR GRANDIFLORUM (JARRATTII), 2*s.* 6*d.* and 3*s.* 6*d.*
TUBEROSUM, *vide* page 71.
of sorts, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
TUBEROSES BEST DOUBLE AFRICAN, AMERICAN, THE PEARL — These can be supplied in dormant bulbs by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5*s.* and 7*s.* 6*d.*

VALLOTA PURPUREA, 2*s.* 6*d.*
PURPUREA MAJOR, 3*s.* 6*d.* and 5*s.*
VITIS HETEROPHYLLA HUMULIFOLIA, 2*s.* 6*d.*
HETEROPHYLLA VARIEGATA, 2*s.* 6*d.* & 3*s.* 6*d.*
WITSENIA CORYMBOSA, 3*s.* 6*d.*
XYLOMELUM PYRIFORME, 10*s.* 6*d.*
YUCCA ALOIFOLIA VARIEGATA, 5*s.*
FILAMENTOSA VARIEGATA, 5*s.* and 7*s.* 6*d.*
QUADRICOLOR, 5*s.* and 7*s.* 6*d.*
ZAMIA, *vide* Index.
ZEPHYRANTHES CARINATA, 12*s.* per dozen.
TUBISPATHA, 9*s.* per dozen.

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1*s.* 6*d.*
CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering. 1*s.* 6*d.*
CONSTELLATION, large spikes of rose carmine flowers. 2*s.* 6*d.*
DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1*s.* 6*d.*
ECLATANTE, dark carmine; very floriferous. 2*s.* 6*d.*
EPI D'ARGENT, long spikes, pure white flowers. 2*s.* 6*d.*
EVA, a compact growing variety, producing fine spikes of pretty pink flowers. 1*s.* 6*d.*
FLEUR D'AUTOMNE, long spikes of rosy-violet flowers, dark rose centres. 1*s.* 6*d.*
IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1*s.* 6*d.*
JARDIN FLEURI, long spikes of dark carmine red flowers. 1*s.* 6*d.*
LA FAVORITE, enormous spikes of violet flowers. 2*s.* 6*d.*
LA FEE AUX ROSES, very long spikes of bright rose flowers, very floriferous. 1*s.* 6*d.*
MÉTÉORE, dark reddish-crimson flowers. 2*s.* 6*d.*
THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1*s.* 6*d.*
RICHESSE, long spikes of rose-carmine flowers. 2*s.* 6*d.*
RUBENS, flowers large and fine, of a beautiful magenta colour. 1*s.* 6*d.*
VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1*s.* 6*d.*

GREENHOUSE RHODODENDRONS.

ÆRUGINOSUM, 3*s.* 6*d.* and 5*s.*

ALBESCENS, an extremely handsomo sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, tho upper segments being marked at tho base with sulphur yellow. The plants aro very free in growth, short jointed and of compact habit, the foliago being neat and glabrous; the under-surface of the leaves is of a silvery white. 7*s.* 6*d.*

ANDERSONI, a handsomo introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3*s.* 6*d.* and 5*s.*

ARBOREUM, 3*s.* 6*d.*

ARGENTEUM, *vide* grande.

ASSAMICUM, a free-growing evergreen species, with narrow lanceolate densely-set leaves. The flowers are about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. This distinct, free-flowering and handsome Rhododendron, as its name indicates, has been imported from Assam. 5*s.*

BARBATUM, bright scarlet flowers, distinct and effective. 5*s.*

BLANDFORDIÆFLORUM. 3*s.* 6*d.* and 5*s.*

CALOPHYLLUM, a handsome species, producing largo funnel-shaped pure white flowers. 3*s.* 6*d.*

CILIATUM, blush white; very free flowering. 2*s.* 6*d.* and 3*s.* 6*d.*

CINNABARINUM. 3*s.* 6*d.* and 5*s.*

CINNAMOMEUM, the under surface of the leaves of this variety is covered with a very thick woolly tomentum of an intenso cinnamon colour. 5*s.*

COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7*s.* 6*d.*

COUNTESS OF HADDINGTON, largo blush-white flowers; exceedingly beautiful. 3*s.* 6*d.* and 5*s.*

COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5*s.* and 7*s.* 6*d.*

DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

DIANA, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10*s.* 6*d.*

DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance. 7*s.* 6*d.* & 10*s.* 6*d.*

DUCHESS OF EDINBURGH, largo scarlet flowers, very beautiful. 7*s.* 6*d.* and 10*s.* 6*d.*

DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 5*s.* and 7*s.* 6*d.*

EDGWORTHII, a handsomo free-flowering species, with large puro white spreading cup-shaped fragrant flowers. 3*s.* 6*d.*

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsomo and attractive. 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*

EXONIENSIS, 3*s.* 6*d.*

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10*s.* 6*d.*

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5*s.* & 7*s.* 6*d.*

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 5*s.*

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3*s.* 6*d.* and 5*s.*

GRANDE (ARGENTEUM), immense heads of large ivory white flowers deeply stained with crimson at the base. 7*s.* 6*d.*

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3*s.* 6*d.*

HODGSONI, a splendid species, producing superb bouquets of rose-coloured flowers. 10*s.* 6*d.*

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3*s.* 6*d.* & 5*s.*

RHODODENDRON, PINK BEAUTY.

RHODODENDRON PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

GREENHOUSE RHODODENDRONS—continued.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3*s*. 6*d*. and 5*s*.

JAVANICUM, a beautifully golden-yellow flowering species. 7*s*. 6*d*.

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5*s*.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

LADY SKELMERSDALE, pure white trumpet-shaped fragrant flowers; very handsome 5*s*.

MRS. JAMES SHAWE, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5*s*.

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit, 2*s*. 6*d*. and 3*s*. 6*d*.

MYRA, *vide* page 8.

NILAGIRICUM, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful blush colour, blended with deep rich rose and shaded with soft rose; light throat. 3*s*. 6*d*. and 5*s*.

OCHRACEUM, the under surface of the foliage of this variety is ochre-coloured. 5*s*.

PINK BEAUTY, *vide* page 60.

PRINCE LEOPOLD, bright carmine, very handsome; a richly coloured variety. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCE OF WALES, a fine variety producing reddish orange flowers. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3*s*. 6*d*. and 5*s*.

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3*s*. 6*d*. and 5*s*.

PRINCESS HELENA, this pretty hybrid form, with *R. Princess Alexandra*, was obtained from a cross with *R. jasminiflorum*, but is readily distinguished from it by its much longer tubed flowers, of a delicately tinted soft pink colour, streaked with dark shades. 5*s*. and 7*s*. 6*d*.

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose coloured, funnel-shaped flower tubes. 3*s*. 6*d*. and 5*s*.

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. 5*s*. and 7*s*. 6*d*.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

SESTERIANUM, fine large fragrant white flowers. 3*s*. 6*d*. and 5*s*.

SUAVE, pure white flowers, very fragrant, 3*s*. 6*d*. and 5*s*.

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3*s*. 6*d*. and 5*s*.

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. 3*s*. 6*d*. and 5*s*.

THOMSONI, bright scarlet cup-shaped flowers of good form. 5*s*.

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5*s*. and 7*s*. 6*d*.

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5*s*.

WIGHTII, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7*s*. 6*d*.

ZEYLANICUM, 7*s*. 6*d*.

ABUTILONS.

ALBERT DÉLAUX, dwarf, large rosy-mauve flowers, with rose nerves. 1*s.* 6*d.*

AMARANTINA, large well-formed flowers, of a brilliant purple-amaranth colour. 2*s.* 6*d.*

ARMAND CAUVY, golden-yellow flowers, veined with violet; dwarf. 2*s.* 6*d.*

AURELIA, bright golden-yellow. 1*s.* 6*d.*

BARON ALPH. DE ROTHSCHILD, soft canary-yellow. 2*s.* 6*d.*

BLANDII, deep yellow, veined crimson. 1*s.* 6*d.*

BOULE DE NEIGE, white. 1*s.*

BOULE D'OR, golden-yellow. 1*s.* 6*d.*

BRILLIANT, fine well-shaped flowers, of a bright red colour. 1*s.*

CLOCHETTE FLEURIE, dark violet-amaranth, with purple centre and veins. 1*s.* 6*d.*

COMTE F. DE CARIEL, dark red, nerves crimson. 2*s.* 6*d.*

CESARE COSTA, brilliant carmine-rose. 2*s.* 6*d.*

CONQUETE, whitish-rose, throat dark carmine, with bright rose nervations. 1*s.* 6*d.*

COURONNE D'OR, deep sulphur-yellow. 1*s.* 6*d.*

DARWINII SUPERBUM, 1*s.*

DESBOISI, bright rose colour. 1*s.* 6*d.*

EUG. THIROUX, orange cerise, veined crimson. 2*s.* 6*d.*

EDOUARD LAYEILLON, deep rich golden-yellow, flushed with rose. 1*s.* 6*d.*

EMPEROR, very fine large dark crimson flowers. Received First Class Certificate. 1*s.* 6*d.*

EVELINE, blush, shaded with pink, and beautifully veined with deep rose. 1*s.* 6*d.*

FERDINANDO PONSI, rose-carmine, white throat. 2*s.* 6*d.*

FUTURE FAME, deep rose shaded crimson. 1*s.* 6*d.*

G. DÉLAUX, rich reddish-carmine. 1*s.* 6*d.*

H. PINEAU, old gold, chocolate veins. 2*s.* 6*d.*

HIBISCUS, canary-yellow flowers. 1*s.* 6*d.*

J. A. BECKER, very dark, unique. 2*s.* 6*d.*

JULES PAQUET, brilliant cerise, white throat, dwarf habit. 2*s.* 6*d.*

KING OF ROSES, flowers rich deep rose. 1*s.* 6*d.*

LA CANDEUR, a large well-formed pure white flower of globular shape. 1*s.* 6*d.*

LA LORRAINE, bright red. 1*s.* 6*d.*

LE GRELOT, delicate rose colour. 1*s.* 6*d.*

LOUISE DÉLAUX, very floriferous, white. 1*s.*

LUSTROUS, bright red flowers. 1*s.*

L. VAN HOUTTE, rich mauve-purple. 1*s.* 6*d.*

LYDIA, light yellow, flushed crimson. 1*s.* 6*d.*

MADAME A. LAGORCE, salmon-rose, yellow throat. 2*s.* 6*d.*

MADAME CHABERT, large canary-yellow flowers. 2*s.* 6*d.*

MADAME DE LESTAPIE, immense rose flowers. 2*s.* 6*d.*

MADAME GABRIELLE DE ROVIRA, silver-white, suffused rose. 2*s.* 6*d.*

MADAME P. JUNG, rosy-salmon, yellow throat. 2*s.* 6*d.*

MADLLE. LAURENCE ARRIBAT, white, rose veins. 2*s.* 6*d.*

M. FORGEOT, brilliant orange, crimson veins. 2*s.* 6*d.*

M. GALABRU, flowers reddish-violet. 2*s.* 6*d.*

M. JULES BARIGNY, reddish-crimson, dwarf. 2*s.* 6*d.*

M. JULES MARTY, salmon shaded gold, rose nerves. 2*s.* 6*d.*

M. H JACOTOT, tender rose, bordered gold. 2*s.*6*d.*

MDLLE. ANNA DÉLAUX, rose, marked with white, and veined dark rose. 1*s.* 6*d.*

MARSHAL, reddish-cinnamon, shaded with orange, and veined with crimson. 1*s.* 6*d.*

MEGAPOTAMICUM VARIEGATUM. 1*s.* 6*d.*

MODIOLA, bright rosy-crimson. 1*s.* 6*d.*

M. B. MODESTE, rich bright crimson-red, veined with dark crimson, very attractive. 1*s.* 6*d.*

M. J. B. LEVIS, dwarf variety, produces a multitude of dark chamois flowers. 2*s.* 6*d.*

M. LOUIS MARIGNAC, rose; reverse of petals of a silvery hue. 1*s.* 6*d.*

M. MOULINS, cream colour, distinctly veined with violet-rose; dwarf and free. 1*s.*

M. PETIT, rich reddish-crimson colour, veined crimson. 1*s.* 6*d.*

M. VIVIAND-MOREL, large fine flower of a violet colour, shaded amaranth. 1*s.* 6*d.*

PHYLLIS, round flowers, of a very pale lemon-yellow colour. 1*s.* 6*d.*

PROGNE, a large well-formed flower of a rich magenta-rose colour. 1*s.* 6*d.*

PURPUREUM, very fine purple-coloured flowers, shaded with magenta. 1*s.*

R. RAGIONIERI, orange-scarlet, crimson veins. 2*s.* 6*d.*

RICHESSE, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose. 1*s.* 6*d.*

ROSEUM ALBUM, silver-white, shaded with rose; flowers of perfect shape, very dwarf, and most floriferous. 2*s.* 6*d.*

ROSEUM COMPACTUM, deep rose, very dwarf and compact. 1*s.* 6*d.*

ROYAL SCARLET, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1*s.* 6*d.*

SCARLET GEM, very distinct, produces brilliant red flowers. 1*s.*

SELLOWIANUM MARMORATUM 1*s.* 6*d.*

SERAPH, pure white. 1*s.* 6*d.*

SILVER BELL, French white, with deep red veins, very distinct and pretty. 1*s.* 6*d.*

STRIATUM SPLENDIDUM, bright orange, striped with rich crimson. 1*s.*

THOMSONI PLENUM, fine double deep rich orange flowers, shaded and streaked with crimson. This handsome variety has also ornamental foliage. 1*s.*

TROPHY, yellow, veined with carmine. 1*s.* 6*d.*

VILLE SOLEIL, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 3*s.*6*d.*

VEXILLARIUM GRANDIFLORUM, produces a profusion of dark cerise flowers with crimson throat, very distinct. 3*s.* 6*d.*

VEXILLARIUM NANUM, flowers white. 2*s.* 6*d.*

VITIFOLIUM ALBUM. 3*s.* 6*d.*

VIVID COMPACTUM, large bright scarlet flowers, compact habit. 1*s.* 6*d.*

ZARA, clear lemon-yellow. 1*s.* 6*d.*

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2*s*. 6*d*.

ACER PLATANOIDES LEOPOLDII, 1*s*. 6*d*.
ACIPHYLLA SQUARROSA, 3*s*. 6*d*. and 5*s*.
ACORUS JAPONICUS SIEBOLDII STRIATUS, 1*s*. 6*d*.

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s*. and 12*s*. per dozen.

AKEBIA QUINATA, 1*s*. 6*d*.
ALSTRŒMERIA CHILENSIS, 1*s*.
ALTHÆA FRUTEX, *vide* Hibiscus syriacus
AMARYLLIS BELLADONNA, 9*d*. and 1*s*. each; 6*s*. and 9*s*. per dozen
AMPELOPSIS SEMPERVIRENS, 5*s*.
TRICUSPIDATA, *(Vitis japonica)*, 1*s*. 6*d*. & 2*s*. 6*d*.
ANDROMEDA JAPONICA, 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.
ARALIA MAXIMOWICZII, new and distinct, 3*s*. 6*d*.
ARISÆMA CORNUTUM *(Sauromatum guttatum)*, 3*s*. 6*d*.
ARUNDO CONSPICUA, 1*s*. 6*d*. and 2*s*. 6*d*.
ASCLEPIAS TUBEROSA, 1*s*.
ASPIDISTRA LURIDA, 2*s*. 6*d*. and 3*s*. 6*d*.
LURIDA VARIEGATA, 3*s*. 6*d*.
ASTILBE BARBATA *(Holeia japonica, Spiræa barbata)*, 1*s*.
AUCUBA JAPONICA FŒMINA, various sorts, 3*s*. 6*d*. and 5*s*.
JAPONICA LUTEO-PICTA, 7*s*. 6*d*.
—— MASCULA, various sorts, 3*s*. 6*d*. & 5*s*.
AZALEA LINEARIFOLIA, 5*s*.

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.

AZALEAS, hardy varieties, of sorts, 18*s*., 30*s*. and 42*s*. per dozen
AZARA MICROPHYLLA, 2*s*. 6*d*. and 3*s*. 6*d*.
BAMBUSA AUREA, 2*s*. 6*d*.
FORTUNEI VARIEGATA, 2*s*. 6*d*.
MAXIMOWICZII, 3*s*. 6*d*. and 5*s*.
METAKE, *(Arundinaria japonica)* 2*s*. 6*d*. and 3*s*. 6*d*.
NIGRA, (*Phyllostachys nigra*) 3*s*. 6*d*.
NANA, 2*s*. 6*d*. and 3*s*. 6*d*.
SIMONII, 3*s*. 6*d*.
TRICOLOR, 7*s*. 6*d*.
BERBERIS HETEROPODA, 5*s*.
STENOPHYLLA, 1*s*. 6*d*. and 2*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*.
BIGNONIA GRANDIFLORA, 2*s*. 6*d*. and 3*s*. 6*d*.
RADICANS MAJOR, 1*s*. 6*d*. and 2*s*. 6*d*.
BOCCONIA JAPONICA, 3*s*. 6*d*.
CALOCHORTUS, of sorts, 12*s*. per dozen
CALYCANTHUS PRÆCOX, *vide* Chimonanthus fragraus
CAMPANULA TURBINATA, 1*s*.

CARPENTARIA CALIFORNICA.

A handsome Californian shrub, producing large terminal bunches of white flowers, which have a similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5*s*.

CEANOTHUS ASTEROIDE, 5*s*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
CHIMONANTHUS FRAGRANS, 2*s*. 6*d*. and 3*s*. 6*d*.
CHOISYA TERNATA, 1*s*. 6*d*. & 2*s*. 6*d*.
CHRYSANTHEMUMS, *vide* Index.
CINNAMOMUM SERICEUM, 5*s*.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18*s*. and 30*s*. per dozen. New varieties 42*s*. per dozen.

CLEMATIS COCCINEA, 2*s*. 6*d*.
CLEMATIS JACKMANNI ALBA, 1*s*. 6*d*.

CLEMATIS PANICULATA.

A hardy climbing plant, furnished with pinnately decompound leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula*. It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 3*s*. 6*d*.

CORNUS MASCULA AUREO-ELEGANTISSIMA, 2*s*. 6*d*.
SIBIRICA SPATHII, 3*s*. 6*d*.
CORYLOPSIS SPICATA, 2*s*. 6*d*.

COTONEASTER FONTANESII.

A compact growing hardy shrub, with terete brown pubescent stems and branches, bearing dark green alternate leaves, orbicular in outline. The flowers, which are white, grow in small corymbose glomerules, and are succeeded by large round coral-red berries. It is an effective shrub from the abundant clusters of brilliant red berries which it produces. 3*s*. 6*d*.

CRATÆGUS Carrièri, large white flowers, turning to rose, fruit as large as a cherry. 5*s*.
Lælandii, 1*s*.
orientalis sanguinea, The Eastern Thorn, flowers white, produced in umbels in great profusion; deep purplish red fruits. 2*s*. 6*d*.
CRINUM capense album, 1*s*.
CYPRIPEDIUM acaule, 3*s*. 6*d*. and 5*s*.
spectabile, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]
DELPHINIUMS, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
DESMODIUM penduliflorum, 1*s*. 6*d*. and 2*s*. 6*d*.
DEUTZIA crenata roseo-plena, 1*s*. 6*d*.
Pride of Rochester, a handsome flowering new double variety, *vide* illustration. 1*s*. 6*d*. each; 12*s*. per dozen.
DIELYTRA spectabilis, 1*s*. and 1*s*. 6*d*.
DIMORPHANTHUS mandchuricus, 1*s*. 6*d*.
EREMURUS robustus, 5*s*.
ERYTHRINA, *vide* pages 30 and 52.
ESCALLONIA macrantha, 2*s*. 6*d*.
EUCRYPHIA pinnatifolia, 10*s*. 6*d*.
EUGENIA Ugni, 1*s*. 6*d*. and 2*s*. 6*d*.
EULALIA japonica albo-lineata, 2*s*. 6*d*. and 3*s*. 6*d*.
japonica zebrina, 2*s*. 6*d*. and 3*s*. 6*d*.
FRAXINUS mandchuricus, 3*s*. 6*d*.
potamophila, 3*s*. 6*d*.
FREESIA hybrida, Leichtlinii, refracta, —— alba } *vide* page 52.
GEUM strictum, 1*s*. 6*d*.
GUNNERA manicata, 3*s*. 6*d*.
scabra, 3*s*. 6*d*.
HEDERA amurensis, 2*s*. 6*d*.
atropurpurea, 1*s*. 6*d*.
Helix aurantiaca, this is the scarlet berried Ivy, 2*s*. 6*d*. and 3*s*. 6*d*.
Helix hibernica variegata, 2*s*. 6*d*.
CRINUM capense roseum, 1*s*.
Moorei, *vide* page 50.
Powellii, *vide* page 50.
CROCOSMA aurea, 1*s*.
aurea maculata, 3*s*. 6*d*.
CYCLAMEN europæum, 6*s*. per dozen.
CYDONIA japonica, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.

DEUTZIA, PRIDE OF ROCHESTER.

HEDERA madeiriensis variegata, 1*s*. 6*d*.
spectabilis aurea, 2*s*. 6*d*.
HEMEROCALLIS, of sorts, 9*d*. and 1*s*.

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6*s*. and 9*s*. per dozen.

HIBISCUS syriacus (Althæa frutex), 1*s*.
syriacus albo-plenus, 1*s*. 6*d*.
—— Amaranthe, 1*s*. 6*d*.
—— anemoneflora, 1*s*. 6*d*.
—— Ardens, 1*s*. 6*d*.
—— Boule de Feu, 1*s*. 6*d*.
—— cærulea plena, 1*s*. 6*d*.
—— carneus plenus, 1*s*. 6*d*.
—— Comte de Flandres, 1*s*. 6*d*.
—— Comte de Hainault, 1*s*. 6*d*.
—— cælestis, 1*s*. 6*d*.
—— De la Veuve, 1*s*. 6*d*.
—— Duc de Brabant, 1*s*. 6*d*.
—— elegantissimus, 1*s*. 6*d*.
—— fastuosus, 1*s*. 6*d*.
—— grandiflorus superbus, 1*s*. 6*d*.
—— Lady Stanley, 1*s*. 6*d*.
HIBISCUS syriacus Leopoldii, 1*s*. 6*d*.
—— purpureus plenus, 1*s*. 6*d*.
—— —— variegatus, 1*s*. 6*d*.
—— ranunculiflorus, 1*s*. 6*d*.
—— ruber purpurea fl. pl., 1*s*. 6*d*.
—— speciosus, 1*s*. 6*d*.
—— spectabilis fl. pl., 1*s*. 6*d*.
—— violaceus atropurpureus fl. pl., 1*s*. 6*d*.
—— —— semi-plenus, 1*s*. 6*d*.
See also pages 31, 32 and 54.
HOTEIA japonica, *vide* Astilbe barbata
HYACINTHUS candicans, 3*s*. per dozen.
HYDRANGEA aspera, 3*s*. 6*d*.
paniculata grandiflora, 1*s*. and 1*s*. 6*d*.
pekinensis, 3*s*. 6*d*.
volubilis (scandens), 1*s*. 6*d*.
See also page 53.

HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 3*s*. 6*d*.

HYPERICUM patulum, 1*s*. 6*d*.
IDESIA polycarpa (Polycarpa Maximowiczii) 2*s*. 6*d*.
IRIS cristata, 1*s*. 6*d*.
hexagona, 1*s*. 6*d*.
iberica, 1*s*. and 1*s*. 6*d*.

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 4*s*., 6*s*. and 9*s*. per dozen; choice mixed varieties, 3*s*. and 4*s*. per dozen.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 1*s*. 6*d*., 2*s*. 6*d*. & 3*s*. 6*d*.; choice varieties, 5*s*. & 7*s*. 6*d*.

IRIS PUMILA, 1*s*.
ROBINSONIANA, *vide* page 54.
SIBIRICA, 1*s*.
SUSIANA, 1*s*.
TECTORUM, 3*s*. 6*d*.
JUNCUS LÆTEVIRENS, 3*s*. 6*d*.
—— ZEBRINUS, *vide* Scirpus Tabernæmontani zebrinus
KNIPHOFIA ALOIDES (Tritoma Uvaria), 1*s*.
ALOIDES (Tritoma Uvaria) GLAUCESCENS, 1*s*. 6*d*.
—— (—— ——) GRANDIFLORA, 2*s*. 6*d*.
—— (—— ——) NOBILIS, 2*s*. 6*d*.
BURCHELLI, 1*s*.
ROOPERI, 1*s*. 6*d*.
LARDIZABALA BITERNATA, 3*s*. 6*d*.
LIBERTIA FORMOSA, 6*d*.
IXIOIDES, 6*d*.

LILIUMS.

AURANTIACUM, *vide* croceum.
AURATUM, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
Dormant bulbs at the proper season, 6*d*., 9*d*., 1*s*. and 1*s*. 6*d*. each.
—— **CANDIDUM**, 10*s*. 6*d*.
—— **CRUENTUM**, the finest of the *auratum* section, each petal being marked down the centre with a broad band of the richest crimson, 15*s*. and 21*s*.

LILIUM AURATUM.

AURATUM ORNATUM, 10*s*. 6*d*.
——**PICTUM**, 7*s*. 6*d*.
——**PLATYPHYLLUM**, a handsome new variety giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 3*s*. 6*d*. and 5*s*.
—— —— **GRANDE**, magnificent flowers, 10*s*. 6*d*.
—— —— **OCHROLEUCUM**, 15*s*.
—— —— **PICTURATUM**, 15*s*.
—— —— **VIRGINALE** 7*s*. 6*d*.
—— **RUBRO-VITTATUM**, 10*s*. 6*d*. and 15*s*.
—— **VIRGINALE** (Wittei) 7*s*. 6*d*. and 10*s*. 6*d*.
BATEMANÆ 1*s*. and 1*s*. 6*d*.
BROWNII, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3*s*. 6*d*. and 5*s*.
BULBIFERUM, 1*s*.
BYZANTINUM, *vide* chalcedonicum.
CALIFORNICUM, 2*s*. 6*d*.
CALLOSUM, 2*s*. 6*d*. and 3*s*. 6*d*.
CANADENSE, 1*s*. and 1*s*. 6*d*.
—— **RUBRUM**, 2*s*. 6*d*.
CANDIDUM, 4*d*. and 6*d*.
—— **FLORE-PLENO**, 6*d*.
CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 1*s*. and 1*s*. 6*d*.
COLUMBIANUM, 1*s*. 6*d*. and 2*s*. 6*d*.
CONCOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
—— **CORIDION**, 2*s*. 6*d*.
CORDIFOLIUM, a rare Japanese Lily. 3*s*. 6*d*.
CROCEUM (AURANTIACUM) 6*d*.
DALMATICUM, *vide* Martagon dalmaticum
DAVURICUM ERECTUM, 4*d*.
—— **FULGIDUM** (SAPPHO), 6*d*.
—— **GRANDIFLORUM**, 6*d*.
—— **IMMACULATUM**, 6*d*.
—— **INCOMPARABILE**, 4*d*.
ELEGANS (THUNBERGIANUM), 1*s*. 6*d*.
—— (——) **ALICE WILSON**, 5*s*.
—— (——) **ALUTACEUM**, 6*d*.
—— (——) **ATROSANGUINEUM (FULGENS)**, 6*d*.
—— (——) **BICOLOR**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **FORMOSUM**, 1*s*. 6*d*.
—— (——) **HÆMATOCHROUM**, 7*s*. 6*d*.
—— (——) **LATERITIUM** (BILIOULATUM), 6*d*.
—— (——) **MACULATUM**, 6*d*.
—— (——) **PICTUM**, 6*d*.
—— (——) **PRINCE OF ORANGE** (CITRINUM), 6*d*.
—— (——) **SCINTILLANS**, 7*s*. 6*d*.
—— (——) **STAMINOSUM**, 1*s*. 6*d*.

LILIUMS—continued.

LILIUM LONGIFLORUM FLORIBUNDUM.

EXCELSUM, *vide* testaceum
EXIMIUM, *vide* longiflorum eximium
GIGANTEUM, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
HANSONI, bright golden-yellow, spotted with crimson, 5*s*.
HUMBOLDTII, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden-yellow flowers, spotted with purple. 2*s*. 6*d*. and 3*s*. 6*d*.
ISABELLINUM, *vide* testaceum
JAPONICUM (ODORUM), a beautiful sweet-scented White Lily, 7*s*. 6*d*.
KAMSCHATICUM (SARANA) The Black Lily, 3*s*. 6*d*.
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 1*s*. 6*d*. & 2*s*. 6*d*.
LANCIFOLIUM, *vide* speciosum
LEICHTLINI, very rare, 3*s*. 6*d*. and 5*s*.
LONGIFLORUM, 6*d*.
—— Gigantic bulbs, 9*d*.
—— **EXIMIUM**, 1*s*. and 1*s*. 6*d*.
—— **FLORIBUNDUM**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 9*d*., 1*s*., 1*s*. 6*d*. and 2*s*. 6*d*.
Extra size, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
LONGIFLORUM FOL. ALBO-MARGINATIS, 3*s*. 6*d*.
—— **HARRISII**, 9*d*., 1*s*. and 1*s*. 6*d*.
—— **WILSONI**, one of the handsomest white Lilies known. 1*s*. 6*d*. and 2*s*. 6*d*.
MARTAGON (Turk's Cap Lily). 4*d*.
—— **ALBUM**, 3*s*. 6*d*. and 5*s*.
—— **AURANTIACUM**, *vide* pyrenaicum
—— **COCCINEUM**, *vide* chalcedonicum
—— **DALMATICUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 1*s*. 6*d*. & 2*s*. 6*d*.
—— —— **CATTANIÆ**, purple, 2*s*. 6*d*. & 3*s*. 6*d*.
MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers most deliciously fragrant; one of the best of the Lilies; when established, the flower stems grow from 3 to 4 feet high and produce as many as twenty of its attractive blossoms. 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— gigantic bulbs, 3*s*. 6*d*.
NEILGHERRENSE, a magnificent Lily, one of the finest of its section; the blossoms are creamy-white, deliciously fragrant and nearly a foot long, it is of free growth and admirably adapted for conservatory decoration. 3*s*. 6*d*. and 5*s*.
NEPALENSE, very rare and extremely beautiful, 10*s*. 6*d*. and 15*s*.
OCHROLEUCUM, a magnificent Lily from the Himalayas, 15*s*. and 21*s*.
PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1*s*. and 1*s*. 6*d*.
—— **BOURGÆI**, 3*s*. 6*d*.
PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3*s*. 6*d*. and 5*s*.
PARVUM, yellow, slightly spotted, 2*s*. 6*d*. and 3*s*. 6*d*.
PEREGRINUM, *vide* testaceum
POMPONIUM, an elegant species with bright scarlet flowers. 1*s*. and 1*s*. 6*d*.
Extra strong English grown bulbs, 2*s*. 6*d*. and 3*s*. 6*d*.
PUBERULUM, 2*s*. 6*d*.
PURPUREUM (RUBESCENS), 3*s*. 6*d*. and 5*s*.
PYRENAICUM, 6*d*.
ROSEUM, *vide* Thompsonianum.
RUBESCENS, *vide* purpureum.
SPECIOSUM (LANCIFOLIUM) ALBUM, 1*s*. & 1*s*. 6*d*.
—— (——) **ALBUM CORYMBIFLORUM**, 1*s*.
—— (——) —— **NOVUM**, 5*s*.
—— (——) **CRUENTUM**, 2*s*. 6*d*.
—— (——) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) —— **SUPERBUM**, 5*s*.
—— (——) **MELPOMENE**, 5*s*.
—— (——) **PUNCTATUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **PURPURATUM**, 2*s*. 6*d*. & 3*s*. 6*d*.
—— (——) **ROSEUM**, 6*d*., 9*d*. and 1*s*.

LILIUMS—continued.

SPECIOSUM (LANCIFOLIUM) RUBRUM, 6*d*., 9*d*. and 1*s*.
—— (——) —— **CORYMBIFLORUM**, 1*s*. 6*d*.
—— (——) —— **SUPERBUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **SCHRYMAKERSI**, 1*s*. 6*d*.
SUPERBUM, 9*d*. and 1*s*.
—— **PYRAMIDALE**, 2*s*. 6*d*.
SZOVITZIANUM, *vide* monadelphum Szovitzianum
TENUIFOLIUM, bright scarlet, of neat growth; a charming Lily, 1*s*. 6*d*. and 2*s*. 6*d*.
TESTACEUM (EXCELSUM, ISABELLINUM, PEREGRINUM), nankeen-coloured flowers, 1*s*. 6*d*.
THOMPSONIANUM (ROSEUM), 1*s*.
THUNBERGIANUM, *vide* elegans.
TIGRINUM, 4*d*.
—— **FLORE-PLENO**, 4*d*.
—— **FORTNUEI**, 6*d*. and 9*d*.
—— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive, 6*d*. and 9*d*.
VENUSTUM, 1*s*. 6*d*.
WALLACEI, 1*s*. 6*d*.
WALLICHIANUM, 5*s*. and 7*s*. 6*d*.
WASHINGTONIANUM, flowers white, slightly flushed with lilac, very sweet-scented, 2*s*. 6*d*. and 3*s*. 6*d*.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3*s*. 6*d*.
MAGNOLIA CAMPBELLII, 10*s*. 6*d*. and 15*s*.
CONSPICUA, 3*s*. 6*d*.
LENNEI, 5*s*.
PURPUREA, 2*s*. 6*d*.
SOULANOEANA, 3*s*. 6*d*.
STELLATA (HALLEANA), 5*s*. and 7*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*. to 10*s*. 6*d*.
MALUS FLORIBUNDUS, 1*s*. 6*d*.
HALLEANUS, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2*s*. 6*d*.
MAXIMOWICZIA CHINENSIS, 1*s*. 6*d*.
MILLA BIFLORA, 5*s*. per dozen.
MONTBRETIA CROCOSMÆFLORA, 1*s*.
CROCOSMÆFLORA AUREA, fine spikes of large golden-yellow flowers. 1*s*.
—— BOUQUET PARFAIT, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermilion. 1*s*.
—— DRAP D'OR, erect habit, fine flowers with chrome-yellow lobes. 3*s*. 6*d*.
—— ELDORADO, very floriferous and of dwarf habit; large golden-yellow flowers. 2*s*. 6*d*.
—— ELEGANS, brilliant yellow, exterior of tubes and buds vermilion, base yellow. 1*s*.
—— ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow. 1*s*. 6*d*.
—— GERBE D'OR, a dwarf and proliferous variety, producing magnificent golden-yellow flowers. 1*s*. 6*d*.
—— INCENDIE, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety. 5*s*.
—— CROCOSMÆFLORA MÉTÉORE, large flowers, lobes large and round, interior dark orange, exterior blood red. 3*s*. 6*d*.
—— PHARE, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 2*s*.
MONTBRETIA PLUIE D'OR, handsome spikes of ochreous yellow flowers; a new colour in Montbretias. 7*s*. 6*d*.
—— SOLEIL COUCHANT, brilliant golden-yellow flowers; dwarf habit. 7*s*. 6*d*.
—— TIGRIDIE, rich orange-yellow flowers, maculated in the centre with brown; very striking. 7*s*. 6*d*.
—— PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 1*s*.
—— RAYON D'OR, golden yellow; throat spotted red. 5*s*.
—— SOLFATARE, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 3*s*. 6*d*.
—— TRANSCENDENT, bright orange-red, very floriferous. 5*s*.
POTTSII, 1*s*. 6*d*.
—— ORANDIFLORA, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 2*s*. 6*d*.
SECURIGERA, Indian yellow flowers. 2*s*. 6*d*.
NEVIUSIA ALABAMENSIS, 3*s*. 6*d*.
NYMPHÆA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.
ODORATA ROSEA, 3*s*. 6*d*. and 5*s*.
OPUNTIA RAFINESQUIANA, 2*s*. 6*d*.
PÆONIA ARBOREA (Tree Pæony), choice sorts, 5*s*. each, 42*s*. per dozen.
HERBACEOUS, 12*s*. and 18*s*. per dozen.
PANCRATIUM ILLYRICUM, 1*s*.
MARITIMUM, 9*d*.
PASSIFLORA CÆRULEA, 1*s*. 6*d*. and 2*s*. 6*d*.
CONSTANCE ELIOTT, 1*s*. 6*d*.
PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3*s*. 6*d*.
PHILADELPHUS CORONARIUS FOLIIS AUREUS, 2*s*. 6*d*.
GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3*s*. 6*d*.
HYBRIDUS LEMOINEI, 5*s*.
KETELEERI FLORE-PLENO, 2*s*. 6*d*.
MICROPHYLLUS, 2*s*. 6*d*.
MULTIFLORUS PLENUS, 1*s*. 6*d*.
PRIMULÆFLORUS, 3*s*. 6*d*.
ROSÆFLORUS PLENUS, 3*s*. 6*d*.

PHILADELPHUS LEMOINEI ERECTUS.

This new variety is a cross between *Philadelphus microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers being white and very sweet-scented, with yellow anthers, being borne in axillary umbels the whole length of the branches. 7*s*. 6*d*.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s*. and 18*s*. per dozen.



SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which has been certificated both by the Royal Horticultural and Royal Botanic Societies on account of its great merit. The stems grow from two to three feet high, and are terminated by compound feathery branches of elegant white flowers, produced in the greatest profusion. A charming plant for pot culture. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington, in 1832. 3*s.* 6*d.* and 5*s.*

PIERIS OVALIFOLIA DENSIFLORA, 3*s*. 6*d*. and 5*s*.
PIPER FUTOKADSURA, 3*s*. 6*d*. and 5*s*.
POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa
POLYGONUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
SACHALINENSE, 1*s*. 6*d*. and 2*s*. 6*d*.
POPULUS CANADENSIS AUREUS VAN GEERTII, foliage of an attractive golden hue. 2*s*. 6*d*.
POTENTILLA, handsome double-flowered kinds. 1*s*. 6*d*. and 2*s*. 6*d*.
PRIMULA AMŒNA, *vide* P. Sieboldii
CORTUSOIDES HYBRIDA, 2*s*. 6*d*.
PRIMULA FLORIBUNDA, *vide* page 57.
JAPONICA, 1*s*. and 1*s*. 6*d*.
—— of sorts, 3*s*. 6*d*. each.
SIEBOLDII, 1*s*. 6*d*.
—— CÆRULEA ALBA, 3*s*. 6*d*.
—— HERMIA, 3*s*. 6*d*.
—— LACINIATA, 3*s*. 6*d*.
—— PINK BEAUTY, 3*s*. 6*d*.
PRUNUS SINENSIS ALBO-PLENA, 2*s*. 6*d*.
SINENSIS ROSEO-PLENA, 2*s*. 6*d*.
TRILOBA, 1*s*. 6*d*.

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1*s*. 6*d*. and 2*s*. 6*d*.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading and closely packed with spike-like greenish flowers. 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.

RHODODENDRONS, choice hybrids of sorts, to name, 3*s*. 6*d*. and 5*s*.
RHUS GLABRA LACINIATA, 1*s*. and 1*s*. 6*d*.
RIBES ALPINUM PUMILUM AUREUM, 5*s*.
RICHARDIA AFRICANA, 1*s*. and 1*s*. 6*d*.
ALBO-MACULATA, 1*s*. and 1*s*. 6*d*.
ROSA RUGOSA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.
RUGOSA (REGELIANA), 1*s*. 6*d*. and 2*s*. 6*d*.
ROSCOEA PURPUREA, 10*s*. 6*d*.

RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s*. 6*d*. each. 12*s*. per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliolate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s*. 6*d*.

RUBUS FRUTICOSUS KITTATINNY, 1*s*. 6*d*.
FRUTICOSUS MAMMOTH, 2*s*. 6*d*.
—— SNYDER, 2*s*. 6*d*.
—— WILSON'S EARLY, 2*s*. 6*d*.
} highly esteemed American Blackberries.
SAUROMATUM, *vide* Arisæma.
SAXIFRAGA CILIATA, 1*s*. 6*d*.
MCNABIANA, 3*s*. 6*d*.
PELTATA, 1*s*. 6*d*.
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis.
SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s*. 6*d*. and 5*s*.
SEDUM SPURIUM SPLENDENS, 1*s*. 6*d*.
SENECIO PULCHER, 1*s*. 6*d*.
See also page 57.
SKIMMIA OBLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
SPIRÆA AMURENSIS, 1*s*. 6*d*.
ASTILBOIDES, *vide* page 68.
BARBATA, *vide* Astilbo barbata.
PALMATA, 1*s*. and 1*s*. 6*d*.
—— ALBA, 2*s*. 6*d*.

SPIRÆA KAMTSCHATIKA (GIGANTEA).

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 7*s*. 6*d*.

STAPHYLEA COLCHICA, 2*s*. 6*d*. and 3*s*. 6*d*.
HYBRIDA COULOMBIERI, 3*s*. 6*d*.
STATICE LATIFOLIA, 1*s*.
STAUNTONIA LATIFOLIA, 2*s*. 6*d*.
STYRAX CALIFORNICA, 7*s*. 6*d*.
JAPONICA, 5*s*.
SYRINGA VULGARIS FL.-PL. ALPHONSE LAVALLEE, 2*s*. 6*d*.
VULGARIS FL.-PL. COMTE HORACE DE CHOISEUL, 5*s*.
—— HYACINTHIFLORA PLENA, 1*s*. 6*d*.
—— FL.-PL. LEMOINEI, *vide* page 70.

SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 15*s*.

SYRINGA VULGARIS FL.-PL. JEAN BART.

A very floriferous variety, the inflorescence being composed of very long thyrses grouped together, the flowers being very double, irregular in form, of a vinous rose colour; the buds carmine. 10*s*. 6*d*.

SYRINGA VULGARIS FL.-PL. LA TOUR D'AUVERGNE, 3*s*. 6*d*.
SYRINGA VULGARIS FL.-PL. LEON SIMON, 5*s*.

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2*s*. 6*d*. each; 24*s*. per dozen.

SYRINGA VULGARIS FL.-PL. MADAME JULES FINGER.

Very compact long thyrses of large ranunculus-shaped flowers, of a beautiful satiny-rose colour, the buds being bright purple. This variety is of dwarf growth and extremely floriferous. 5*s.*

SYRINGA VULGARIS FL.-PL. LE GAULOIS, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. MATHIEU DE DOMBASLE, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER, 3*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. PYRAMIDAL, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins; the buds are of large size, rich violet-crimson in colour. This variety is of surpassing merit, and by far the best yet raised. 3*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. RENONCULE, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. RUBELLA, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.

A very dwarf brilliant coloured double lilac, a new shade of colour, buds Fuchsia-red, the flowers when open being rosy-pink. 3*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. VIRGINITE.

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the Rose, *Souvenir de la Malmaison*. Quite a new tint in double lilacs. 5*s.*

TIGRIDIA CONCHIFLORA, 1*s.* 6*d.* per dozen.
GRANDIFLORA, 1*s.* 6*d.* per dozen.
—— ALBA, 1*s.* 6*d.* per dozen.
—— AURANTIACA, 1*s.* 6*d.* per dozen.

These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRITOMA *vide* Kniphofia,
TRITONIA AUREA, *vide* CROCOSMA AUREA.
MINIATA bright crimson, 2*s.* 6*d.*

TROPÆOLUM SPECIOSUM, 1*s.*
TUBEROSUM, 1*s.*

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 58.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 3*s.* 6*d.* and 5*s.*

VITIS JAPONICA, *vide* Ampelopsis tricuspidata

VITIS VINIFERA PURPUREA, 5*s.*

WEIGELA AMABILIS FOLIIS VARIEGATIS, 1*s.* 6*d.*
AMABILIS LOOYMANSII AUREA, 1*s.* 6*d.*
KOSTERIANA FOLIIS VARIEGATIS, 3*s.* 6*d.*
LONOIFOLIA AROENTEO-MAROINATA, 3*s.* 6*d.*

WEIGELA SIEBOLDII FOLIIS AROENTEO-MAROINATA, 2*s.* 6*d.*
ABEL CARRIERE, 1*s.* 6*d.*
AUG. WILHELM, 2*s.* 6*d.*
BERANGER, 2*s.* 6*d.*

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s.* 6*d.* each; 12*s.* per dozen.

WEIGELA CONGO.

A fine variety of good habit, producing large purplish-crimson flowers in the most floriferous manner. 3*s.* 6*d.*

WEIGELA DIDEROT, 2*s.* 6*d.*
EMILE GALLÈ, 2*s.* 6*d.*

WEIGELA HORTENSIS NIVEA, 1*s.* 6*d.*
LAVALLEI, 1*s.* 6*d.*

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 3*s.* 6*d.*

WEIGELA MONTESQUIEU.

Fine reddish-crimson flowers of perfect shape; a very handsome and distinct variety. 3*s.* 6*d.*

WISTARIA (GLYCINE) MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2*s.* 6*d.*
MULTIJUGA ALBA, 5*s.*
SINENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*

WISTARIA (GLYCINE) SINENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
SINENSIS FLORE-PLENO, 3*s.* 6*d.*

XANTHOCERAS SORBIFOLIA, 3*s.* 6*d.*

YUCCA MACROCARPA, 7*s.* 6*d.*
RECURVA, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. William Bull's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Músa Enséte	*Abyssinia*
African Mangosteen	Garcinia Livingstóni	*Africa*
African Rubber	Landolphia Watsoniana	*Africa*
Allspice	Eugenia Pimenta	*W. Indies*
Arrowroot	Maránta arundinácea	*S. America*
Annatto Dye Plant	Bixa Orellána	*Tropical America*
Australian Banyan	Ficus macrophylla	*Australia*
Avocado Pear	Persea gratissima	*West Indies*
Balsam of Peru	Myróxylon Pereira	*Peru*
Banyan Tree	Ficus indica	*E. Indies*
Bark of Commerce	Cinchóna officinális	*Tropical America*
Bengal Quince	Ægle Marmelos	*E. Indies*
Betle Pepper	Piper Bétle	*E. Indies*
Black Pepper	Piper nigrum	*E. Indies*
Brazil Nut	Bertholléția excélsa	*Brazil*
Cabbage Palm	Eutérpe edúlis	*Brazil*
Camphor	Cámphora officinális	*Japan*
Candle Tree	Parmentiéra cereifera	*Panama*
Cannon Ball Tree	Couroupita guianensis	*British Guiana*
Caoutchouc	Castillóa elástica	*Honduras*
Cape Chestnut	Calodendron capense	*Cape Colony*
Captain Cook's Tea Plant	Leptospérmum scopárium	*New Zealand*
Cardamon	Amómum Cardamómum	*E. Indies*
Cascarilla Bark	Croton Elutéria	*Bahama Islands*
Cashew Nut	Anacardium occidentale	*India*
Cassia	Cinnamomum Cassia	*East Indies*
Ceara Rubber	Manihot Glaziovii	*Brazil*
Chinese Plantain Tree	Músa Cavendishii	*China*
Cinnamon	Cinnamómum zeylanicum	*Ceylon*
Coca	Erythróxylon Cóca	*Peru*
Cocoa	Theobróma Cacáo	*Tropical America*
Coffee, Arabian	Coffea arábica	*Yemen*
Coffee, Liberian	Coffea liberica	*Liberia*
Contrayerva Root	Dorsténia Contrayérva	*S. America*
Cuba Bast	Paritium elátum	*W. Indies*
Cubeb Pepper	Piper Cubéba	*Java*
Cundurango	Gonólobus Cundurángo	*S. America*
Date	Phœnix dactylifera	*Levant*
Durian	Durio zibethínus	*India*
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*
Edible Vanguéria	Vanguéria edúlis	*Madagascar*
Elephant Apple	Feronia elephantum	*E. Indies*
Fiddle Wood	Citharéxylon quadrangulare	*Jamaica*
Fig, Sacred	Ficus religiosa	*E. Indies*
Fustick Wood	Chlorophora (Maclúra) tinctória	*W. Indies*

OFFICINAL AND MEDICINAL PLANTS—continued.

Gambogc	Zanthóchymus pictórius	*E. Indies*
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*
Ginger	Zingiber officinále	*E. Indies*
Granadilla	Passiflóra quadranguláris	*W. Indies*
Guarana Tea Plant	Paullinia sórbilis	*Brazil*
Guava	Psídium Cattleyanum	*Brazil*
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*
Ivory Nut Palm	Phytelephas macrocárpa	*Peru*
Jack Fruit	Artocarpus integrifolius	*W. Indies*
Jalap	Exogónium púrga	*Mexican Andes*
Japan Cinnamon	Cinnamómum sericeum	*Japan*
Japanese Pepper	Piper Futokadsura	*Japan*
Kokum Oil	Garcinia indica	*E. Indies*
Kola Nut	Cola acuminata	*Niger*
Latanier Palm	Latánia borbónica	*Bourbon*
Ledger's Bark	Cinchóna Ledgeriana	*S. America*
Liquorice	Glycyrrhiza glabra	*South Europe*
Litchi	Nephélium Litchi	*China*
Loquat	Eriobótrya japónica	*Japan*
Mahogany Tree	Swietenia Mahágoni	*W. Indies*
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*
Mango	Mangifera indica	*E. Indies*
Mangosteen	Garcinia Mangostána	*Java*
Manilla Hemp	Músa textilis	*Philippine Isles*
Matico	Artántho elongáta	*Peru*
Milk Tree	Galactodendron utile	*S. America*
Mustard Tree of Scripture	Salvadôra pérsica	*Persia*
Nardoo	Marsilea macrópus	*Australia*
Natal Plum	Arduina grandiflora	*Natal*
Netted-leaved Custard Apple	Anona reticulata	*S. America*
Nutmeg	Myristica moschâta	*E. Indies*
Palissander Wood	Machærium firmum	*S. America*
Para Rubber	Hévea brasiliénsis	*Brazil*
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*
Poison Nut	Thevetia neriifolia	*W. Indies*
Queensland Nut	Macadámia ternifólia	*Queensland*
Queensland Plum	Davidsonia pruriens	*Queensland*
Rhea Fibre Plant	Böhmeria nivea	*India*
Rhubarb	Rhéum officinále	*China*
Rose Apple	Eugenia Jambos	*India*
Sacred Indian Fig	Ficus religiosa	*India*
Sand Box Tree	Hura crepitans	*S. America*
Sarsaparilla	Smilax Sarsaparilla	*N. America*
Satin Wood	Chloróxylon Swietenia	*E. Indies*
Snake Wood	Cecrópia palmáta	*S. America*
Soap Berry	Sapindus Saponaria	*W. Indies*
Sour Sop	Anóna muricáta	*W. Indies*
Star Apple	Chrysophyllum Cainito	*W. Indies*
Strychnine	Strychnos núx-vómica	*East Indies*
Sugar Cane	Sáccharum officinárum	*India*
Sweet Sop	Anona squamosa	*S. America.*
Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*
Tamarind Tree	Tamarindus indica	*E. Indies*
Tea	Théa Bohéa	*China*
Tea, Assam	Théa assamica	*Assam*
Tonga	Epipremnum mirábile	*South Sea Islands*
Tonquin Bean	Dipterix odorata	*Guiana*
Traveller's Tree	Ravenála madagascariénsis	*Madagascar*
Turpentine Tree	Pistácia Terebinthus	*S. Europe*
Upas Tree	Antiaris toxicaria	*Java*
Vanilla	Vanilla aromática	*S. America*
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of tho plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to anyone interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 3, 5, 10 and 15 guineas each, and upwards.

S, distinguishes the stove kinds; I, intermediate house; C, cool house.
Those marked thus (*) are winter-blooming kinds.

S	**ACANTHEPHIPPIUM** bicolor	East Indies	10*s.* 6*d.* and 15*s.*
I	javanicum	Java	10*s.* 6*d.* and 15*s.*
I	**ACINETA** Barkeri	Mexico	10*s.* 6*d.* and 15*s.*
I	chrysantha	South America	31*s.* 6*d.* and 42*s.*
I	densa	South America	21*s.* and 31*s.* 6*d.*
I	erythroxantha	South America	105*s.*
I	Humboldtii (superba)	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACROPERA** Loddigesii	Mexico	5*s.* and 7*s.* 6*d.*
I	luteola	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
*C	**ADA** aurantiaca	Pamplona	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	**AËRANTHUS** Leonis, *vide* Angræcum Leonis		
I	**AERIDES** affine	Sylhet	7*s.* 6*d.* and 10*s.* 6*d.*
I	affine roseum	Sylhet	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— superbum	Sylhet	21*s.* and 31*s.* 6*d.*
S	crassifolium	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	crispum (Brookei)	Bombay	7*s.* 6*d.* and 10*s.* 6*d.*
S	cylindricum (Vandarum)	East Indies	42*s.*
S	Emericii	Andaman Islands	31*s.* 6*d.* and 42*s.*
S	expansum Leoniæ	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Fieldingii (Fox Brush)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— rubrum	East Indies	84*s.* and 105*s.*
S	Godefroyanum	Cochin China	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Houlletianum	Cochin China	21*s.*, 31*s.* 6*d.* and 42*s.*
C	japonicum	Japan	7*s.* 6*d.* and 10*s.* 6*d.*
S	Larpentæ	East Indies	42*s.* and 63*s.*
S	Lawrenceæ	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Lindleyanum	Coonoor	10*s.* 6*d.* and 15*s.*
S	Lobbii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— magnificum	Moulmein	42*s.* and 63*s.*
S	—— rubrum	Moulmein	42*s.* and 63*s.*
S	maculosum	Bombay	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— superbum	Bombay	
S	mitratum	East Indies	10*s.* 6*d.* and 15*s.*
S	nobile	India	21*s.* and 31*s.* 6*d.*
S	odoratum (cornutum)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— purpurascens	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	ornithorrhynchum	East Indies	21*s.* and 31*s.* 6*d.*

S	**AËRIDES quinquevulnerum**	Philippine Islands	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**Rohanianum**	East Indies	15*s.* and 21*s.*
S	**rubrum**	Bombay	63*s.* and 84*s.*
S	**Sanderianum**	East Indies	42*s.*, 63*s.* and 105*s.*
S	**Schroederi**	Bombay	
S	**suavissimum**	East Indies	15*s.* and 21*s.*
S	**testaceum,** *vide* **Wightianum**		
S	**Thibautianum**	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**Vandarum,** *vide* **cylindricum**		
S	**Veitchii**	East Indies	105*s.*
S	**virens**	Java	7*s.* 6*d.* and 10*s.* 6*d.*
S	**—— Dayanum**	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**—— superbum**	East Indies	15*s.* and 21*s.*
S	**Wightianum (testaceum)**	East Indies	10*s.* 6*d.*
I	**Warneri**	Bombay	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**AGANISIA cyanea**	Brazil	42*s.* and 63*s.*
S	**AMBLOSTOMA cernuum**	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	**ANGRÆCUM arcuatum**	Africa	21*s.* and 31*s.* 6*d.*
S	**articulatum**	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	**calligerum**	Madagascar	42*s.*
S	**Chailluanum**	West Coast of Africa	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**citratum**	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	**—— majus**	Madagascar	15*s.* and 21*s.*
S	**distichum**	West Coast of Africa	7*s.* 6*d.* and 10*s.* 6*d.*
S	**Du Buyssoni**	Madagascar	31*s.* 6*d.*
**S*	**eburneum (superbum)**	Madagascar	21*s.* and 31*s.* 6*d.*
S	**Ellisii**	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**falcatum**	Japan	10*s.* 6*d.* and 15*s.*
S	**fastuosum**	Madagascar	42*s.*
S	**hyaloides**	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**Ichneumonum**	Madagascar	15*s.*
S	**Leonis**	Comoro Island	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	**modestum (Sanderianum)**	West Coast of Africa	15*s.* and 21*s.*
S	**polystachys**	West Coast of Africa	21*s.* and 31*s.* 6*d.*
S	**Scottianum**	Comoro Island	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	**sesquipedale**	Madagascar	31*s.* 6*d.*, 42*s.* and 63*s.*
**S*	**—— majus**	Madagascar	84*s.* and 105*s.*
**S*	**virens (Brongniartianum)**	Madagascar	21*s.* and 31*s.* 6*d.*
I	**ANGULOA Clowesii**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**eburnea**	Peru	63*s.* and 84*s.*
I	**Ruckerii**	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**—— punctata**	South America	42*s.* and 63*s.*
I	**—— retusa**	South America	
I	**—— sanguinea**	South America	63*s.* and 84*s.*
I	**uniflora**	Colombia	10*s.* 6*d.* and 15*s.*
I	**—— alba**	Colombia	42*s.* and 63*s.*
I	**—— superba**	Colombia	42*s.*
S	**ANŒCTOCHILUS concinnus**	Assam	31*s.* 6*d.*
S	**Dawsonianus,** *vide* **Goodyera**		
S	**Lowii**	East Indies	21*s.*
S	**petola**	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	**ANSELLIA africana**	Sierra Leone	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**lutea**	Africa	21*s.* and 31*s.* 6*d.*
I	**ARPOPHYLLUM giganteum**	Mexico	15*s.* and 21*s.*
I	**spicatum**	Mexico	10*s.* 6*d.* and 15*s.*
I	**ARUNDINA bambusæfolia**	Assam	31*s.* 6*d.* and 42*s.*
C	**BARKERIA elegans**	Mexico	10*s.* 6*d.* and 15*s.*

*C	**BARKERIA Lindleyana**	Mexico	21*s.* and 31*s.* 6*d.*
C	melanocaulon	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	spectabilis	Mexico	15*s.*
I	**BIFRENARIA atropurpurea**	Brazil	21*s.* and 31*s.* 6*d.*
I	aurantiaca	South America	15*s.* and 21*s.*
I	vitellina	South America	15*s.*
C	**BLETIA hyacinthina**	China	5*s.* and 7*s.* 6*d.*
I	Shepherdii	? West Indies	21*s.*
I	Sherrattiana	Colombia	10*s.* 6*d.* and 15*s.*
*I	Tankervillæ, *vide* Phaius grandifolius		
I	verecunda	Florida	15*s.*
I	—— alba	Florida	15*s.*
I	**BOLLEA Lalindei**	Colombia	21*s.*
I	**BRASAVOLA cucullata**	Mexico	10*s.* 6*d.* and 15*s.*
S	Digbyana	Honduras	10*s.* 6*d.* and 15*s.*
I	glauca	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— oculata	Mexico	15*s.*
I	nodosa	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	**BRASSIA antherotes**	South America	42*s.* and 63*s.*
I	brachiata, *vide* Wrayæ		
I	caudata	South America	21*s.* and 31*s.* 6*d.*
I	Gireoudiana	Costa Rica	31*s.* 6*d.*
I	Keiliana	South America	42*s.* and 63*s.*
I	Lanceana	South America	42*s.*
S	Lawrenceana	Demerara	42*s.* and 63*s.*
S	maculata	West Indies	10*s.* 6*d.* and 15*s.*
I	signata	South America	31*s.* 6*d.*
C	verrucosa	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Wrayæ (brachiata)	South America	31*s.* 6*d.* and 42*s.*
S	**BROUGHTONIA sanguinea**	Jamaica	7*s.* 6*d.* and 10*s.* 6*d.*
S	**BULBOPHYLLUM Henshalli**	East Indies	31*s.* 6*d.* and 42*s.*
S	Lobbii, *vide* Sarcopodium Lobbii		
S	umbellatum	East Indies	
I	**BURLINGTONIA bahiensis**	Brazil	
I	caloplectron, *vide* Rodriguezia caloplectron		
I	candida	Demerara	10*s.* 6*d.*
I	decora	Brazil	15*s.* and 21*s.*
I	—— imperialis	Brazil	21*s.* and 31*s.* 6*d.*
I	fragrans	Brazil	15*s.* and 21*s.*
I	venusta	Brazil	15*s.* and 21*s.*
I	**CALANTHE curculigoides**	Indian Archipelago	
C	discolor	Japan	31*s.* 6*d.* and 42*s.*
S	Dominii	Hybrid	21*s.* and 31*s.* 6*d.*
S	furcata	New Caledonia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Masuca	Nepal, Sikkim	21*s.* and 31*s.* 6*d.*
C	pleiochroma	Japan	21*s.*
C	—— brevior	Japan	21*s.*
*I	Regnieri	Cochin China	10*s.* 6*d.* and 15*s.*
*I	—— fulgens	Cochin China	42*s.*
*I	—— purpurea	Cochin China	42*s.*
*I	—— striata	Cochin China	42*s.*
C	Sieboldii, *vide* Phaius Sieboldii		
*I	Stevensiana	Cochin China	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Textori	Japan	21*s.*
*I	Turneri	India	10*s.* 6*d.* and 15*s.*
*I	—— nivalis	India	10*s.* 6*d.* and 15*s.*
*I	Veitchii	Hybrid	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

*I	**CALANTHE Veitchii alba**	Hybrid	105*s.*
*I	Veitchii superba	Hybrid	10*s.* 6*d.*
S	veratrifolia	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
*I	vestita luteo-oculata	Tavoy, Java	5*s.* and 7*s.* 6*d.*
*I	—— oculata gigantea	Tavoy, Java	21*s.*
*I	—— rubro-oculata	Tavoy, Java	3*s.* 6*d.* and 5*s.*
I	**CATASETUM Bungerothii**	Ecuador	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Bungerothii punctatum	Ecuador	63*s.*
I	—— roseo-oculatum	Ecuador	63*s.*
I	callosum	South America	21*s.*
I	cernuum, *vide* **Myanthes cernuus**		
I	Darwinianum	British Guiana	21*s.* and 31*s* 6*d*
I	discolor	South America	10*s.* 6*d.*
I	—— viridiflorum	South America	21*s.*
I	fimbriatum	South America	15*s.*
I	gnomus	South America	21*s.*
I	macrocarpum	Brazil	10*s.* 6*d.*
I	maculatum viridiflorum	South America	10*s.* 6*d.*
I	medium	Brazil	63*s.*
I	Œrstedii	South America	21*s.*
I	sanguineum	Brazil	10*s.* 6*d.* and 15*s.*
I	—— integrale	South America	15*s.*
I	serratum	South America	21*s.*
I	tabulare	South America	21*s.* and 31*s.* 6*d.*
I	Trulla	South America	21*s.*
I	**CATTLEYA Aclandiæ**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	amethystina, *vide* **intermedia**		
I	amethystoglossa	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— maculata	Brazil	42*s.*
I	aurea, *vide* **C. Dowiana aurea**		
I	—— magnifica	Colombia	
I	Bassettii, *vide* **speciosissima**		
I	bicolor	Brazil	10*s.* 6*d.* and 15*s.*
I	—— grandiflora	Brazil	31*s.* 6*d.*
I	—— Measuresiana	Brazil	31*s.* 6*d.* and 42*s.*
I	—— —— oculata	Brazil	42*s.*
I	Boothiana, *vide* **lobata**		
I	Bowringiana	Central America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— splendens	Central America	63*s.*
I	—— violacea	Central America	
I	bulbosa, *vide* **Walkeriana**		
I	chocoensis	Colombia	21*s.* and 31*s.* 6*d.*
C	citrina	Oaxaca	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	crispa	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Crossiana	Hybrid	
I	dolosa	Brazil	10*s.* 6*d.* and 15*s.*
I	Dormaniana	Brazil	31*s.* 6*d.* and 42*s.*
S	Dowiana	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— aurea	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Eldorado	Rio Negro	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— aurea	Rio Negro	42*s.* and 63*s.*
I	—— carnea	Rio Negro	31*s.* 6*d.* and 42*s.*
I	—— conspicua	Rio Negro	63*s.* and 84*s.*
I	—— Leeana	Rio Negro	63*s.*
I	—— picta	Rio Negro	84*s.*
I	—— rosea	Rio Negro	31*s.* 6*d.* and 42*s.*
I	—— rubella	Rio Negro	84*s.*

I	**CATTLEYA** Eldorado splendens	Rio Negro	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Eldorado superba	Rio Negro	42*s.* and 63*s.*
I	—— Wallisii (alba)	Rio Negro	105*s.*
I	elegans, *vide* Lælia elegans		
I	Forbesii	Brazil	10*s.* 6*d.*
I	Gaskelliana	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— Alexandræ	Venezuela	
I	—— carnea	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— delicata	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— grandiflora	Venezuela	42*s.*
I	—— picta	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— pulchra	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— rosea	Venezuela	31*s.* 6*d.*
I	—— superba	Venezuela	21*s.* and 31*s.* 6*d.*
I	gigas	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— atropurpurea	Colombia	
I	—— Chelsoni	Colombia	
I	—— formosa	Colombia	
I	—— fulgens	Colombia	
I	—— imperialis	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— magnifica	Colombia	
I	—— marginata	Colombia	
I	—— Normanii	Colombia	
I	—— picturata	Colombia	
I	—— regalis	Colombia	
I	—— Reginæ	Colombia	
I	—— rosea	Colombia	
I	—— Sanderiana	Colombia	10*s.* 6*d.*, 15*s.* and 21*s*
I	—— —— mirabile	Colombia	
I	—— splendens	Colombia	
I	—— tyrianthina	Colombia	
I	grandis, *vide* Lælia grandis		
I	granulosa	Brazil	15*s.* and 21*s.*
I	guttata	Brazil	15*s.* and 21*s.*
I	Harrisoniæ	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	31*s.* 6*d.* and 42*s.*
I	Holfordi, *vide* C. luteola		
I	intermedia (amethystina)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	labiata, *vide* C. Warnerii		
I	Lawrenceana	British Guiana	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— oculata	British Guiana	
I	—— rosea	British Guiana	
I	Lemoniana, *vide* C. speciosissima		
I	Leopoldii	Brazil	15*s.* and 21*s.*
I	lobata (Lælia Boothiana)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s*
I	Loddigesii	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Luddemanniana, *vide* C. speciosissima		
I	luteola (Holfordii)	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	marginata, *vide* Lælia marginata		
I	maxima (Quindos)	Ecuador, Popayan	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— limbata	Ecuador	84*s.*
I	—— superba	Ecuador	42*s.* and 63*s.*
I	Mendelii	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— Alexandræ	South America	
I	—— ampliata	South America	
I	—— conspicua	South America	
I	—— delicata	South America	
I	—— excellens	South America	

I	**CATTLEYA Mendelii gigantea**	South America	
I	Mendelii grandis	South America	
I	—— insigne	South America	
I	—— magnifica	South America	
I	—— majestica	South America	
I	—— miniata	South America	
I	—— ornata	South America	
I	—— picta	South America	
I	—— princeps	South America	
I	—— Rex	South America	
I	—— superba	South America	
I	—— superbissima	South America	
I	—— tincta	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— triumphans	South America	
I	—— Victoriæ	South America	
I	Mossiæ	Venezuela	3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.* fine plants, 21*s.*, 31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— albo-marginata	Venezuela	63*s.* and 84*s.*
I	—— Alexandræ	Venezuela	
I	—— amœna	Venezuela	
I	—— aurantiaca	Venezuela	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— Chelsoni	Venezuela	
I	—— Cleopatra	Venezuela	
I	—— conspicua	Venezuela	
I	—— delicata	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— —— aurantiaca	Venezuela	
I	—— flammea	Venezuela	
I	—— formosa	Venezuela	
I	—— gigantea	Venezuela	
I	—— grandiflora	Venezuela	42*s.* and 63*s.*
I	—— grandis	Venezuela	
I	—— insignis	Venezuela	
I	—— Lawrenceana	Venezuela	63*s.* and 84*s.*
I	—— magnifica	Venezuela	
I	—— marginata	Venezuela	
I	—— maxima	Venezuela	
I	—— picta	Venezuela	
I	—— picturata	Venezuela	63*s.* and 84*s.*
I	—— princeps	Venezuela	
I	—— pulcherrima	Venezuela	63*s.* and 84*s.*
I	—— rosea	Venezuela	63*s.* and 84*s.*
I	—— —— elegans	Venezuela	
I	—— rubra	Venezuela	105*s.* and 147*s.*
I	—— speciosa	Venezuela	
I	—— splendens	Venezuela	42*s.* and 63*s.*
I	—— superba	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— venosa	Venezuela	
I	nobilior	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Percivaliana	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— bella	Venezuela	
I	—— magnifica	Venezuela	
I	—— marginata	Venezuela	31*s.* 6*d.* and 42*s.*
I	—— nigra	Venezuela	
I	—— ornata	Venezuela	
I	—— picta	Venezuela	
I	—— rubro-nigra	Venezuela	
I	—— splendens	Venezuela	
I	—— rubra superba	Venezuela	

I	**CATTLEYA** Perrinii, *vide* Lælia Perrinii		
**I*	Pinelii, *vide* Lælia Pinelii		
I	porphyroglossa punctulata	Brazil	
I	Schilleriana (Regnellii)	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Schofieldiana	Brazil	63*s.*, 84*s.* and 105*s.*
I	Schrœderæ	Colombia	10*s.* 6*d.*, 15*s.* to 42*s.*
I	—— superba	Colombia	42*s.* and 63*s.*
S	signata	Hybrid	
I	Skinneri	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— alba	Mexico	
I	—— oculata	Mexico	42*s.* and 63*s.*
I	—— splendens	Mexico	
I	speciosissima (Bassettii, Lemoniana, Luddemanniana)	Caracas	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	Stelzneriana, *vide* Lælia elegans		
S	superba	Essequibo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— splendens	Essequibo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Thompsoniana	Hybrid	
**I*	Trianæ	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— alba	Colombia	
**I*	—— ampliata	Colombia	42*s.* and 63*s.*
**I*	—— aurantiaca	Colombia	63*s.*
**I*	—— bella	Colombia	105*s.*
**I*	—— bogotensis	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
**I*	—— carnea	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— Cleopatra	Colombia	63*s.* and 84*s.*
**I*	—— conspicua	Colombia	
**I*	—— delicata	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— elegans	Colombia	63*s.* and 84*s.*
**I*	—— excellens	Colombia	105*s.*
**I*	—— fimbriata	Colombia	
**I*	—— flammea	Colombia	
**I*	—— gemma	Colombia	
**I*	—— grandis	Colombia	42*s.* and 63*s.*
**I*	—— illustris	Colombia	105*s.*
**I*	—— insignis	Colombia	84*s.*
**I*	—— macrantha	Colombia	
**I*	—— magnifica	Colombia	84*s.* and 105*s.*
**I*	—— marginata	Colombia	42*s.* and 63*s.*
**I*	—— miniata	Colombia	
**I*	—— nivea	Colombia	
**I*	—— perfecta	Colombia	
**I*	—— picta	Colombia	63*s.* and 84*s.*
**I*	—— princeps	Colombia	
**I*	—— quadricolor	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— Rosalind	Colombia	
**I*	—— rosea	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— —— superba	Colombia	84*s.* and 105*s.*
**I*	—— rubescens	Colombia	63*s.*
**I*	—— rubra	Colombia	42*s.*
**I*	—— speciosa	Colombia	63*s.* and 84*s.*
**I*	—— splendens	Colombia	42*s.* and 63*s.*
**I*	—— superba	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— tricolor	Colombia	
**I*	—— tyrianthina	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— Venus	Colombia	63*s.* and 84*s.*
**I*	—— Vesta	Colombia	63*s.* to 105*s.*
**I*	—— Victoria	Colombia	

*I	**CATTLEYA** Trianæ virginalis	Colombia	63*s.* and 84*s.*
I	velutina	Brazil	21*s.* and 31*s.* 6*d.*
I	Walkeriana (bulbosa)	Brazil	7*s.* 6*d.*,10*s.* 6*d.* and 15*s.*
I	Warnerii (labiata)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— magnifica	Brazil	
I	—— picta	Brazil	
I	—— splendens	Brazil	
I	xanthina, *vide* **Lælia** xanthina		
I	**CHYSIS** aurea	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	bractescens	Peru	10*s.* 6*d.* and 15*s.*
I	chelsoniensis	Hybrid	21*s.* and 31*s.* 6*d.*
I	lævis	Mexico	21*s.*
I	**CIRRHOPETALUM** ornatissimum	East Indies	42*s.*
I	picturatum	East Indies	31*s.* 6*d.* and 42*s.*
S	pulchrum	Borneo	63*s.*
S	Thouarsii	Manilla	42*s.* and 63*s.*
S	**CLEISOSTOMA** Wendlandorum	Borneo	10*s.* 6*d.*
S	**CŒLOGYNE** asperata (Lowii)	Borneo	15*s.*, 21*s.* and 31*s.* 6*d.*
I	assamica	Assam	21*s.*
*I	barbata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	corrugata	Khasya	10*s.* 6*d.* and 15*s.*
*C	cristata	Nepal, Sylhet	5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
*C	—— Chatsworth variety	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— hololeuca (alba)	East Indies	105*s.* and 147*s.*
*C	—— Lemoniana	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
*C	—— maxima	East Indies	
*C	—— Trentham variety	East Indies	
I	elata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	fimbriata	East Indies	21*s.*
*I	flaccida	Assam	10*s.* 6*d.* and 15*s.*
I	Gardneriana	East Indies	
I	lentiginosa	Moulmain	7*s.* 6*d.* and 10*s.* 6*d.*
I	Massangeana	Assam	15*s.*, 21*s.* and 31*s.* 6*d*
I	ocellata	Assam	5*s.* and 7*s.* 6*d.*
I	—— maxima	Assam	
I	Sanderiana	East Indies	
I	speciosa	Java	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— major	Java	21*s.* and 31*s.* 6*d.*
C	**COLAX** jugosus	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**COMPARETTIA** macroplectron	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**CORYANTHES** macrantha	Caracas	42*s.*
S	speciosa	South America	42*s.*
C	**CRYPTOCHILUS** sanguineus	Assam	21*s.*
S	**CYCNOCHES** chlorochilon	South America	31*s.* 6*d.* and 42*s.*
I	**CYMBIDIUM** affine, *vide* **C. Mastersii** affine		
I	albucæflorum, *vide* **C. madidum**		
I	aloifolium	East Indies	5*s.* and 7*s.* 6*d.*
S	canaliculatum	Queensland	10*s.* 6*d.* and 15*s.*
I	Devonianum	Assam	
*C	eburneum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— Dayanum	East Indies	
*C	—— maculatum	East Indies	
*C	—— pictum	East Indies	
S	elegans	East Indies	
*C	giganteum	Assam	21*s.* and 31*s.* 6*d.*
C	Hookerianum	Sikkim, Himalaya	63*s.*, 84*s.* and 105*s.*
C	Lowianum	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*

C	CYMBIDIUM Lowianum atropurpureum	Burmah	
C	Lowianum Victoriæ	Burmah	
I	madidum (albucæflorum)	Queensland	
*C	Mastersii	East Indies	10s. 6d., 15s. and 21s.
*	—— affine	East Indies	15s., 21s. to 42s.
S	pendulum atropurpureum	Java	
I	tigrinum	East Indies	21s. and 31s. 6d.
*C	CYPERORCHIS Mastersii, *vide* Cymbidium Mastersii		
I	CYPRIPEDIUM Ainsworthii	Hybrid	42s. and 63s.
I	albo-purpureum	Hybrid	31s. 6d. and 42s.
*I	amandum	Hybrid	42s. and 63s.
I	Amesianum	Hybrid	84s. and 105s.
*I	Argus	East Indies	5s., 7s. 6d. & 10s. 6d.
I	Arthurianum	Hybrid	84s. and 105s.
I	Ashburtoniæ	Hybrid	10s. 6d., 15s. and 21s.
I	barbatum	Mount Ophir	3s. 6d. and 5s.
I	—— biflorum	Mount Ophir	10s. 6d., 15s. and 21s.
I	—— grandiflorum	Java	21s. and 31s. 6d.
I	—— —— nanum	Java	42s.
I	—— majus	Mount Ophir	10s. 6d.
I	—— nigrum	Monnt Ophir	7s. 6d., 10s. 6d. and 15s.
I	—— pictum	Mount Ophir	15s.
I	—— plumosum	Mount Ophir	21s. and 31s. 6d.
I	—— pulcherrimum	Monnt Ophir	15s and 21s.
I	—— purpureum	Mount Ophir	10s 6d. and 15s.
I	—— superbum	Mount Ophir	7s. 6d. and 10s. 6d.
I	—— violaceum	Mount Ophir	21s. and 31s. 6d.
*I	—— Warnerianum	East Indies	10s. 6d., 15s. and 21s.
I	Bartetii	Hybrid	
S	bellatulum	Siam	7s. 6d., 10s. 6d. to 21s.
S	—— roseum	Siam	
C	Boxallii	Burmah	5s., 7s. 6d. to 15s.
C	—— atratum	Burmah	31s. 6d. and 42s.
*I	Bullenianum	Borneo	3s. 6d. and 5s.
I	callosum	Siam	10s. 6d., 15s. and 21s.
I	—— sublæve	Siam	63s.
I	calophyllum	Hybrid	10s. 6d., 15s. and 21s.
I	calurum	Hybrid	10s. 6d., 15s. and 21s.
I	cardinale	Hybrid	105s.
*I	caricinum, *vide* C. Pearcei		
I	caudatum	Panama	10s. 6d., 15s. to 31s. 6d.
I	—— major	Panama	
I	—— roseum	Panama	15s., 21s. and 31s. 6d.
I	chloroneurum	Hybrid	21s., 31s. 6d. and 42s.
I	ciliolare	East Indies	5s., 7s. 6d. and 10s. 6d.
I	conchiferum	Hybrid	15s., 21s. and 31s. 6d.
I	concolor	Moulmein	15s. and 21s.
I	—— Regnierii	Moulmein	10s. 6d. and 15s.
*I	Crossianum	Hybrid	10s. 6d., 15s. and 21s.
S	Curtisii	Sumatra	10s. 6d., 15s. to 42s.
C	Dauthierii	Hybrid	10s. 6d., 15s. and 21s.
*I	Dayanum	Borneo	21s. and 31s. 6d.
I	—— superbum	Borneo	
I	Dominii	Hybrid	7s. 6d., 10s. 6d. & 15s.
I	Druryi	East Indies	31s. 6d., 42s. and 63s.
I	Elliotianum	Hybrid	21s., 31s. 6d. and 42s.
S	euryandrum	Hybrid	31s. 6d., 42s. and 63s.
S	gemmiferum	Hybrid	84s. and 105s.
S	Godefroyæ	Siam	10s. 6d., 15s. and 21s.

S	CYPRIPEDIUM Godefroyæ ampliatum	Siam	
S	grande	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
C	Harrisianum	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— nigrum	Hybrid	42*s.* and 63*s.*
C	—— superbum	Hybrid	105*s.*
S	Hartwegii	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Haynaldianum	East Indies	10*s.* 6*d.*, 15*s.* & 21*s.*
I	hirsutissimum	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Hookeræ	Borneo	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	hybridum	Hybrid	21*s.* and 31*s.* 6*d.*
I	—— marginatum	Hybrid	21*s.* and 31*s.* 6*d.*
*C	insigne	Nepal	3*s.* 6*d.* and 5*s.*
*C	—— albo-marginatum	Nepal	10*s.* 6*d.* and 15*s.*
*C	—— —— —— major	Nepal	42*s.*
*C	—— guttulatum	Nepal	15*s.* and 21*s.*
*C	—— maculatum	Nepal	15*s.* and 21*s.*
*C	—— Maulei	Nepal	21*s.* and 31*s.* 6*d.*
*C	—— —— Chantinii (punctatum violaceum)	Nepal	15*s.*, 21*s.* and 31*s.* 6*d.*
*C	—— maximum	Nepal	10*s.* 6*d.*
*C	—— ornatum	Nepal	42*s.*
*C	—— pictum	Nepal	21*s.*
*C	—— picturatum	Nepal	31*s.* 6*d.*
*C	—— punctatum	Nepal	15*s.*
*C	—— —— violaceum, *vide* Maulei Chantinii		
I	Io	Hybrid	63*s.*
I	—— grande	Hybrid	
S	javanico-superbiens	Hybrid	105*s.*
I	javanicum	Java	10*s.* 6*d.* and 15*s.*
S	lævigatum (philippinense)	Philippine Islands	5*s*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Laforcadei	Hybrid	
I	Lawrenceanum	Borneo	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— coloratum	Borneo	63*s.*
I	—— expansum	Borneo	42*s.*
I	—— majus	Borneo	
I	—— marmoratum	Borneo	
I	—— superbum	Borneo	31*s.* 6*d.*
*I	Leeanum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
*I	—— superbum	Hybrid	42*s.* and 63*s.*
S	Lindleyanum	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	longifolium	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
S	Lowii	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	marmorophyllum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Mastersianum	East Indies	
I	Measuresianum	Hybrid	
*S	Meirax	Hybrid	42*s.*, 63*s.* and 84*s.*
*S	melanopthalmum	Hybrid	31*s.* 6*d.* and 42*s.*
S	microchilum	Hybrid	105*s.*
S	Morganiæ	Hybrid	
*S	nitens	Hybrid	21*s.*
S	nitidissunum	Hybrid	42*s.*, 63*s.* and 84*s.*
*S	niveum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	œnanthum	Hybrid	15*s.* and 21*s.*
I	—— superbum	Hybrid	42*s.*
S	Parishii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Pearcei (caricinum)	Peru	10*s.* 6*d.* and 15*s.*
S	philippinense, *vide* lævigatum		

I	**CYPRIPEDIUM politum**	Hybrid	63*s.* and 84*s.*
I	porphyreum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	præstans	New Guinea	42*s.* and 63*s.*
I	purpuratum	Hong Kong	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Robelenii	Malay Archipelago	15*s.*
I	Roezlii	South America	10*s.* 6*d.* and 15*s.*
S	Rothschildianum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Sallierii	Hybrid	42*s.* and 63*s.*
S	Sanderianum	Malay Archipelago	15*s.* and 21*s.*
S	Saundersianum	Hybrid	
C	Schlimii	Colombia	10*s* 6*d.*, 15*s.* and 21*s.*
C	—— album	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Schroderæ	Hybrid	63*s.*, 84*s.* and 105*s.*
C	Sedeni	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— candidulum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— superbum	Hybrid	15*s.* and 21*s.*
I	Seegerianum	Hybrid	
I	selligerum	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— majus	Hybrid	63*s.*, 84*s.* and 105*s.*
**I*	Spicerianum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	—— grandiflorum	East Indies	63*s.*
**I*	—— magnificum	East Indies	
**I*	—— prasinum	East Indies	63*s.*
**I*	—— virescens	East Indies	63*s.*
I	stenophyllum	Hybrid	15*s.* and 21*s.*
S	Stonei	Borneo	10*s.* 6*d.* and 15*s.*
S	—— macranthum	Borneo	
S	—— roseum	Borneo	
I	superbiens (Veitchii)	Java	15*s.*, 21*s.* & 31*s.* 6*d.*
I	superciliare	Hybrid	10*s.* 6*d.*, 15*s.* & 21*s.*
I	—— ornatum	Hybrid	31*s.* 6*d.* and 42*s.*
I	Swanianum	Hybrid	15*s.* and 21*s.*
S	Tautzianum lepidum	Hybrid	
S	Tonsum	Sumatra	42*s.* and 63*s.*
**C*	venustum	Nepal	5*s.* and 7*s.* 6*d.*
**C*	—— pardinum	Nepal	21*s.*
I	vernixium	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	vexillarium	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
C	villosum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	——aureum	Moulmein	63*s.* and 84*s.*
**S*	virens	Borneo	10*s.* 6*d.* and 15*s.*
I	Williamsianum	Hybrid	63*s.*, 84*s.* and 105*s.*
I	**CYRTOPODIUM Andersoni**	Brazil	15*s.* and 21*s.*
I	punctatum	South America	21*s.* and 31*s.* 6*d.*
I	St. Legerianum	Paraguay	21*s.* and 31*s.* 6*d.*
S	**CYRTOPTERA Regnieri**	Cochin China	21*s.* and 31*s.* 6*d.*
I	**DENDROBIUM aggregatum**	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	aggregatum majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Ainsworthii	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— roseum	Hybrid	42*s.* and 63*s.*
I	albo-sanguineum	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	album (aqueum)	East Indies	21*s.* and 31*s.* 6*d.*
S	anosmum (Dayanum)	Manilla	21*s.* and 31*s.* 6*d.*
S	aurantiacum	East Indies	10*s.* 6*d.* and 15*s.*
I	aureum (heterocarpum)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	barbatulum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Bensoniæ	Arracan Hills	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— nigrum	Arracan Hills	42*s.*
S	bicameratum	Burmah	10*s.* 6*d.*

S	**DENDROBIUM bigibbum**	Torres Straits	10*s*. 6*d*. and 15*s*.
S	—— superbum	Torres Straits	31*s*. 6*d*. and 42*s*.
I	binoculare	Burmah	21*s*. and 31*s*. 6*d*.
S	Brymerianum	Burmah	10*s*. 6*d*., 15*s*. and 21*s*.
I	Calceolaria	East Indies	10*s*. 6*d*. and 15*s*.
I	Cambridgeanum, *vide* D. ochreatum		
S	capillipes	Moulmein	7*s*. 6*d*. and 10*s*. 6*d*.
I	cariniferum	East Indies	7*s*. 6*d*. and 10*s*. 6*d*.
I	chrysanthum	Nepal	7*s*. 6*d*. and 10*s*. 6*d*.
I	Chrysotis, *vide* D. Hookerianum		
S	chrysotoxum	Moulmein	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
S	—— superbum	Moulmein	10*s*. 6*d*. and 15*s*.
S	ciliatum	Moulmein	7*s*. 6*d*. and 10*s*. 6*d*.
I	clavatum	East Indies	15*s*., 21*s*. and 31*s*. 6*d*.
**S*	crassinode	Arracan & Siam Mountains	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
**S*	—— album	Arracan & Siam Mountais	
**S*	—— Barberianum	Arracan & Siam Mountains	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	crepidatum	East Indies	5*s*. and 7*s*. 6*d*.
S	cretaceum	Burmah	5*s*. and 7*s*. 6*d*.
S	crystallinum	Arracan Mountains	7*s*. 6*d*. and 10*s*. 6*d*.
S	cucullatum, *vide* D. Pierardii		
S	cumulatum	Moulmein	31*s*. 6*d*.
I	cupreum	East Indies	21*s*. and 31*s*. 6*d*.
S	Dalhousianum	East Indies	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
S	Dayanum, *vide* D. anosmum		
S	Dearei	Philippine Islauds	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	densiflorum	East Indies	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	Devonianum	Khasya	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	dixanthum	East Indies	10*s*. 6*d*. and 15*s*.
I	Dominianum	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
S	Draconis (eburneum)	Burmah	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	Endocharis	Hybrid	15*s*., 21*s*. and 31*s*. 6*d*.
I	Falconeri	East Indies	7*s*. 6*d*. and 10*s*. 6*d*.
S	Farmeri	India	10*s*. 6*d*., 15*s*. and 21*s*.
S	—— album	India	
S	—— aureum	India	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	fimbriatum	Nepal	10*s*. 6*d*. and 15*s*.
I	—— oculatum	Nepal	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
S	Findleyanum	Moulmein	10*s*. 6*d*. and 15*s*.
S	—— roseum	Moulmein	
I	formosum giganteum	Burmah	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	Freemanii	Assam	10*s*. 6*d*., 15*s*. and 21*s*.
I	Gibsonii	Tenasserim	21*s*. and 31*s*. 6*d*.
I	Griffithianum	East Indies	42*s*. and 63*s*.
I	Guibertii	East Indies	
S	Harveyanum	Burmah	15*s*.
S	hedyosmum	East Indies	10*s*. 6*d*. and 15*s*.
I	heterocarpum, *vide* aureum		
**C*	Hillii, *vide* speciosum Hillii		
I	Hookerianum (chrysotis)	Assam and Sikkim	15*s*. aud 21*s*.
C	infundibulum	Moulmein	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C	Jamesianum	Moulmein	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C	japonicum, *vide* moniliforme		
S	Jenkinsii	Gualpara	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	Kingianum	Australia	10*s*. 6*d*., 15*s*. and 21*s*.
I	—— album	Australia	31*s*. 6*d*. and 42*s*.
I	lasioglossum	Burmah	31*s*. 6*d*. and 42*s*.
S	Leechianum	Hybrid	84*s*. and 105*s*.

S	**DENDROBIUM** leucolophotum	East Indies	10*s.* 6*d.* and 15*s.*
I	Linawianum (moniliforme, Hort.)	China and Japan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	lituiflorum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	longicorne	Khasya Hills	15*s.* and 21*s.*
S	Lowii	East Indies	15*s.* and 21*s.*
I	luteolum	Moulmein	10*s.* 6*d.* and 15*s.*
S	macrophyllum (superbum)	Manilla	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— giganteum	Manilla	21*s.* and 31*s.* 6*d.*
S	MacCarthiæ	Ceylon	21*s.* and 31*s.* 6*d.*
I	marmoratum	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
C	moniliforme (japonicum)	Japan	7*s.* 6*d.*
I	moniliforme, Hort., *vide* Linawianum		
S	monophyllum	Queensland	
I	moschatum	East Indies	10*s.* 6*d.* and 15*s.*
*I	nobile	Assam	5*s.* and 7*s.* 6*d.*
*I	—— cærulescens	Assam	21*s.* and 31*s.* 6*d.*
*I	—— elegans	Assam	21*s.*
*I	—— excellens	Assam	
*I	—— grandiflorum	Assam	21*s.* and 31*s.* 6*d.*
*I	—— insignis	Assam	
*I	—— nobilius	Assam	84*s.* and 105*s.*
*I	—— pendulum	Assam	21*s.* and 31*s.* 6*d.*
*I	—— pulcherrimum	Assam	21*s.* and 31*s.* 6*d.*
*I	—— roseum	Assam	42*s.* and 63*s.*
*I	—— rubellum	Assam	31*s.* 6*d.* and 42*s.*
*I	—— splendens	Assam	
*I	—— Wallichianum	Assam	15*s.* and 21*s.*
I	nodatum (Aphrodite)	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	ochreatum (Cambridgeanum)	Chittagong	7*s.* 6*d.* and 10*s.* 6*d.*
I	Parishii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— Dives	Moulmein	21*s.*
S	Parthenium	Borneo	31*s.* 6*d.* and 42*s.*
I	Paxtonii	Khasya	10*s.* 6*d.* and 15*s.*
S	Phalænopsis	New Guinea	105*s.* and 147*s.*
I	philippinense	East Indies	10*s.* 6*d.* and 15*s.*
*I	Pierardi	Delta of Ganges	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	primulinum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— giganteum	East Indies	10*s.* 6*d.* and 15*s.*
I	pulchellum	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
S	purpureum	New Guinea	31*s.* 6*d.*
S	—— candidulum	New Guinea	42*s.*
S	rigidum	Queensland	
I	secundum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
*C	speciosum	Australia	10*s.* 6*d.* and 15*s.*
*C	—— Hillii	Australia	21*s.* and 31*s.* 6*d.*
S	splendidissimum grandiflorum	Hybrid	105*s.*
S	suavissimum	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	superbiens	Torres Straits	
S	superbum, *vide* macrophyllum		
S	tetragonum	North Australia	21*s.*
I	thyrsiflorum	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— carneum	Burmah	21*s.*
I	—— Walkerianum	Burmah	
S	tortile	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— roseum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	transparens	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
S	Treacherianum	Borneo	42*s.* and 63*s.*
S	undulatum	Queensland	

I	**DENDROBIUM** Veitchianum	Java	7*s.* 6*d.* and 10*s.* 6*d.*
I	Veitchianum stenopterum	Java	42*s.*
**I*	Wardianum	Burmah	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— cinnabarinum	Burmah	63*s.* and 84*s.*
**I*	—— grandiflorum	Burmah	15*s.* and 21*s.*
I	**DENDROCHILUM** arachnites	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Cobbianum	East Indies	10*s.* 6*d.* and 15*s.*
I	—— giganteum	East Indies	63*s.* and 84*s.*
I	convallarioides	East Indies	15*s.*
I	cucumerinum	East Indies	15*s.* and 21*s.*
S	filiforme	Manilla	21*s.* and 31*s.* 6*d.*
**S*	glumaceum	Philippine Islands	10*s.* 6*d.*, 15*s.* and 21*s.*
S	uncatum (Platyclinis uncata)	East Indies	10*s.* 6*d.* and 15*s.*
S	**DICHÆA** vaginata	Mexico	10*s.* 6*d.*
C	**DISA** grandiflora	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
C	racemosa	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**EPIDENDRUM** aromaticum	Guatemala	10*s.* 6*d.*
C	atropurpureum, *vide* macrochilum		
S	bicornutum	South America	10*s.* 6*d*, 15*s.* and 21*s.*
I	Brasavolæ	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Christii	South America	21*s.*
I	ciliare	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	cochleatum	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	Cooperianum	Brazil	21*s.* and 31*s.* 6*d.*
I	criniferum	Costa Rica	15*s.* and 21*s.*
I	cuspidatum	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
I	dichromum	Bahia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	diotum	South America	21*s.*
I	Endresii	South America	63*s.* and 84*s.*
I	evectum	South America	10*s.* 6*d.* and 15*s.*
I	falcatum (Parkinsonianum)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	fals-loquum	South America	21*s.* and 31*s.* 6*d.*
I	glumaceum	South America	31*s.* 6*d.* and 42*s.*
I	ibaguense	Colombia	21*s.* and 31*s.* 6*d.*
I	leucochilum	South America	84*s.* and 105*s.*
C	macrochilum (atropurpurem)	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	nemorale	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
I	nutans	South America	10*s.* 6*d.*
I	paniculatum	South America	21*s.* and 31*s.* 6*d.*
I	patens	South America	15*s.* and 21*s.*
I	prismatocarpum	Chiriqui	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Chiriqui	42*s.* and 63*s.*
I	pseudo-epidendrum auratum	South America	
I	radiatum roscum	South America	15*s.*
I	raniferum	Mexico	31*s.* 6*d.* and 42*s.*
I	rhizophorum (radicans)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	selligerum	South America	10*s.* 6*d.*
I	Stamfordianum	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— Wallacei	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	syringothyrsus	South America	
I	tovarense	Venezuela	10*s.* 6*d.* and 15*s.*
C	vitellinum majus	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	Wallisii	Colombia	21*s.*, 31*s.* 6*d.* to 63*s.*
I	xanthinum	South America	31*s.* 6*d.*, 42*s.* and 63*s.*
I	**ERIA** acervata	East Indies	15*s.*
I	clavicaulis	Assam	15*s.* and 21*s.*

S	**ESMERALDA bella**	East Indies	
S	Clarkei	East Indies	31*s.* 6*d.* and 42*s.*
S	**EULOPHIA Dregeana**	Natal	21*s.*
I	scripta	Madagascar	21*s.* and 31*s.* 6*d.*
S	**GALEANDRA Devoniana**	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Dives	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	flaveola	South America	42*s.* and 63*s.*
I	**GONGORA atropurpurea**	South America	21*s.*
I	punctata	South America	21*s.*
S	**GOODYERA (Anœctochilus) Dawsoniana**	East Indies	10*s.* 6*d.* and 15*s.*
I	discolor	South America	5*s.* and 7*s.* 6*d.*
S	Rollissonii		
S	**GRAMMATOPHYLLUM Ellisii**	Madagascar	42*s.* and 63*s.*
S	Fenzlianum	New Guinea	31*s.* 6*d.* and 42*s.*
S	**GYMNADENIA macrantha**	Sierra Leone	10*s.* 6*d.*
S	**HABENARIA militaris**	Cochin China	105*s.*
I	**HARTWEGIA purpurea**	Mexico	15*s.* and 21*s.*
C	**HELCIA sanguinolenta**	Andes of Guayaquil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**HOULLETIA Brocklehurstiana**	Brazil	21*s.*
C	odoratissima	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— antioquiensis	Colombia	
I	**HUNTLEYA cerina**, *vide* Pescatoria cerina		
I	**IONOPSIS paniculata**	Brazil	15*s.* and 21*s.*
S	**IPSEA speciosa**	Ceylon	10*s.* 6*d.* and 15*s.*
S	**KERFERSTEINIA graminea**	Colombia	42*s.* and 63*s.*
**C*	**LÆLIA acuminata**	Mexico	10*s.* 6*d.* and 15*s.*
**C*	acuminata rosea	Mexico	10*s.* 6*d.* and 15*s.*
**C*	albida	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— bella	Guatemala	10*s.* 6*d.* and 15*s.*
**C*	—— grandiflora	Guatemala	15*s.* and 21*s.*
**C*	—— Marianæ	Guatemala	10*s.* 6*d.* and 15*s.*
I	amanda	Brazil	63*s.* and 84*s.*
**C*	anceps	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— alba	Mexico	
**C*	—— Barkeriana	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	—— conspicua	Mexico	105*s.*
**C*	—— Dawsonii	Mexico	
**C*	—— delicata	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— grandiflora	Mexico	
**C*	—— Hillii	Mexico	42*s.* and 63*s.*
**C*	—— insignis	Mexico	84*s.*
**C*	—— major	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— oculata	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— Percivaliana	Mexico	42*s.* and 63*s.*
**C*	—— pulcherrima	Mexico	42*s.*
**C*	—— Sanderiana	Mexico	63*s.* and 84*s.*
**C*	—— Schroderiana	Mexico	
**C*	—— splendens	Mexico	42*s.* and 63*s.*
**C*	—— Stella	Mexico	
**C*	—— rosea	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— rubra	Mexico	42*s.* and 63*s.*
**C*	—— Williamsiana, *vide* Stella		
**C*	Arnoldiana	Mexico	
**C*	autumnalis	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— atrorubens	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
**C*	—— superba	Mexico	42*s.*

I	**LÆLIA Boothiana**, *vide* **Cattleya lobata**			
I	**cinnabarina**	Brazil		10*s.* 6*d.* and 15*s.*
I	**crispa**, *vide* **Cattleya crispa**			
I	**crispilabia (Lawrenceana)**	Brazil		31*s.* 6*d.* and 42*s.*
**I*	**Dayana**	Brazil		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	**—— superba**	Brazil		21*s.*
I	**elegans**	Brazil		21*s.*, 31*s.* 6*d.* and 42*s.*
I	**—— alba**	Brazil		31*s.* 6*d.*, 42*s.* and 63*s.*
I	**—— carnea**	Brazil		63*s.* and 84*s.*
I	**—— Dayana**	Brazil		
I	**—— irrorata**	Brazil		
I	**—— mirandum**	Brazil		147*s.*
I	**—— prasiata**	Brazil		
I	**—— rosea**	Brazil		
I	**—— sanguineum**	Brazil		
I	**—— Schilleriana**	Brazil		63*s.* and 84*s.*
I	**—— Stelzneriana**	Brazil		84*s.* and 105*s.*
I	**—— Turneri**	Brazil		
I	**—— Wolstenholmiæ**	Brazil		
I	**flava**	Brazil		10*s.* 6*d.*, 15*s.* and 21*s.*
C	**furfuracea**	Mexico		21*s.* and 31*s.* 6*d.*
**C*	**Gouldiana**	Mexico		
I	**grandis**	Brazil		21*s.*, 31*s.* 6*d.* and 42*s.*
I	**harpophylla**	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**Lindleyana**	Brazil		42*s.*
I	**lobata**, *vide* **Cattleya lobata**			
C	**majalis (Flor de Maio)**	Oaxaca		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**—— rubra**	Oaxaca		21*s.* and 31*s.* 6*d.*
**I*	**marginata**	Oaxaca		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	**—— rubra**	Oaxaca		63*s.*
I	**Patinii**	Colombia		15*s.*, 21*s.* and 31*s.* 6*d.*
I	**Perrinii**	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	**—— marginata**	Brazil		21*s.* and 31*s.* 6*d.*
I	**—— superba**	Brazil		31*s.* 6*d.* and 42*s.*
**I*	**Pinelii (præstans, pumila)**	Brazil		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**purpurata**	Brazil		10*s.* 6*d.*, 15*s.* and 21*s.*
I	**—— alba**	Brazil		31*s.* 6*d.* and 42*s.*
I	**—— —— excellens**	Brazil		
I	**—— —— gloriosa**	Brazil		
I	**—— ampliata**	Brazil		
I	**—— atropurpurea**	Brazil		
I	**—— atrosanguinea**	Brazil		
I	**—— bella**	Brazil		
I	**—— Brysiana**	Brazil		
I	**—— Chelsoni**	Brazil		
I	**—— erubescens**	Brazil		
I	**—— grandis**	Brazil		
I	**—— Imperialis**	Brazil		
I	**—— magnifica**	Brazil		
I	**—— marginata**	Brazil		
I	**—— maxima**	Brazil		
I	**—— Nelisii**	Brazil		
I	**—— nigra**	Brazil		
I	**—— nobilior**	Brazil		
I	**—— picturata**	Brazil		
I	**—— rosea**	Brazil		
I	**—— rubicunda**	Brazil		
I	**—— Russelliana**	Brazil		

I	**LÆLIA purpurata Schrœderiana**	Brazil	
I	purpurata splendens.....	Brazil	
I	—— superba	Brazil	
I	—— versicolor	Brazil	
I	—— Victoriæ	Brazil	
I	—— Wyattiana.....	Brazil	
I	Schilleriana, *vide* **L. elegans**		
I	superbiens	Malacatan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	xanthina (Cattleya xanthina).....	Brazil	10*s.*6*d.*, 15*s.* and 21*s.*
I	**LEPTOTES bicolor**.....	South America	7*s.* 6*d.* and 10*s.* 6*d.*
**I*	**LIMATODIS rosea**.....	Moulmein	5*s.* and 7*s.* 6*d.*
I	**LISSOCHILUS Krebsii**.....	Natal	15*s.* and 21*s.*
C	**LYCASTE aromatica**.....	Mexico.....	10*s.* 6*d.* and 15*s.*
I	Barringtoniæ	West Indies.....	21*s.* and 31*s.* 6*d.*
C	costata	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	cruenta	Guatemala	10*s.* 6*d.* and 15*s.*
C	—— major	Guatemala	
C	Deppei	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
C	fulvescens	Colombia	
C	gigantea.....	South America	15*s.* and 21*s.*
C	(Maxillaria) Harrisoniæ	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	(——) —— eburnea.....	South America	15*s.* and 21*s.*
C	(——) —— pubigera	South America	31*s.* 6*d.*
C	(——) —— purpurea	South America	31*s.* 6*d.*
C	lanipes	Guayaquil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Lawrenceana.....	South America	21*s.* and 31*s.* 6*d.*
I	leucanthe	South America	21*s.* and 31*s.* 6*d.*
**C*	mesochlæna	Guayaquil	21*s.* and 31*s.* 6*d.*
**I*	plana Measuresiana.....	Bolivia	42*s.* and 63*s.*
**C*	Skinneri.....	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— alba	Guatemala	105*s.* and 147*s.*
**C*	—— albo-marginata.....	Guatemala	
**C*	—— aureola	Guatemala	
**C*	—— delicata.....	Guatemala	21*s.* and 31*s.* 6*d.*
**C*	—— fulgens	Guatemala	
**C*	—— grandis	Guatemala	42*s.* and 63*s.*
**C*	—— insignis	Guatemala	84*s.*
**C*	—— maculata	Guatemala	31*s.* 6*d.*
**C*	—— magnifica	Guatemala	
**C*	—— marginata	Guatemala	
**C*	—— marmorata	Guatemala	
**C*	—— picta	Guatemala	42*s.* and 63*s.*
**C*	—— purpurata.....	Guatemala	63*s.*
**C*	—— rosea	Guatemala	15*s.* and 21*s.*
**C*	—— —— superba	Guatemala	
**C*	—— rubella	Guatemala	21*s.* and 31*s.* 6*d.*
**C*	—— —— picta.....	Guatemala	
**C*	—— rubro-marginata	Guatemala	
**C*	—— splendens	Guatemala	42*s.* and 63*s.*
**C*	—— superba	Guatemala	21*s.*
**C*	—— tinctum	Guatemala	42*s.* and 63*s.*
**C*	—— venustum	Guatemala	
**C*	—— vivicans	Guatemala	
C	tricolor	South America	31*s.* 6*d.*
S	**MACODES petola**, *vide* **Anæctochilus petola**		
C	**MASDEVALLIA abbreviata**.....	Colombia	5*s.* and 7*s.* 6*d.*
C	amabilis.....	Colombia	3*s.* 6*d.* and 5*s.*
C	—— lineata	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*

C MASDEVALLIA anchorifera ..... Colombia ..... 42*s*.
C attenuata ..... Colombia ..... 5*s*. and 7*s*. 6*d*.
C Backhousiana, *vide* Chimæra Backhousiana
C Barlæana ..... Peru ..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C bella ..... Colombia ..... 7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C Benedictii, *vide* psittacina
C Bonplandii ..... Colombia ..... 5*s*. and 7*s*. 6*d*.
C calura ..... Colombia .....
I candida, *vide* tovarensis
C Carderi ..... Colombia ..... 63*s*.
C chelsoni ..... Hybrid ..... 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C Chimæra ..... Colombia ..... 7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C —— Backhousiana ..... Colombia ..... 10*s*. 6*d*., 15*s*. and 21*s*.
C —— gigantea ..... Colombia ..... 42*s*. and 63*s*.
C —— Roezlii ..... Colombia ..... 21*s*. and 31*s*. 6*d*.
C —— Wallisii ..... Colombia ..... 10*s*. 6*d*., 15*s*. and 21*s*.
C —— Winniana ..... Colombia ..... 15*s*. and 21*s*.
C Colibri, *vide* Trochilus
C corniculata ..... Colombia ..... 10*s*. 6*d*., 15*s*. and 21*s*.
C Crossii, *vide* racemosa
C cucullata ..... Colombia ..... 63*s*. and 84*s*.
C Davisii ..... South America ..... 7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C Dayana ..... Colombia ..... 10*s*. 6*d*., 15*s*. and 21*s*.
C demissa ..... South America ..... 21*s*. and 31*s*. 6*d*.
C elephanticeps ..... Colombia .....
C Ephippium, *vide* Trochilus
C erythrochæte ..... Colombia ..... 21*s*. and 31*s*. 6*d*.
C Estradæ ..... South America ..... 10*s*. 6*d*., 15*s*. and 21*s*.
C Fraseri ..... Hybrid ..... 31*s*. 6*d*.
C Gorgona, *vide* nycterina
C guttulata ..... South America ..... 31*s*. 6*d*. and 42*s*.
C Harryana ..... Colombia ..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
C —— acanthifolia.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; remarkably attractive .... Colombia ..... 42*s*. and 63*s*.
C —— acuminata ..... Colombia ..... 42*s*. and 63*s*.
C —— atropurpurea ..... Colombia ..... 42*s*. and 63*s*.
C —— atrosanguinea ..... Colombia ..... 31*s*. 6*d*., 42*s*. and 63*s*.
C —— aurantiaca ..... Colombia ..... 31*s*. 6*d*. and 42*s*.
C —— cærulescens ..... Colombia ..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C —— —— atroviolacea ..... Colombia ..... 63*s*. and 84*s*.
C —— —— concolor ..... Colombia ..... 42*s*. and 63*s*.
C —— —— gigantea ..... Colombia ..... 84*s*. and 105*s*.
C —— —— grandiflora ..... Colombia ..... 63*s*. and 84*s*.
C —— —— magnifica ..... Colombia ..... 42*s*. and 63*s*.
C —— —— maxima ..... Colombia ..... 63*s*. and 84*s*.
C —— —— superba ..... Colombia ..... 42*s*. and 63*s*.
C —— coccinea ..... Colombia ..... 21*s*. and 31*s*. 6*d*.
C —— Comet ..... Colombia ..... 84*s*. and 105*s*.
C —— conchiflora.—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance ..... 7*s*. 6*d*. and 10*s*. 6*d*.
C —— conspicua ..... Colombia .....
C —— decora ..... Colombia ..... 42*s*. and 63*s*.
C —— delicata ..... Colombia ..... 42*s*. and 63*s*.
C —— Denisoniana ..... Colombia ..... 31*s*. 6*d*. and 42*s*.
C —— elegans ..... Colombia ..... 42*s*. and 63*s*.
C —— Flambeau ..... Colombia .....
C —— flammea ..... Colombia .....

C	**MASDEVALLIA Harryana formosa** ..	Colombia	42*s.* and 63*s.*
C	**Harryana gemma**	Colombia	
C	—— **gloriosa**	Colombia	
C	—— **illustris**	Colombia	
C	—— **insignis**	Colombia	
C	—— **lilacina**	Colombia	10*s.* 6*d.* and 15*s.*
C	—— **luteo-oculata**	Colombia	42*s.* and 63*s.*
C	—— **magnifica**	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— **Meteor**	Colombia	
C	—— **miniata**	Colombia	
C	—— **mirabilis**	Colombia	
C	—— **oculata**	Colombia	15*s.* and 21*s.*
C	—— **ornata**	Colombia	42*s.* and 63*s.*
C	—— **patens**	Colombia	
C	—— **princeps**	Colombia	
C	—— **purpurea**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— **magnifica**	Colombia	
C	—— **regalis.**—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson	Colombia	31*s.* 6*d.* and 42*s.*
C	—— **Reginæ**	Colombia	
C	—— **rosacea**	Colombia	42*s.*
C	—— **rosea**	Colombia	21*s.* and 31*s.* 6*d.*
C	—— **rotundiflora**	Colombia	
C	—— **salmonea**	Colombia	
C	—— **sanguinea**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— **aurantiaca**	Colombia	63*s.* and 84*s.*
C	—— **splendens**	Colombia	42*s.* and 63*s.*
C	—— **superba**	Colombia	42*s.* and 63*s.*
C	—— **triumphans**	Colombia	63*s.* and 84*s.*
C	—— **venusta**	Colombia	
C	—— **versicolor.**—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson	Colombia	21*s.* and 31*s.* 6*d.*
C	—— **violacea**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— **magnifica**	Colombia	63*s.* and 84*s.*
C	—— —— **oculata**	Colombia	42*s.* and 63*s.*
C	—— —— **superba**	Colombia	42*s.* and 63*s.*
C	—— **vivicans**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— **Walkeriana.**—A very handsome variety, with gigantic flowers 2½ inches across	Colombia	31*s.* 6*d.* and 42*s.*
C	**Houtteana,** *vide* **psittacina**		
C	**ignea**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— **aurantiaca**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— **citrina**	Colombia	
C	—— **Massangeana**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— **militaris**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— **purpurea**	Colombia	42*s.* and 63*s.*
C	—— —— **splendens**	Colombia	63*s.* and 84*s.*
C	—— **penanthe**	Colombia	15*s.* and 21*s.*
C	—— **speciosa**	Colombia	
C	—— **Stobartiana**	Colombia	21*s.* and 31*s.* 6*d.*
C	**inflata**	Colombia	42*s.* and 63*s.*
C	**infracta**	Colombia	10*s.* 6*d.* and 15*s.*
C	—— **purpurea**	Colombia	21*s.* and 31*s.* 6*d.*
C	**ionocharis**	South America	15*s.*, 21*s.* and 31*s.* 6*d.*

C	**MASDEVALLIA leontoglossa**	Colombia	21*s.*
C	**Lindeni**	Colombia	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	**macrura**	Colombia	42*s.*, 63*s.* and 84*s.*
C	**maculata**	South America	3*s.* 6*d.* and 5*s.*
C	**—— flava**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	**—— superba**	South America	
C	**melanopus**	Colombia	10*s.* 6*d.*
C	**muscosa**	South America	
C	**nycterina (Gorgona)**	Colombia	10*s.* 6*d.* and 15*s.*
C	**octhodes**	Colombia	5*s.*
C	**Peristeria**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**polysticta**	Colombia	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	**—— brevior**	Colombia	10*s.* 6*d.* and 15*s.*
C	**—— caudata**	Colombia	10*s.* 6*d.* and 15*s.*
C	**porcelliceps**	Colombia	31*s.* 6*d.* and 42*s.*
C	**psittacina (Benediotii, Houtteana)**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	**racemosa**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**radiosa**	Colombia	21*s.* and 31*s.* 6*d.*
C	**Reichenbachiana**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	**—— gigantea**	South America	
C	**rosea**	Ecuador	10*s.* 6*d.* and 15*s.*
C	**Schlimii**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**severa**	Colombia	63*s.*
C	**Shuttleworthii**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**—— xanthocorys**	Colombia	15*s.* and 21*s.*
C	**simula**	South America	15*s.* and 21*s.*
C	**spectrum**	South America	
C	**swerticifolia**	Colombia	10*s.* 6*d.* and 15*s.*
C	**torta**	Colombia	42*s.* and 63*s.*
I	**tovarensis (candida)**	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	**triadactylites**	South America	21*s.* and 31*s.* 6*d.*
I	**triangularis**	Venezuela	5*s.* and 7*s.* 6*d.*
C	**trichæte**	Colombia	21*s.* and 31*s.* 6*d.*
C	**Trochilus (Colibri, Ephippium)**	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**Veitchiana**	Peru	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**—— grandiflora**	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**Vespertilio**	Colombia	31*s.* 6*d.*
I	**Wagneriana**	Venezuela	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	**Wallisii**, *vide* **M. Chimæra Wallisii**		
C	**xanthina**	Colombia	21*s.* and 31*s.* 6*d.*
C	**MAXILLARIA grandiflora**	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**Harrisoniæ**, *vide* **Lycaste Harrisoniæ**		
I	**leontoglossa**, *vide* **Xylobium**		
I	**lepidota**	South America	
*C	**luteo-alba**	Colombia	10*s.* 6*d.* and 15*s.*
C	**—— grandiflora**	Colombia	21*s.*
C	**—— purpurea**	Colombia	21*s.*
C	**nigrescens**	Merida	7*s.* 6*d.* and 10*s.* 6*d.*
C	**picta**	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**Sanderiana**	South America	
I	**scabrilinguis**	South America	
I	**squalens**	South America	5*s.* and 7*s.* 6*d.*
I	**tenuifolia**	Mexico	10*s.* 6*d.* and 15*s.*
I	**tetragona**	Brazil	
C	**Turneri**	Mexico	10*s.* 6*d.* and 15*s.*
C	**venusta**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**MESOSPINIDIUM roseum**	Mexico	10*s.* 6*d.*

*C	**MESOSPINIDUM** sanguineum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	vulcanicum	Ecuador	15*s.* and 21*s.*
S	**MICROSTYLIS** calophylla	East Indies	10*s.* 6*d.* and 15*s.*
S	metallica	Borneo	10*s.* 6*d.* and 15*s.*
I	**MILTONIA** candida	Brazil	15*s* and 21*s.*
I	candida punctata	Brazil	
I	Clowesii	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— major	Brazil	15*s.* and 21*s.*
I	—— pauciguttata	Brazil	42*s.* and 63*s.*
I	cuneata	Brazil	10*s.* 6*d.* and 15*s.*
I	festiva	Brazil	21*s.*
I	flavescens (stellata)	Brazil	10*s.* 6*d.* and 15*s.*
I	Moreliana	Brazil	31*s.* 6*d.* and 42*s.*
I	—— atropurpurea	Brazil	
I	—— atrorubens	Brazil	
I	—— rosea	Brazil	
I	Phalænopsis, *vide* Odontoglossum Phalænopsis		
I	Regnellii (cereola)	Brazil	21*s.* and 31*s.* 6*d.*
I	—— purpurea	Brazil	42*s.* and 63*s.*
I	Roezlii, *vide* Odontoglossum Roezlii		
I	Russelliana	Brazil	
I	spectabilis	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— aspirata	Brazil	
I	—— bicolor	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— intermedia	Brazil	31*s.* 6*d.*
I	—— marginata	Brazil	
I	—— virginalis	St. Catherine's	21*s.* and 31*s.* 6*d.*
I	vexillaria, *vide* Odontoglossum vexillarium		
I	**MORMODES** buccinator	Mexico	
I	luxatum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— eburneum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— punctatum	Mexico	31*s.* 6*d.* and 42*s.*
I	pardinum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— unicolor	Mexico	21*s.* and 31*s.* 6*d.*
I	**MYANTHES** cernuus (Catasetum cernuum)	Brazil	31*s.* 6*d.*
I	**NANODES** Medusæ	South America	21*s.* and 31*s.* 6*d.*
S	**NEPHELAPHYLLUM** pulchrum	Java	15*s.* and 21*s.*
*C	**ODONTOGLOSSUM** Alexandræ, *vide* O. crispum		
C	Andersonianum	Bogota	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— lobatum	Bogota	
C	angustatum	Colombia	42*s.*
C	Arnoldianum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
*C	aspersum (*hybrid*)	Mexico	
C	astranthum	Colombia	
C	baphicanthum (*hybrid*)	Colombia	31*s.* 6*d.* and 42*s.*
*C	bellinum (*hybrid*)	Colombia	
*C	bictonense	Guatemala	10*s.* 6*d.* and 15*s.*
*C	—— album	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blandum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	blepharicanthum	Venezuela	42*s.* and 63*s.*
*C	Bluntii, *vide* O. crispum		
C	cariniferum	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
*C	Cervantesii	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— decorum	Mexico	21*s.* and 31*s.* 6*d.*
C	Chestertoni (*hybrid*)	Colombia	42*s.* and 63*s.*
C	cirrhosum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— gemmatum	Ecuador	63*s.*

C	ODONTOGLOSSUM cirrhosum Hrubyanum	Ecuador	
C	—— Klabochorum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	citrosmum (pendulum)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— album	Mexico	
C	—— carneum	Mexico	
C	—— grandiflorum	Mexico	
C	—— punctatum	Mexico	
C	—— maximum	Mexico	
C	—— roseum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— rubrum	Mexico	
C	—— —— grandiflorum	Mexico	
C	constrictum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Coradinei	Colombia	31*s.* 6*d.* and 42*s.*
C	—— hemileucum	Colombia	
C	—— maculatum	Colombia	
C	—— stenoglossum	Colombia	31*s.* 6*d.*
*C	cordatum	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
*C	—— aureum	Mexico	84*s.* and 105*s.*
*C	—— Kienastianum	Mexico	105*s.*
*C	—— nigrum	Mexico	84*s.*
*C	—— pictum	Mexico	63*s.*
*C	—— superbum	Mexico	42*s.* and 63*s.*
C	coronarium	Colombia	42*s.* and 63*s.*
C	—— Dayanum	Colombia	
C	—— miniatum	Colombia	63*s.*
*C	crispum (Alexandræ, Bluntii)	Colombia	3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*, and various sizes from 21*s.* upwards.
*C	—— album	Colombia	
*C	—— aureo-purpureum	Colombia	
*C	—— amœnum	Colombia	42*s.* and 63*s.*
*C	—— concinnum	Colombia	
*C	—— flaveolum	Colombia	
*C	—— giganteum	Colombia	
*C	—— grandiflorum	Colombia	63*s.* and 84*s.*
*C	—— grandis	Colombia	
*C	—— guttatum	Colombia	63*s.* and 84*s.*
*C	—— intermedium	Colombia	
*C	—— Lehmanni	Colombia	
*C	—— pictum	Colombia	
*C	—— purpureum	Colombia	
*C	—— roseum	Colombia	63*s.* and 84*s.*
*C	—— speciosum	Colombia	63*s.* and 84*s.*
*C	—— splendens	Colombia	105*s.*
*C	—— superbum	Colombia	63*s.* and 84*s.*
*C	—— Trianæ	Colombia	63*s.* and 84*s.*
C	cristatellum	Colombia	42*s.*, 63*s.* and 84*s.*
C	cristatum	Peru	21*s.* and 31*s.* 6*d.*
C	crocatum	Colombia	
C	crocidipterum	South America	10*s.* 6*d.* and 15*s.*
C	decorum (*hybrid*)	Colombia	
C	deltoglossum (*hybrid*)	Colombia	
C	Diadema (*hybrid*)	Colombia	
C	Edouardii	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
C	eximium (*hybrid*)	Colombia	
C	facetum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	flaveolum (*hybrid*)	Colombia	
C	gloriosum	Ocaña	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— album (nævium majus)	Ocaña	15*s.* and 21*s.*

C	**ODONTOGLOSSUM** gloriosum aureum	Ocaña	
C	gloriosum nigrum	Ocaña	42*s.* and 63*s.*
C	—— pictum	Ocaña	42*s.* and 63*s.*
C	—— superbum	Ocaña	21*s.* and 31*s.* 6*d.*
C	grande	Guatemala	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— macrolobum	Guatemala	42*s.*
C	—— pictum	Guatemala	
C	—— superbum	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Hallii	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— leucoglossum	Ecuador	42*s.* and 63*s.*
C	—— marginatum	Ecuador	
C	—— nigrum	Ecuador	
C	—— xanthoglossum	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Harryanum	South America	5*s.*, 7*s.* 6*d.* to 21*s.*
C	hastilabium	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— superbum	Colombia	
C	hebraicum (*hybrid*)	Colombia	42*s.* and 63*s.*
C	—— albens (*hybrid*)	Colombia	
C	heiroglyphicum	Colombia	
*C	Humeanum	Mexico	42*s.* and 63*s.*
C	Hunnewellianum	Colombia	31*s.* 6*d.* and 42*s.*
C	hystrix (radiatum)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Imperator (*hybrid*)	Colombia	
C	ioplocon	Colombia	
*C	insignis (*hybrid*)	Colombia	
I	Insleayi leopardinum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— splendens	Mexico	63*s.* and 84*s.*
I	Karwinskii	South America	15*s.* and 21*s.*
I	Krameri	Costa Rica	42*s.* and 63*s.*
C	lanceans (*hybrid*)	South America	
C	lepidum (*hybrid*)	South America	
C	ligulare	South America	
C	Lindeni	Colombia	10*s.* 6*d.*
C	Lindleyanum	Colombia	3*s.* 6*d.* and 5*s.*
C	—— speciosum	Colombia	15*s.* and 21*s.*
*C	Londesboroughianum	Mexico	
C	Lucienianum	South America	63*s.*
C	luteo-purpureum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— —— conspicuum	Colombia	
C	—— —— nobilis	Colombia	
*C	maculatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— anceps	Mexico	63*s.* and 84*s.*
*C	—— aureum	Mexico	84*s.* and 105*s.*
*C	—— erosum	Mexico	84*s.* and 105*s.*
*C	—— stenanthum	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— triumphans	Mexico	
C	madrense (maxillare)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— majus	Mexico	42*s.* and 63*s.*
C	membranaceum	Mexico	10*s.* 6*d.* and 15*s.*
C	mirabile (*hybrid*)	Colombia	
C	mirandum	Colombia	
C	mulus	Colombia	
C	—— crocatus	Colombia	
C	—— cuspidatus	Colombia	
C	nævium	Ocaña	42*s.* and 63*s.*
C	—— majus, *vide* O. gloriosum album		
C	nebulosum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

C	**ODONTOGLOSSUM nebulosum candidum**	Mexico	15*s.* and 21*s.*
C	—— grandiflorum	Mexico	
C	—— pardinum	Mexico	21*s.*, 31*s.* 6*d.* and 43*s.*
C	—— punctatum	Mexico	31*s.* 6*d.* and 42*s.*
C	odoratum	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— giganteum	Colombia	
C	Œrstedii	Costa Rica	5*s.* and 7*s.* 6*d.*
C	—— majus	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pendulum *vide* O. citrosmum		
C	Pescatorei	Colombia	3*s.* 6*d.*, 5*s.* to 21*s.*
C	—— aurantiacum	Colombia	
C	—— formosum	Colombia	
C	—— grandiflorum	Colombia	42*s.* and 63*s.*
C	—— insignis	Colombia	
C	—— limbosum	Colombia	
C	—— oculatum	Colombia	63*s.* and 84*s.*
C	—— nivale	Colombia	42*s.* and 63*s.*
C	—— speciosum	Colombia	
C	—— splendens	Colombia	42*s.* and 63*s.*
C	—— stupendum	Colombia	
C	—— tinctum	Colombia	
I	Phalænopsis (Miltonia Phalænopsis)	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— splendens	Ocaña	
C	polyxanthum	Ecuador	
C	pretiosum, *vide* O. Schleiperianum		
C	princeps (*hybrid*)	Colombia	
*C	pulchellum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— Egertoni (tenue)	Mexico	3*s.* 6*d.* and 5*s.*
*C	—— majus	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	radiatum, *vide* O. hystrix		
C	ramosissimum	Colombia	42*s.* and 63*s.*
C	—— album	Colombia	42*s.* and 63*s.*
C	ramulosum	Ocaña	15*s.* and 21*s.*
C	Reichenheimii	Mexico	31*s.* 6*d.* and 42*s.*
S	Roezlii (Miltonia Roezlii)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— album	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— delicatum	Colombia	10*s.* 6*d.* and 15*s.*
S	—— nigrum	Colombia	105*s.*
S	—— roseum	Colombia	21*s.* and 31*s.* 6*d.*
S	—— splendens	Colombia	63*s.* and 84*s.*
C	roseum *vide* Mesospinidium roseum		
*C	Rossii majus	Mexico	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*C	—— —— musaicum	Mexico	
*C	—— —— nivosum	Mexico	
*C	—— —— pictum	Mexico	
*C	—— —— rubescens	Mexico	31*s.* 6*d.* and 42*s.*
*C	—— —— splendens	Mexico	21*s.* and 31*s.* 6*d.*
C	rubescens (*hybrid*)	South America	
C	Ruckerianum (*hybrid*)	Colombia	42*s.*, 63*s.* and 84*s.*
C	—— giganteum (*hybrid*)	Colombia	84*s.* and 105*s.*
C	Sanderianum	Colombia	10*s.*6*d.*, 15*s.* and 21*s.*
C	sceptrum	Colombia	31*s.* 6*d.* and 42*s.*
C	—— crenatum	Colombia	
C	Schleiperianum (pretiosum)	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— flavidum	South America	84*s.* and 105*s.*
C	spectabilis (*hybrid*)	Colombia	
*C	tripudians	Peru	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

*C	**ODONTOGLOSSUM** tripudians grandiflorum	Peru	15*s.* and 21*s.*
C	triumphans	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	Uroskinneri	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	vexillarium (Miltonia vexillaria)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.*, 21*s.* and various sizes from 31*s.* 6*d.* upwards.
I	—— albescens	Colombia	
I	—— amabile	Colombia	
I	—— amœnum	Colombia	
I	—— bicolor	Colombia	42*s.* and 63*s.*
I	—— chelsoniense	Colombia	
I	—— Cobbianum	Colombia	105*s.*
I	—— conspicuum	Colombia	
I	—— erubescens	Colombia	
I	—— giganteum	Colombia	84*s.* and 105*s.*
I	—— insigne	Colombia	84*s.* and 105*s.*
I	—— maculatum	Colombia	
I	—— marginatum	Colombia	
I	—— marmoratum	Colombia	
I	—— pictum	Colombia	
I	—— picturatum	Colombia	
I	—— pulcherrimum	Colombia	42*s.* and 63*s.*
I	—— radiatum	Colombia	
I	—— roseum	Colombia	42*s.*, 63*s.* and 84*s.*
I	—— rubellum (Autumn-flowering)	Colombia	10*s.* 6*d.*, 15*s* and 21*s.*
I	—— rubrum	Colombia	
I	—— splendens	Colombia	
I	—— superbum	Colombia	42*s.* and 63*s.*
I	—— venosum	Colombia	
C	Victor (*hybrid*)	Colombia	
C	Wallisii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Wilckeanum (*hybrid*)	Colombia	42*s.*, 63*s.* and 84*s.*
C	—— albens (*hybrid*)	Colombia	
C	—— pallens (*hybrid*)	Colombia	
C	Williamsianum	Costa Rica	
C	**ONCIDIUM** æmulum, *vide* O. superbiens		
S	altissimum	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	ampliatum	Panama	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	Panama	10*s.* 6*d.* and 15*s.*
C	anciferum	South America	15*s.* and 21*s.*
I	auriferum	South America	21*s.*
C	aurosum (excavatum)	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	Balderramæ	Colombia	
I	barbatum	Brazil	10*s.* 6*d.* and 15*s.*
*C	Barkeri, *vide* O. tigrinum		
I	bicallosum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	bicolor	Brazil	10*s.* 6*d.* and 15*s.*
I	bifolium	Brazil	21*s.* and 31*s.* 6*d.*
C	cæsium	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	carthaginense	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Cavendishianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
*C	cheirophorum	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	chrysomorphum	South America	21*s.* and 31*s.* 6*d.*
C	concolor	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	cornigerum	Brazil	15*s.* and 21*s.*
I	—— longiracemosum	Brazil	42*s.*
C	crispum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflorum	Brazil	15*s.* and 21*s.*

C	**ONCIDIUM** crispum nigrum	Brazil	42*s.*
C	crispum punctatissimum	Brazil	63*s.*
C	cucullatum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— grandiflorum	South America	21*s.* and 31*s.* 6*d.*
C	—— maculosum	South America	21*s.* and 31*s.* 6*d.*
C	—— panduratum	South America	31*s.* 6*d.* and 42*s.*
C	—— purpureum	South America	42*s.* and 63*s.*
C	curtum	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
C	dasytyle	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Diadema, *vide* serratum		
I	divaricatum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	excavatum, *vide* aurosum		
C	falcipetalum	Venezuela	
C	flexuosum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Forbesii	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— grandiflorum	Brazil	31*s.* 6*d.* and 42*s.*
I	Forstermannii	South America	21*s.* and 31*s.* 6*d.*
I	fuscatum	Colombia	7*s.* 6*d.* to 21*s.*
C	Gardnerianum	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Harrisonianum	Mexico	15*s.* and 21*s.*
C	hastatum, *vide* stelligerum		
C	incurvum	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	janeirense, *vide* longipes		
I	Jonesianum	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	juncifolium	South America	15*s.* and 21*s.*
S	Kramerianum	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	—— resplendens	Colombia	
I	lanceans	South America	15*s.* and 21*s.*
S	Lanceanum	Surinam	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— superbum	Surinam	21*s.* and 31*s.* 6*d.*
C	leucochilum	Mexico	21*s.* and 31*s.* 6*d.*
C	—— splendens	Mexico	63*s.* and 84*s.*
C	Limminghii	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	longipes (janeirense)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— major	Brazil	21*s.*
S	luridum (guttatum)	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
C	macranthum	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— aurosum	Ecuador	
C	—— grandiflorum	Ecuador	
C	—— hastiferum	Ecuador	42*s.*, 63*s.* and 84*s.*
C	Marshallianum	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
S	microchilum	Brazil	21*s.* and 31*s.* 6*d.*
I	micropogon	Brazil	10*s.* 6*d.* and 15*s.*
C	monachicum	South America	21*s.* and 31*s.* 6*d.*
I	nigratum	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
C	nubigenum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— splendens	Ecuador	21*s.* and 31*s.* 6*d.*
I	oblongatum	Brazil	42*s.*
C	obryzatum	Colombia	21*s.* and 31*s.* 6*d.*
C	ochthodes	Colombia	21*s.*
*C	ornithorrhynchum	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	Papilio	Panama	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— majus	Panama	15*s.* and 21*s.*
C	Phalænopsis	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	phymatochilum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pictum	South America	
C	plagianthum	Colombia	
C	prætextum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

C	**ONCIDIUM** prætextum aureum	Brazil	
C	prætextum maculosum	Brazil	15*s.* and 21*s.*
C	—— superbum	Brazil	15*s.* and 21*s.*
I	pubes	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— elatum	Brazil	21*s.*
I	pulvinatum	Brazil	10*s.* 6*d.* and 15*s.*
I	pumilum	Brazil	21*s.* and 31*s.* 6*d.*
I	pyramense	South America	15*s.* and 21*s.*
I	reflexum	Mexico	10*s.* 6*d.* and 15*s.*
C	rigidum	South America	
I	roseum, *vide* carthaginense		
C	Russellianum		
I	sarcodes	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— decorum	Brazil	42*s.*
I	—— splendens	Brazil	31*s.* 6*d.* and 42*s.*
I	—— superbum	Brazil	31*s.* 6*d.* and 42*s.*
I	Schillerianum	South America	15*s.* aud 21*s.*
I	Schlimii	South America	10*s.* 6*d.* and 15*s.*
C	sculptum	South America	63*s.*
C	serratum (Diadema)	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sessile	Santa Martha	21*s.*, 31*s.* 6*d.* and 42*s.*
I	sphacelatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	sphegiferum	South America	15*s.* and 21*s.*
I	splendidum	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	stelligerum (hastatum)	Mexico	15*s.* and 21*s.*
C	—— amœnum	Mexico	42*s.* aud 63*s.*
C	—— Ernestii	Mexico	63*s.*
C	—— ornatum	Mexico	42*s.* and 63*s.*
C	—— pictum	Mexico	42*s.* and 63*s.*
C	superbiens (æmulum)	Colombia	
C	tetracopis	Colombia	
**C*	tigrinum (Barkeri)	Mechoacan	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
**I*	unguiculatum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	unicorne	Brazil	5*s.* and 7*s.* 6*d.*
C	varicosum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	—— pictum	Brazil	31*s.* 6*d.* and 42*s.*
C	—— Rogersii	Brazil	42*s.*
I	Weltoni	Colombia	10*s.* 6*d.* to 21*s.*
C	Wentworthianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	zebrinum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**ORNITHOCEPHALUS** grandiflorus	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**ORNITHIDIUM** coccineum	Brazil	15*s.* and 21*s.*
I	**PALUMBINA** candida	Mexico	10*s.* 6*d.* and 15*s.*
S	**PAPHINIA** cristata	West Indies	21*s.* aud 31*s.* 6*d.*
S	cristata grandis	Brazil	21*s.* and 31*s.* 6*d.*
S	**PERISTERIA** elata (The Dove Flower)	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*

El Spirito Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

S	selligera	South America	63*s.*
I	**PESCATORIA** (Huntleya) cerina	South America	21*s.* and 31*s.* 6*d.*
I	cochleata	South America	63*s.* and 84*s.*
I	**PHAIUS** albus, *vide* Thunia alba		
S	Bensoniæ, *vide* Thunia Bensoniæ		
S	bicolor	Ceylon	63*s.* and 84*s.*
I	Blumei	Assam	
**I*	grandifolius (Bletia Tankervilliæ)	Hong Kong	7*s.* 6*d.* and 10*s.* 6*d.*
S	Henryii	Madagascar	31*s.* 6*d.* and 42*s.*
S	Humblotii	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*

S	**PHAIUS luridus**	Ceylon	21*s.* and 31*s.* 6*d.*
S	**Marshallianus**, *vide* **Thunia Marshalliana**		
S	**pauciflorus**	Java	21*s.*
C	**Sieboldii**	Japan	10*s.* 6*d.* and 15*s.*
C	**—— maculatus**	Japan	15*s.* and 21*s.*
S	**tuberculosus**	Madagascar	31*s.* 6*d.* and 42*s.*
I	**Wallichii**	Sylhet	21*s.* and 31*s.* 6*d.*
I	**Woodfordii**	East Indies	10*s.* 6*d.* and 15*s.*
I	**—— maculatus**	East Indies	15*s.* & 21*s.*
S	**PHALÆNOPSIS amabilis (Aphrodite)**	Sunda Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**Boxallii**	East Indies	
S	**Esmeralda**	Cochin China	10*s.* 6*d.* and 15*s.*
S	**—— Regnieri**	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**grandiflora**	Borneo	10*s.* 6*d.* and 15*s.*
S	**leucorhoda**	East Indies	105*s.*
S	**Lowii**	East Indies	21*s.*
S	**Lüddemanniana**	Philippine Islands	15*s.* and 21*s.*
S	**Mannii**	East Indies	63*s.*
S	**Parishii**	East Indies	42*s.* and 63*s.*
S	**rosea**	East Indies	15*s.* and 21*s.*
S	**Sanderiana**	East Indies	15*s.* and 21*s.*
**S*	**Schilleriana**	Manilla	15*s.* and 21*s.*
S	**Stuartiana**	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**tetraspis**	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**violacea**	East Indies	21*s.* and 31*s.* 6*d.*
S	**PHOLIDOTA imbricata**	East Indies	5*s.* and 7*s.* 6*d.*
C	**PILUMNA (Trichopilia) fragrans**	Merida	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**laxa**, *vide* **Trichopilia laxa**		
I	**nobilis**	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**PLATYCLINIS**, *vide* **Dendrochilum**		
**C*	**PLEIONE Hookeri**	East Indies	21*s.*
**C*	**humilis**	East Indies	10*s.* 6*d.*
**C*	**—— tricolor**	Assam	21*s.*
**C*	**lagenaria**	Khasya	5*s.* and 7*s.* 6*d.*
**C*	**maculata**	Assam, Khasya	5*s.*, 7*s.* 6*d.* and 10*s* 6*d.*
**C*	**Reichenbachiana**	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	**Wallichiana**	Arracan Mountains	5*s.*, 7*s.* 6*d.* and 10*s.*6*d.*
I	**PLEUROTHALLIS Barberiana**	South America	21*s.*
I	**scapha**	South America	105*s.*
I	**tridentata**	South America	10*s.* 6*d.*
S	**PROMENÆA citrina**	Brazil	21*s.* and 31*s.* 6*d.*
S	**Rollissonii**	Brazil	31*s.* 6*d.* and 42*s.*
S	**stapelioides**	Brazil	21*s.* and 31*s.* 6*d.*
S	**RENANTHERA coccinea**	Cochin China	21*s.* and 31*s.* 6*d.*
C	**RESTREPIA antennifera**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**elegans**	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**guttulata**	Colombia	
C	**leopardina**	Colombia	10*s.* 6*d.* and 15*s.*
I	**ophiocephala**	Mexico	21*s.*
S	**RODRIGUEZIA caloplectron**	South America	21*s.*
S	**planifolia**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	**secunda**	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	**SACCOLABIUM ampullaceum**	Rangoon	7*s.* 6*d.* and 10*s.* 6*d.*
S	**Blumei**	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**—— Dayanum**	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**—— javanense**	Java	21*s.* and 31*s.* 6*d.*

S	**SACCOLABIUM Blumei lilacina**	East Indies	21*s.* and 31*s.* 6*d.*
S	**Blumei longiracemosum**	East Indies	21*s.* and 31*s.* 6*d.*
S	**—— majus**	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**—— pulchrum**	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**—— roseum**	East Indies	21*s.* and 31*s.* 6*d.*
S	**—— rubrum**	East Indies	31*s.* 6*d.* and 42*s.*
S	**—— splendens**	East Indies	42*s.* and 63*s.*
S	**calceolare**	Khasi Hills	42*s.* and 63*s.*
S	**cæleste**	Cochin China	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**curvifolium**	Nepal, Ceylon	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	**giganteum (Vanda densiflora)**	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	**—— illustre**	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**guttatum**	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**—— giganteum**	East Indies	
S	**—— Holfordianum**	East Indies	63*s.*
S	**—— superbum**	Ceylon	63*s.* and 84*s.*
S	**Harrisonianum**	Pulo, Copang	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**miniatum citrinum**	Cochin China	
S	**præmorsum**	Java	42*s.* and 63*s.*
S	**retusum**	Java	42*s.* and 63*s.*
S	**violaceum**	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**Wightianum**, *vide* Ærides Wightianum		
S	**SARCANTHUS laxus**	East Indies	15*s.* and 21*s.*
S	**SARCOCHILUS Hartmanni**	North Australia	
S	**SARCOPODIUM Lobbii**	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**SCHOMBURGKIA gloriosa**	South America	31*s.* 6*d.* and 42*s.*
I	**tibicinis**	Mexico	21*s.* and 31*s.* 6*d.*
I	**SCUTICARIA Dodgsonii**	West Indies	42*s.* and 63*s.*
I	**Hadwenii**	Brazil	21*s.* and 31*s.* 6*d.*
I	**Steelii**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
	SELENIPEDIUM, *vide* Cypripedium		
I	**SOBRALIA leucoxantha**	South America	
I	**macrantha**	Guatemala	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**—— magnifica**	Guatemala	
I	**—— nana**	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**—— rosea**	Guatemala	
I	**—— splendens**	Guatemala	42*s.* and 63*s.*
I	**xantholeuca**	South America	
C	**SOPHRONITIS cernua**	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	**grandiflora**	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
**C*	**—— coccinea**	Brazil	
**C*	**—— marginata**	Brazil	
**C*	**—— militaris**	Brazil	
**C*	**—— superba**	Brazil	
C	**violacea**	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**SPATHOGLOTTIS Augustorum**, *vide* S. Vieillardi		
S	**aurea (Kimballiana)**	Borneo	84*s.* and 105*s.*
S	**Fortunei**	Hong Kong	21*s.* and 31*s.* 6*d.*
S	**Lobbii**	Borneo	84*s.* and 105*s.*
S	**pacifica**	Pacific Islands	
S	**plicata**	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**Regnieri**	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**Vieillardi (Augustorum)**	New Caledonia	42*s.* and 63*s.*
I	**STANHOPEA aurea**	South America	10*s.* 6*d.* and 15*s.*
I	**Bucephalus**	South America	10*s.* 6*d.* and 15*s.*
I	**chrysops**	South America	
I	**decora**	South America	

I	**STANHOPEA** ecornuta	South America	42*s.*
I	grandiflora (eburnea)	South America	10*s.* 6*d.*
I	graveolens	South America	10*s.* 6*d.*
I	guttulata	South America	10*s.* 6*d.* and 15*s.*
I	insignis	Brazil	10*s.* 6*d.* and 15*s.*
I	maculata	South America	15*s.*
C	oculata	Xalapa	10*s.* 6*d.* and 15*s.*
I	picta	South America	
I	punctata	South America	10*s.* 6*d.*
C	tigrina	Xalapa	10*s.* 6*d.* and 15*s.*
C	—— superba	Xalapa	21*s.*
I	Wardiana	La Guayra	10*s.* 6*d.* and 15*s.*
S	**THRIXSPERMUM** Berkeleyii	Andaman Islands	42*s.*
S	indusiatum	Malay Archipelago	15*s.* and 21*s.*
S	muriculatum	Andaman Islands	21*s.*
S	teres	Eastern Archipelago	15*s.* and 21*s.*
I	**THUNIA** (Phaius) alba	India	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	alba striata	India	5*s.* and 7*s.* 6*d.*
S	Bensoniæ	Moulmein	15*s.* and 21*s.*
S	—— splendens	Moulmein	21*s.* and 31*s.* 6*d.*
S	—— variegata	Moulmein	63*s.*
S	intermedia	India	
S	Marshalliana	India	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ionophlebia	India	42*s.* and 63*s.*
S	—— sulphurea	India	
S	—— tricolor	India	63*s.* and 84*s.*
S	pulchra	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Veitchiana	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**TRICHOCENTRUM** albo-purpureum	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Pfauii	South America	10*s.* 6*d.* and 15*s.*
C	**TRICHOPILIA** coccinea	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	crispa (gloxiniæflora)	Costa Rica	31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— marginata	Costa Rica	
I	fragrans, *vide* Pilumna fragrans		
I	Galeottiana (picta)	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— luteola	Costa Rica	
I	(Pilumna) laxa	South America	5*s.* and 7*s.* 6*d.*
I	lepida	South America	
I	suavis	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superba	Costa Rica	15*s.*, 21*s.* and 31*s.* 6*d.*
C	tortilis	Mexico	10*s.* 6*d.* and 15*s.*
**C*	**TRICHOSMA** suavis	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**TRIGONIDIUM** ringens	Assam	15*s.* and 21*s.*
I	**UROPEDIUM** Lindeni	Colombia	21*s.* and 31*s.* 6*d.*
S	**VANDA** Amesiana	Eastern Archipelago	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	Batemanii	Moluccas	15*s.* and 21*s.*
S	Bensoni	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Boxallii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Cathcartii	Sikkim	42*s.* and 63*s.*
I	cærulea	Khasya	15*s.*, 21*s.* and 31*s.* 6*d.*
I	cærulescens	Burmah	21*s.* and 31*s.* 6*d.*
S	concolor	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Denisoniana	India	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	densiflora, *vide* Saccolabium giganteum		
S	gigantea	Moulmein & Rangoon	15*s.* and 21*s.*
S	Hookeriana	Borneo	21*s.*, 31*s.* 6*d.* and 42*s.*
S	insignis	Timor	21*s.* and 31*s.* 6*d.*

S	**VANDA Kimballiana**	Eastern Archipelago ..	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	**Massaiana**	East Indies	63*s.*
S	**Parishii**	Burmah	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— **Marriottiana**	Burmah	31*s.* 6*d.*, 42*s.* and 63*s.*
S	**parviflora**, *vide* Ærides Wightianum		
S	**Roxburghii**	Bengal	21*s.* and 31*s.* 6*d.*
S	—— **cærulea**	Bengal	21*s.* and 31*s.* 6*d.*
S	**Sanderiana**	Eastern Archipelago ..	
S	**suavis**	Java	31*s.* 6*d.* and 42*s.*
S	—— **(Chatsworth variety)**	Java	31*s.* 6*d.* and 42*s.*
S	—— **maxima**	Java	
S	**teres**	Sylhet	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— **Andersoni**	Sylhet	21*s.* and 31*s.* 6*d.*
I	**tricolor**	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— **aurea**	Java	
I	—— **chelsoniensis**	Java	
I	—— **formosa**	Java	31*s.* 6*d.* and 42*s.*
I	—— **guttata**	Java	
I	—— **insignis**	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— **limbata**	Java	
I	—— **marginata**	Java	
I	—— **meleagris**	Java	
I	—— **multiflora**	Java	31*s.* 6*d.* and 42*s.*
I	—— **nebulosa**	Java	42*s.* and 63*s.*
I	—— **ochracea**	Java	
I	—— **planilabris**	Java	
I	—— **splendens**	Java	
I	—— **superba**	Java	31*s.* 6*d.* and 42*s.*
I	**undulata**	Assam	42*s.* and 63*s.*
S	**VANILLA aromatica**	Brazil	5*s.* and 7*s.* 6*d.*
S	**planifolia**	South America	5*s.* and 7*s.* 6*d.*
I	**WARREA Lindeniana**	Colombia	15*s.* and 21*s.*
I	**tricolor**	Brazil	10*s.* 6*d.* and 15*s.*
I	**WARSCEWICZELLA discolor**	Colombia	15*s.* and 21*s.*
I	**XYLOBIUM (Maxillaria) leontoglossum**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ZYGOPETALUM Clayii**	Hybrid	63*s.*
I	**crinitum cœruleum**	Brazil	21*s.* and 31*s.* 6*d.*
I	—— **roseum**	Brazil	21*s.* and 31*s.* 6*d.*
I	—— **superbum**	Brazil	21*s.* and 31*s.* 6*d.*
I	**Gautieri**	Brazil	15*s.* and 21*s.*
I	**intermedium**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	**Mackayi**	Brazil	10*s.* 6*d.* and 15*s.*
**C*	—— **majus**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**maxillare**	Brazil	10*s.* 6*d.* and 15*s.*
I	**rostratum**	South America	21*s.* and 31*s.* 6*d.*
I	**Sedenii**	Hybrid	63*s.* and 84*s.*

CHOICE ORCHIDS.

EAST INDIAN | **WEST INDIAN** | **COLOMBIAN**
MEXICAN | **PERUVIAN** | **BRAZILIAN**

Collections made at 3, 4, 6, 9 and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at

3, 4, 6, 9 and 12 guineas per dozen.

SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

BEST FIBROUS PEAT FOR ORCHIDS, 10s. per sack.

NEW AND CHOICE ACHIMENES.

PHŒBUS, very large flowers, purple, merging into orange at the centre; the throat is dark yellow, the mouth of the throat marked blackish-crimson. 2*s.* 6*d.*

VIOLETTA, rich violet-purple flowers, the centre of each lobe and the mouth of the throat being very darkly veined. 2*s.* 6*d.*

Good selections made at 6*s.*, 9*s. and* 12*s. per dozen, according to sorts.*
New and choice sorts, 18*s. and* 30*s. per dozen, according to sorts.*

ADMIRATION
ALEXANDRA
AMBROISE VERSCHAFFELT
ARGUS
AURORA
AUTUMNALIS
BELLE CRACOVIENNE
CARL WOLFARTH
CARMINATA ELEGANS
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
DIADEM
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FIREFLY
FRANCOIS CARDINAUX
FRAU BRUNOW
GEORGIANA
GIBSONII
GRANDIFLORA
—— FLORE PLENO
GRANDIS
HARRY WILLIAMS
HENDERSONI
LABYRINTHICUM
LADY LYTTLETON

LEOPARD
LONGIFLORA
—— ALBA MAXIMA
—— MACRANTHA

LONGIFLORA MAJOR
—— ROSEA
LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MAGNET
MARGARITÆ
MARVEL
MAUVE PERFECTION
—— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
NINA
ONDINE
PURPUREA MULTIFLORA
RIENZII
RIVAL
ROLLISSONI
ROSEA ELEGANS
—— MAGNIFICA
ROSE QUEEN
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVIOANS
WILLIAMSII

EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES
NÆGELIOIDES DIAMANTINA
—— LILACINELLA
NÆGELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3*s.* 6*d.*

SOUVENIR DE MADAME JOIGNOT, this variety has handsome bronze-green leaves, the Achimenes-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3*s.* 6*d.*

NEW AND CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

MELAS, a handsome variety, the mouth of the throat dark purplish crimson; lobes rich violet; the base of throat prettily spotted with crimson. *5s.*

PHASIS, a fine flower with white throat rayed into the lobes, the rays surrounded with purple; lobes crimson shading off to rose. *5s.*

TAMPICO, a very bright and handsome variety; lobes fiery crimson shading to rose, throat spotted with crimson. *5s.*

TERANO, flowers well made and richly coloured; lobes deep rose shaded with violet, throat spotted and shaded with violet and crimson. *5s.*

Alpha	Lydia
Amethyst	Mad. Bleu
Archimedes	Malabar
Baron de Rothschild	Mentor
	Milton
Berenice	Minos
Bijou	Modiola
Calypso	Mogul
Casilda	Mon Caprice
Casino	M. Lucien Linden
Cecile Michaux	Neptune
Chateaubriand	Odin
Chaucer	Oracle
Cleopatra	Oscar
Cordon Lavande	Parthenia
Cygnet	Perfection
Didon	Prince de Galles
Dryden	Romola
Elfin	Rubis
Ethel	Sabrina
Fantome	Stanley
Flore	Tamar
Hecla	Templar
Hydra	Tennyson
Jupiter	Themis
La France	Velindra

Gloxinia.

Choice selections made by Mr. W. B. at 18s, 30s. and 42s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 9s., 12s. and 18s. per dozen; 35s., 50s. and 70s. per 100.

GLOXINIA insignis, bluish lilac, marked with a large crimson blotch at the base. *2s. 6d.*
maculata sceptrum, a magnificent hybrid, producing clear lilac, well-formed blooms. *1s. 6d.*

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. *18s.*, *24s.*, *30s.* and *42s.* per dozen, according to sorts.

Ailsa	Coquette	Mancinus	Pluton
Alexandre	Elaine	Marquis de Guiadiaro	Robert le Diable
Apollon	Gigantea	Minerve	Sabina
Cecilia	Juliette	M. Richard Labios	Thalie
Clovis	Lorenzo	Parepa	Ukara

NEW AND CHOICE REGAL PELARGONIUMS.

This name is applied to that magnificent group of Pelargoniums, the flowers of which are of large size, with very rich and showy colours, and which, although they are not really double, yet have the appearance of being so from their full and crispy form, and the extra number of their frilled petals.

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1*s.*

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1*s.*

CHAMPION, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 2*s.* 6*d.*

COUNTESS OF ROSEBERY, a desirable variety, producing large trusses of pure white flowers, with a spot of delicate rose in the upper petals, prettily fringed. 2*s.* 6*d.*

DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson; the lower petals have a smaller blotch, with a broader margin of the same colour as the upper. 1*s.*

DOROTHY, fine large flower, full and round, of a soft shade of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 7*s.* 6*d.*

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s.*

DUCHESS OF TECK, immense semi-double white flowers, petals undulated. 2*s.* 6*d.*

DUKE OF ALBANY, deep rich crimson-maroon, margined with rosy lake; light centre surrounded with violet-rose shading. 1*s.*

EMPEROR OF RUSSIA, petals dark maroon, surrounded with crimson purple, margined with blush white. 1*s.* 6*d.*

GLOIRE DU TOURS, flowers of a bright vermilion, with light centre and edges; upper petals blotched with blackish maroon. 1*s.*6*d.*

JUBILEE, fine full flowers, petals blush pink; upper petals blotched with maroon, surrounded with fiery crimson. 2*s.* 6*d.*

MADAME EVRARD, very full flower, with beautiful crispy petals of bright purplish crimson colour, spotted with dark maroon. 1*s.*

MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1*s.*

MAID OF KENT, an attractive variety, of neat dwarf habit and extremely free blooming; the flowers are pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 1*s.* 6*d.*

MISS LILY CANNELL, crimson-scarlet petals shaded with rosy-purple and edged with white, light centre. 1*s.*

PRINCE GEORGE, *vide* page 8.

PRINCE HENRY, bright fiery carmine flowers with light centre, all the petals edged with white. 10*s.* 6*d.*

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, violet veins; upper petals flushed crimson. 2*s.* 6*d.*

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1*s.* 6*d.*

PRINCE OF WALES, an exceedingly handsome variety, freely producing good trusses of flowers of a bright vermilion colour, with light centre and edge to the petals, the superior ones being marked with light crimson, and darkly blotched. 1*s.*

PRINCESS, a beautiful and attractive flower, petals blush white; a charming variety, 10*s.* 6*d.*

PRINCESS BEATRICE, upper petals crimson-lake blotched with maroon and margined with white, under petals blush white; a large and full flower, the petals being beautifully undulated and fringed. 3*s.* 6*d.*

PRINCESS OF WALES, an extremely beautiful variety, very large and effective flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon; an exceedingly attractive flower. 3*s.* 6*d.*

PRINCESS MAUD, full orange carmine flowers, margined with white, white centre surrounded with violet; upper petals blotched and feathered with maroon. 1*s.* 6*d.*

QUEEN VICTORIA, the flowers of this handsome and distinct variety have peculiarly crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1*s.* 6*d.*

STARLIGHT, a charming smooth-petalled flower of a pretty shade of rosy pink, the lower petals spotted with fiery crimson veined with maroon; upper petals blotched with maroon surrounded with fiery crimson. A most attractive and ornamental variety. 3*s.* 6*d.*

VOLONTE NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale,* with large and beautifully fringed flowers of the purest white. A free grower and very floriferous. 1*s.* 6*d.*

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

AGATHA, a fine flower of good form; upper petals bright crimson, blotched with maroon and margined with white; under petals blush-white, spotted with bright crimson. 1*s.* 6*d.*

ALFONSO, pure white free-blooming variety, upper petals marked with rich rosy-crimson, under petals faintly feathered with rose; a large finely formed flower. 3*s.* 6*d.*

ANGUS, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1*s.*

ARBACES, a very attractive flower of a bright rosy-purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 1*s.*

ARDENS, upper petals fiery crimson, heavily blotched and feathered maroon; edged with rosy-magenta; lower petals soft crimson; spotted maroon; light centre. 5*s.*

ARGUS, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 7*s.* 6*d.*

ARVON, upper petals bright crimson, blotched with blackish-maroon and edged with rose; under petals soft rose, spotted crimson. 1*s.*

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1*s.* 6*d.*

CYPRIA, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1*s.* 6*d.*

DACIA, upper petals dark maroon shaded with bright crimson, margined with rose; under petals rosy-pink, cleanly spotted with dark crimson. 1*s.* 6*d.*

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1*s.* 6*d.*

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1*s.* 6*d.*

DINORAH, upper petals blotched with maroon, surrounded with bright rosy-purple, and edged with rose; under petals light rose, spotted with bright rosy-purple. 1*s.* 6*d.*

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2*s.* 6*d.*

EBOR, upper petals maroon margined with white; lower petals white heavily veined with violet-purple, spotted with dark crimson; light centre. 2*s.* 6*d.*

ECLIPSE, upper petals blackish-maroon, edged with fiery crimson; under petals deep crimson, shaded with scarlet, and blotched with dark maroon; light centre. 1*s.* 6*d.*

ELLA, upper petals fiery crimson margined with white, blotched with maroon; lower petals veined crimson-lake, white margin; spotted maroon. 7*s.* 6*d.*

ELVINA, upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. 1*s.* 6*d.*

ENSIGN, all the petals blotched with maroon, surrounded with crimson and rose. 1*s.* 6*d.*

FORWARD, upper petals maroon edged with soft rose; under petals rosy-crimson, heavily spotted with maroon. 1*s.* 6*d.*

GRISON, light rosy-pink, all the petals blotched with very dark blackish-maroon, and shaded with crimson; a very fine flower. 1*s.* 6*d.*

HECLA, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1*s.* 6*d.*

IO, upper petals rich purplish-crimson, blotched with maroon and margined with blush-white; lower petals white, suffused and veined with rosy-purple. 7*s.* 6*d.*

JESSICA, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson. 1*s.* 6*d.*

KENNETH, upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1*s.* 6*d.*

LEONARD, flesh-coloured flower, upper petals blotched dark crimson, surrounded with bright crimson; under petals spotted with bright rosy-crimson. 2*s.* 6*d.*

LEONIS, flower soft rosy-purple, surrounded with pale rose, the upper petals blotched with maroon. 1*s.* 6*d.*

MABEL, flower bright rose, upper petals blotched with blackish-maroon; lower petals spotted with crimson-lake. 2*s.* 6*d.*

MAGPIE, white, with distinct dark purple spots on each petal. 5*s.*

MALCOLM, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1*s.* 6*d.*

MARSUS, upper petals white, blotched with rosy-crimson; under petals blush-white, spotted with crimson. 1*s.* 6*d.*

MEDINA, upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. 1*s.* 6*d.*

MINARET, upper petals crimson, with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1*s.* 6*d.*

MYRA, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with crimson; light centre. 2*s.* 6*d.*

NEPTUNE, flower rosy-purple, upper petals blotched and feathered with maroon; under petals spotted with maroon. 2*s.* 6*d.*

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

ONDINE, upper petals dark crimson, surrounded with fiory crimson, edged with pink; under petals rose suffused with crimson, and spotted with dark crimson. 2*s*. 6*d*.

OSCAR, upper petals crimson, margined with rose and blotched with maroon; under petals rose, spotted crimson; light centre. 1*s*. 6*d*.

PERA, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson and slightly blotched maroon. The edges of all the petals prettily fringed. 7*s*. 6*d*.

PHŒNIX, doop rosy-purple, upper petals blotched and feathered with dark crimson: under petals edged with white, light centre. 1*s*. 6*d*.

PINNACE, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1*s*. 6*d*.

PIONEER, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1*s*. 6*d*.

PLATEAU, upper petals rich bright crimson, blotched maroou; under petals bright crimson, shaded dark crimson; light centre. 1*s*. 6*d*.

RUBIS, centro of upper petals dark maroon, surrounded with fiery crimson, margined with bright rose; lower petals clear rose spotted with crimson. 7*s*. 6*d*.

RUMOUR, upper petals carmine-crimson, blotched with maroou and margined with rose; under petals rose-pink, spotted dark crimson. 1*s*. 6*d*.

SCOTS GUARD, deep orange-scarlet, dark spots, white eye; very bright. 5*s*.

SERENA, rosy-lake, with slight purplish shade; upper petals blotched with maroon; under petals spotted with deep crimson. 1*s*. 6*d*.

SIRIUS, upper petals fiery crimson, edged with rose and blotched maroon; lower petals rose, spotted with crimson. 2*s*. 6*d*.

SPORTSMAN, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 2*s*. 6*d*.

SPOTTED BEAUTY, soft rose, bottom petals with small rosy-crimson spots. 5*s*.

TENNYSON, upper petals dark maroon, margined with rose aud edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. 1*s*. 6*d*.

TREASURE, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy-purple, spotted maroon. 2*s*. 6*d*.

TYRANT, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 1*s*. 6*d*.

VINCENT, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1*s*. 6*d*.

ZENOBIA, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 2*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

ACHIEVEMENT, bright orange-scarlet lower petals, dark top, narrow scarlet edge, pure white centre; good shape. 7*s*. 6*d*.

ADVENTURER, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. 1*s*. 6*d*.

AGAR, upper petals dark maroon, surrounded with fiery crimson, edged rose; lower petals soft rose veined crimson. 2*s*. 6*d*.

AMPHION, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower petals rose; light centre. 2*s*. 6*d*.

ATALANTA, upper petals maroon, edged bright rose; under petals deep rose. 1*s*. 6*d*.

BANQUET, upper petals crimson-maroon, edged with rose; under petals bright rose. 1*s*. 6*d*.

BLUE BEARD, very large light purple flowers with white eye; upper petals dark. 2*s*. 6*d*.

CARMINE, lower petals crimson-scarlet, upper petals darker; good habit. 7*s*. 6*d*.

CECILIA, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink. 1*s*. 6*d*.

CHARTER, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 1*s*. 6*d*.

CLAUDIA, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 7*s*. 6*d*.

COMUS, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. 1*s*. 6*d*.

CONSPIRATOR, upper petals dark maroon, lower petals rosy salmon; light edges and centre; free and fine. 7*s*. 6*d*.

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1*s*. 6*d*.

CREUSA, light rose; the upper potals blotched with dark crimson; light centre. 1*s*. 6*d*.

CRUSADER, lower petals bright crimson; dark upper petals, light eye; very dwarf. 2*s*. 6*d*.

NEW AND CHOICE SHOW PELARGONIUMS—continued.

DIANA, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 7*s.* 6*d.*

DUKE OF CLARENCE, scarlet with white eye; upper petals maroon; flowers very round and smooth. 2*s.* 6*d.*

EDIE, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 2*s.* 6*d.*

ELAINE, pure white flower, upper petals blotched and feathered with purplish-crimson. 3*s.* 6*d.*

EMBASSY, pure white, the two upper petals blotched with deep violet-maroon. 1*s.* 6*d.*

EMBLEM, bright rose, shaded with violet; upper petals blotched with dark crimson; light centre. 1*s.* 6*d.*

ENTERPRISE, deep rose, dark blotch, purple edge, light eye. 5*s.*

EXCHEQUER, maroon upper petals, surrounded with crimson and margined with rose; under petals rose; white centre. 1*s.* 6*d.*

EXPRESS, lower petals purplish-rose, upper petals black, with wire edge of rose. 2*s.* 6*d.*

EXQUISITE, deep orange scarlet, dark top, white eye, fine shape and quality. 7*s.* 6*d.*

FALCON, upper petals blackish-maroon, shaded bright crimson and edged pale rose; under petals soft rosy-pink; light centre. 1*s.* 6*d.*

FRANCES, rosy-purple, white eye, large dark blotch on top petals; a fine flower. 2*s.* 6*d.*

HUMPHREY, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1*s.* 6*d.*

INDIAN YELLOW, light orange-salmon, darker top petals; light centre. 7*s.* 6*d.*

IRIS, upper petals bright rose, blotched with maroon, surrounded with fiery crimson; under petals soft rose; light centre. 2*s.* 6*d.*

JOSEPHINE, warm rose, shaded orange; dark-top petals, light centre. 5*s.*

JOVIAL, a rosy-purple flower, upper petals blotched with maroon, the entire flower edged white; light centre. 2*s.* 6*d.*

JUNIUS, upper petals very dark maroon, with a wire edge of crimson; lower petals rosy-crimson veined with deep crimson. 7*s.* 6*d.*

LAURETTA, upper petals bright crimson blotched with blackish-maroon and edged with pale rose; under petals soft rose. 1*s.* 6*d.*

LEANDER, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale blush. 2*s.* 6*d.*

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1*s.* 6*d.*

MADELINA, upper petals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1*s.* 6*d.*

MALCOLM, deep orange-scarlet, light centre, good shape. 5*s.*

MARION, rosy-purple with white eye, dark top petals; wire edge of rose. 2*s.* 6*d.*

MATHON, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1*s.* 6*d.*

MIRANA, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2*s.* 6*d.*

MURILLO, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1*s.* 6*d.*

MYSTERY, rosy-salmon, upper petals dark maroon with rose edge, light eye. 2*s.* 6*d.*

NABOB, fiery crimson, the upper petals shaded with dark crimson and blotched with fiery maroon; light centre. 2*s.* 6*d.*

ORIENT, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 7*s.* 6*d.*

PAREPA, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2*s.* 6*d.*

PAULINE, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1*s.* 6*d.*

PELICAN, lower petals deep, lilac rose, very dark upper petals, rose edges large, white centre; a distinct variety. 7*s.* 6*d.*

PENSION, rich deep crimson; the upper petals marked with velvety maroon; large light centre; a fine flower. 1*s.* 6*d.*

PERIM, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1*s.* 6*d.*

PILOT, bright rosy-pink, blotched with dark velvety crimson on the upper petals; light centre. 1*s.* 6*d.*

PLATO, soft rose, white eye, dark blotch on upper petals. 2*s.* 6*d.*

RUSTIC, a fine flower; upper petals rich crimson, shaded maroon; under petals rich crimson; light centre, shaded with violet. 1*s.* 6*d.*

RUTULIA, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1*s.* 6*d.*

SPLENDENT, upper petals maroon, surrounded with scarlet and edged with pink, under petals salmon-rose; white centre. 1*s.* 6*d.*

SYMMETRY, lilac rose lower petals; upper petals maroon; pale edges, light centre. 5*s.*

TEMPLAR, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2*s.* 6*d.*

THEODOSIA, upper petals velvety crimson, blotched with blackish-maroon and edged with rose; under petals bright rose. 1*s.* 6*d.*

TRIUMPH, deep rich scarlet, dark top, a bright shining flower of good quality. 7*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

Selections made by Mr. W. B. from general collection at 18s., 24s., and 30s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

ALICE CROUSSE, petals of great size, violet-purple and amaranth, very floriferous; extra. 1*s.*
ALMA, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner. 1*s.* 6*d.*
ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 1*s.*
ANDRE THEURIET, reddish-violet flowers, of fine shape; good habit. 1*s.*
BASTIEN-LEPAGE, very large semi-double flowers, rosy-mauve, top petals marked with purple. 1*s.*
BERTHA, large bright rosy-purple flower. 1*s.* 6*d.*
BERTHELOT, large full violet-magenta flowers, of good form, very floriferous. 1*s.*
CAMILLE FLAMMARION, cup-shaped rosy-mageuta flowers, centre lit up with golden-orange. 3*s.* 6*d.*
COMUS, soft rosy-purple flower, upper petals feathered with dark maroon. 1*s.*
CRAMOISI, large trusses of rose amaranth flowers; very floriferous. 5*s.*
CRÉPUSCULE, bright rosy-salmon flowers, very large and double. 1*s.*
CUVIER, large and full dark violet flowers; a vigorous grower. 1*s.*
DE QUATREFAGES, very floriferous, large violet purple flowers; extra. 1*s.* 6*d.*
DIAMANT, large lilac mauve double flowers; dwarf habit. 5*s.*
EMILE LEMOINE, fine trusses of bright-scarlet flowers. 1*s.*
ERNEST BERGMAN, fine trusses of extra large flowers, large regular crimson-lake petals; extra. 3*s.* 6*d.*
FLAMBEAU, large trusses of granite-red flowers; very distinct. 1*s.* 6*d.*
FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 1*s.* 6*d.*
FÜRSTIN JOSEPHINE VON HOHENZOLLERN, finely shaped reddish-mageuta flowers. 1*s.*
GALILÉE, deep rose feathered in the top petals with crimson. 1*s.*
GAY-LUSSAC, clear crimson-lake, flowers very double and of good shape; dwarf vigorous habit. 1*s.* 6*d.*
GENÉRAL BRIÈRE DE L'ISLE, beautiful carmine double flowers, shaded with gold. 1*s.*
GIROFLÉE, flowers compact and very double, of fine rosette shape; purple amaranth. 5*s.*
GLADIATEUR, flowers full and round, of a violet purple colour. 5*s.*
GLOIRE DE LORRAINE, bright cerise, brightened with scarlet, large and double; extra. 3*s.* 6*d.*
HUMBER, blush-pink; upper petals feathered with rosy-purple; large flower. 1*s.*
LAMARTINE, an improvement on *Emile Lemoine*, bright red, deeply shaded. 1*s.*
LA MAUVE, flowers bluish mauve, long petals, veined with violet. 5*s.*
LAPLACE, flowers cup-shaped crimson-lake; of vigorous habit and extremely floriferous. 1*s.* 6*d.*
LAVOISIER, very large full flowers of perfect form; fine trusses of orange-salmon flowers. 1*s.*
MADAME BOUCHARLAT, large full flower of a bright rosy-cerise shade; very floriferous. 1*s.*
MDLLE. GAUTHIER, beautiful bright satiny-rose colour, shaded with salmon. 1*s.*
MARINER, rich rosy-magenta, upper petals feathered with dark crimson; fine flower. 1*s.*
META, bright cerise flowers, upper petals faintly feathered with maroon. 1*s.* 6*d.*
MICHELET, cerise-scarlet, suffused with magenta, a pleasing colour. 1*s.*
RAPHAËL, large flowers of perfect shape, rosy-salmon, bright centres; very floriferous. 1*s.* 6*d.*
SABINE, bright rosy-carmine, a large well-formed round flower of a most pleasing colour. 1*s.*
SATELLITE, rosy-pink, upper petals feathered with purplish-crimson. 1*s.*
SOURCE TOULOUSAINE, bright carmine-rose, with salmon centre. 1*s.*
VETERAN, large trusses of semi-double flowers, bright orange-carmine, very floriferous. 2*s.* 6*d.*
WRANGLER, soft pink, faintly marked in upper petals with crimson. 1*s.*

NEW AND CHOICE IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

Selections, 12*s.* *and* 18*s.* *per dozen.*

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE ZONAL PELARGONIUMS.

A. DE LA DEVANSAYE, large trusses of well-shaped round flowers, brilliant salmon-orange, margined with white, white eye. *5s.*

ADMIRATION, dwarf habit and very floriferous; large trusses of clear salmon-rose flowers; centre salmon. *5s.*

ADRIEN DE MORTILLET, large rosy-magenta flowers, marked with orange. *1s. 6d.*

ALEXANDRE DUMAS, good round flowers, reddish-scarlet, brighter upper petals; white centre. *5s.*

ALPHONSE DAUDET, a beautiful variety with large trusses of reddish-salmon flowers. *1s. 6d.*

AURELIEN SCHOLL, rose, centre shaded violet, maculated with white on the upper petals. *5s.*

BEAUTY OF CLYFFE HALL, rich deep orange-scarlet, with white eye. *1s. 6d.*

BRUTUS, large trusses of scarlet amaranth flowers, very floriferous. *2s. 6d.*

CALYPSO, large trusses of medium sized flowers, pure white. *1s. 6d.*

CARBONARO, large trusses of round flowers, of a reddish shade. *2s. 6d.*

CHERUBINI, large salmon-vermilion flowers. *2s. 6d.*

COPERNIC, large trusses of orange-rose flowers, shaded carmine, white centre. First-Class Certificate R.H.S. *5s.*

EDEN, large crimson-scarlet flowers, white centre; top petals maculated with orange. *1s. 6d.*

EMILE POSCHARSKY, violet-carmine, with darker nerves. *2s. 6d.*

FLEUVE ROUGE, of dwarf habit, fiery scarlet. *2s. 6d.*

FOURNAISE, brilliant orange-scarlet; enormous trusses. *2s. 6d.*

GUY DE MAUPASSANT, flowers round, of perfect form, orange-salmon, rose centre. *5s.*

HENRI DE PARVILLE, large trusses of rosy-purple flowers. *5s.*

JACQUES CALLOT, very bright salmon, netted with white; large trusses; extra. *7s. 6d.*

JEAN CLAVEURIER, large flowers, dark reddish-crimson. *2s. 6d.*

JEAN RICHEPIN, large trusses of soft salmon flowers, bright centre, the upper petals marked rose. *5s.*

JEANNE D'ARC, brilliant fiery-orange flowers of perfect shape, maculated with white on top petals; white centre. *7s. 6d.*

JULES FERRY, enormous trusses of dark reddish-scarlet flowers. *1s.*

KATKOFF, violet, maculated with scarlet. *2s. 6d.*

LA LORRAINE, enormous trusses of soft rose flowers; good habit. *3s. 6d.*

LA VESTALE, large pure white flowers, of perfect shape. *3s. 6d.*

L'IMMORTEL, rose tinted with dark lilac in the centre, large trusses, plant of dwarf habit. *3s. 6d.*

MDE. DE GROUCHY, salmon passing to white, light eye. *2s. 6d.*

MDE. LAURENT, carmine-crimson, tinted violet. *2s. 6d.*

MDE. LE MARQUISE DE MORTEMART, satiny rose, shaded with crimson, centre blush white. *2s. 6d.*

MDLLE. ANNA KAPFF, porcelain white, shaded lilac on the margins. *2s. 6d.*

M. EIFFEL, rosy lake, upper petals maculated with red, a beautiful colour. *2s. 6d.*

M. HERVÉ MANGON, large flowers, salmon bordered with white, dwarf and floriferous. *1s.*

M. POIRIER, enormous trusses of round flowers, rich carmine, shaded violet, a new colour. *5s.*

M. TUPINIER, large cerise flowers. *2s. 6d.*

M. V. NOULENS, one of the most remarkable varieties ever offered; orange-salmon flower, upper petals maculated white at base, red nerves; lower petals rose-vermilion, maculated with blush-violet. *5s.*

PALAIS DE L'INDUSTRIE, soft rosy-pink, white centre, surrounded with crimson-scarlet. *1s. 6d.*

PERLE, large trusses of well-shaped pure white flowers, very floriferous. *2s. 6d.*

PORT-ROYAL, rosy-salmon, white centre, surrounded with orange; distinct. *3s. 6d.*

RENAISSANCE, rosy red, white centre, upper petals shaded reddish-orange; very free. *2s. 6d.*

RENAN, large trusses of rich apricot-salmon flowers, very floriferous. *1s.*

NEW AND CHOICE ZONAL PELARGONIUMS—continued.

RENÉ MAIZEROY, enormous trusses of round orange salmon flowers, netted with white; distinct white centre; dwarf habit and very floriferous. *5s.*

SOLEIL COUCHANT, bright orange-scarlet, flowers large and round; dwarf and floriferous. *3s. 6d.*

SOUVENIR DE MIRANDE, very distinct, whitish-salmon, margined rose-cerise. *2s. 6d.*

TROPHÉE, large trusses of roso flowers, shaded lilac in centre. *2s. 6d.*

UNIVERS, trusses of large well-made flowers; dark crimson-scarlet. *3s. 6d.*

VICTOR HUGO, large trusses of bright orange-scarlet flowers, dwarf, and very floriferous. *1s.*

WHITE PERFECTION, a free-flowering white variety of good habit. *1s. 6d.*

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

AEROLITHE, irregular orange-scarlet semi-double flowers. *1s.*

ADMIRAL SEYMOUR, dark amaranth-purple colour, marked with red in the upper petals. *1s.*

ALBERT GAUDRY, dwarf and floriferous, clear-rose flowers, light centre. *2s. 6d.*

BELLE NANCEIENNE, large trusses of soft rose flowers, centre, salmon carmine. *1s.*

BONNAT, large spherical trusses of brilliant carmine flowers. *2s. 6d.*

BOUGEREAU, large trusses of beautiful rose flowers, the upper petals maculated with white. *2s. 6d.*

BUFFALO BILL, cream coloured flowers, marbled with rose. *5s.*

CATULLE MENDÈS, very large rosy-purple flowers, upper petals marked with white, very floriferous. *5s.*

CENTAURE, very large round trusses of bright rose flowers, vigorous habit. *1s. 6d.*

CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. *1s. 9s.* per dozen.

COMTE DE FLANDRE, delicate rose, shaded with bright red; very floriferous. *1s.*

COMTESSE DE FLANDRE, flowers beautiful rosy-scarlet; very neat and pretty. *1s.*

COMTE D'HAINAULT, an exceedingly dwarf variety, with rosy-purple flowers. *1s.*

DE LACÉPÈDE, light lilac rose flowers. *2s. 6d.*

DIRECTOR W. SCHÜLE, large reddish-madder flowers. *1s.*

ECLAIREUR, bright red, shaded with scarlet. *2s 6d.*

ERNEST REYER, large trusses of rosy-carmine flowers. *5s.*

ERNEST BAHLSEN, blush tinted violet. *2s. 6d.*

GENERAL BRIÈRE DE L'ISLE, well shaped rosy-salmon flowers. *1s.*

GÉNERAL DE COURCY, brick red in centre shading to salmon, marbled with white. *1s.*

GEROME, large trusses of double rosy-violet flowers. *2s. 6d.*

GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. *1s.*

GLOIRE DE FRANCE, dark salmon, shading to whitish-rose; extra large trusses. *1s.*

HENRI MEILHAC, large trusses of perfectly shaped flowers, salmon tinted with apricot, centre orange, very floriferous. *5s.*

JEAN BOUCHET, globular trusses of dark rosy-violet flowers. *2s. 6d.*

KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. *1s.*

L'ABBÉ BOURGEOIS, immense trusses of very large brilliant vermilion flowers; extra. *3s. 6d.*

L'ABBE GRÉGOIRE, dark crimson, marked bright reddish-amaranth in the upper petals. *1s.*

L'ANDALOUSE, large trusses of creamy white flowers, very free. *1s.*

LA FAVORITE, large trusses of well-made pure white flowers. *3s. 6d.*

LA JEANNETTE, dwarf and free; large full flowers of the most pure snowy whiteness. *1s.*

LE CAMELEON, colour varying from rose to red, often striped or splashed, dwarf habit. *2s. 6d.*

LE CID, fine trusses of very bright crimson flowers; vigorous habit. *1s. 6d.*

LE POITEVIN, fine trusses of brilliant cerise flowers, shaded with magenta. *1s.*

LE PROPHETE, plant very vigorous; fine trusses of bright madder flowers. *1s. 6d.*

LOUIS FIGUIER, large compact trusses, dark red bordered with rose. *1s.*

LUCIFER, large trusses of a peculiar shade of red, very floriferous. *5s.*

MADAME DUPONT, trusses of rosette-like flowers, fiery scarlet. *2s. 6d.*

MADAME LA MARQUISE DE LA BAUME, large bright rosy-magenta flowers. *2s. 6d.*

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

MADAME DE NAUROIS, rosy-carmine flowers, maculatod with whito, light centre. 1*s.*
MADAME GRILLET, soft rose flowers, good truss. 1*s.*
MADAME GUILBERT, large trusses of pure rose flowers. 1*s.*
MADAME MENOREAU, pure white, centre bright rose. 1*s.*
M. BAROU, reddish-orange, lit up with violet. 1*s.* 6*d.*
M. BERGER, large trusses of dark cerise flowers; dwarf habit. 3*s.* 6*d.*
M. DE BOFFLEY, bright apricot colour, shaded orange. 2*s.* 6*d.*
M. DE LEYBARDIE, rosy-violet, the upper petals marked with white. 1*s.*
M. FABRE, orange-cerise, shaded violet. 1*s.*
M. J. DELAUX, rosy-purple, shaded with carmine, upper petals marked with white. 1*s.*
M. JEAN LIABAUD, largo trusses of purplish-violet flowers. 1*s.*
M. JOVIS, centre bright salmon, margins yellowish-white. 2*s.* 6*d.*
M. M. MATHIEU, magenta-cerise flower, centre orange. 2*s.* 6*d.*
M. MOISSAN, large trusses of reddish orange flowers; good habit. 3*s.* 6*d.*
MONTESQUIEU, large flowers of a rose-mauve colour, light centre. 5*s.*
PAUL ARÈNE, very dwarf and floriferous; well-formed milk-white flowers. 2*s.* 6*d.*
PETIT JEAN, enormous trusses of Solferino-coloured flowers, the upper petals fiery red. 1*s.*
PH. GEDULDIG, reddish-carmine, shaded in the centre with violet 1*s.*
PRESIDENT CARNOT, bright vermilion, shaded cardinal. 2*s.* 6*d.*
PRESIDENT DUTAILLY, dark amaranth, bordered maroon. 1*s.*
PRINCESSE CLEMENTINE, extremely double scarlet-vermilion flowers, very floriferous. 1*s.*
PROUVE, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1*s.*
RAFFAELLO MERCATELLI, reddish-salmon, semi-double flowers. 1*s.*
ROMULUS, dark violet, maculated with red. 1*s.*
RUBENS, rose madder, shaded orange, white reverse. 2*s.* 6*d.*
RUY BLAS, centre bright salmon, the rest of the flower peach-rose. 5*s.*
SAINT-SAËNS, large trusses of bright red flowers, margined with salmon. 5*s.*
SECRETAIRE NICOLAS, orange-madder; fine trusses. 1*s.*
SERGENT BOBILLOT, beautiful rosy-purple flowers; fine trusses. 1*s.*
SOUVENIR DE LOUIS VAN HOUTTE, beautiful carmine-rose flowers; very floriferous. 1*s.*
TUNISIE, erect trusses of double flowers, white shaded with salmon. 2*s.* 6*d.*
VIVIAND MOREL, amaranth, centre deep red. 1*s.*
WILHELM PFITZER, orange salmon of a new shade, plant dwarf and very floriferous. 5*s.*
WILLIAM KELWAY, enormous trusses of fiery scarlet flowers. 5*s.*

Selections of other good varieties can be made from Mr. W. B.'s general collection at 9s., 12s. and 18s. per dozen.

SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s, 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

CYATHEA SMITHII. CYATHEA DEALBATA.

DICKSONIA ANTARCTICA.

Vide next page.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well established plants, many of them having been grown in this country several years. The measurements of some of the plants are given below :—

Prices on application, or an inspection invited.

DICKSONIA ANTARCTICA.	
No.	Height of Stem.
1	6 ft. 9 in.
2	10 in.
3	6 ft. 6 in.
4	4 ft.
5	4 ft. 2 in.
6	6 ft. 3 in.
7	6 ft. 4 in.
8	8 ft. 8 in.
9	5 ft.
10	5 ft. 9 in.
11	4 ft. 4 in.
12	5 ft. 2 in.
13	1 ft. 10 in.
14	4 ft. 10 in.
15	7 ft. 10 in.
16	6 ft. 4 in.
17	1 ft. 2 in.
18	3 ft. 5 in.
19	2 ft. 1 in.
20	6 in.
21	3 ft. 6 in.
22	5 ft. 8 in.
23	8 ft.
24	5 ft. 2 in.
25	3 ft. 4 in.
26	4 ft.
27	7 ft. 10 in.
28	2 ft. 8 in.
29	3 ft. 5 in.
30	2 ft. 9 in.
31	3 ft.
32	8 ft. 9 in.
33	3 ft. 3 in.
34	6 ft. 5 in.
35	4 ft.

DICKSONIA ANTARCTICA.	
No.	Height of Stem.
36	3 ft. 8 in.
37	2 ft. 8 in.
38	8 ft. 2 in.
39	3 ft. 10 in.
40	2 ft.
41	4 ft. 2 in.
42	8 ft. 2 in.
43	13 ft.
44	10 ft. 6 in.
45	2 ft. 11 in.
46	6 ft.
47	7 ft. 7 in.
48	7 ft. 4 in.
49	2 ft. 10 in.
50	7 ft. 8 in.
51	6 ft. 9 in.
52	2 ft. 4 in.
53	7 ft. 2 in.
54	2 ft. 10 in.
55	5 ft. 4 in.
56	1 ft. 10 in.
57	8 ft. 4 in.
58	3 ft. 5 in.
59	2 ft. 10 in.
60	10 ft. 6 in.
61	1 ft. 9 in.
62	7 ft. 10 in.
63	2 ft. 3 in.
64	5 ft. 10 in.
65	7 ft. 1 in.
66	7 ft. 6 in.
67	6 ft.
68	6 ft. 4 in.
69	1 ft. 10 in.

CYATHEA DEALBATA.	
No.	Height of Stem.
70	2 ft. 9 in.
71	4 ft. 8 in.
72	4 ft. 7 in.
73	1 ft.
74	2 ft. 9 in.
75	5 ft.
76	3 ft. 4 in.
77	5 ft. 10 in.
78	4 ft.
79	5 ft. 6 in.

CYATHEA BURKEI.	
82	8 ft. 4 in.
83	7 ft. 8 in.
84	6 ft. 7 in.
85	8 ft. 5 in.
86	4 ft. 6 in.
87	6 ft. 1 in.
88	9 ft.

CYATHEA DREGEI.	
89	5 ft. 2 in.
90	6 ft. 6 in.
91	7 ft. 6 in.
92	6 ft. 4 in.

ALSOPHILA CAPENSIS.	
93	1 ft. 10 in.
94	2 ft. 2 in.
95	2 ft. 8 in.
96	1 ft. 1 in.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 18s., 30s. and 42s. per dozen.

ADIANTUM ANEITENSE.

A very elegant free-growing species of Maiden-hair Fern, introduced from the Island of Aneiteum. It has a creeping rhizome clothed with dark coloured scales, and divided deltoid fronds. The numerous segments of which the fronds are made up are rhomboidal, nearly sessile, firm in texture, with a glabrous surface, subglaucous beneath, and shallowly lobed along the upper and outer edges, where the roundish reniform sori are borne in the centre of the lobes. *3s. 6d.*

ADIANTUM AMABILE, *1s. 6d.*
ASSIMILE CRISTATUM, *vide* page 120.
BAUSEI, *3s. 6d.*
BELLUM, *3s. 6d.*
CARDIOCHLÆNA, *3s. 6d.*
CILIATUM, *3s. 6d.*
COLLISII, *3s. 6d.* and *5s.*
CONCINNUM, *1s. 6d.* and *2s. 6d.*
—— LATUM, *2s. 6d.* and *3s. 6d.*
CURVATUM, *3s. 6d.*
DIFFUSUM, *3s. 6d.*
ADIANTUM DOLABRIFORMIS, *3s. 6d.*
FARLEYENSE, *2s. 6d.*, *3s. 6d.* & *5s.*
—— ALCICORNE, *5s.*
FRAORANTISSIMUM, *3s. 6d.*
FULVUM *2s. 6d.* and *3s. 6d.*
GHIESBREGHTII (SCUTUM), *3s. 6d.*
LATHOMII, *3s. 6d.*
LEGRANDII, *3s. 6d.*
LUNULATUM *3s. 6d.*
MACROPHYLLUM, *3s. 6d.*
PENTADACTYLON, *3s. 6d.*

ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipes, and a lamina composed of shortly-stalked pinnæ, curved upwards at the point, which is acuminate. In the sterile fronds the pinnæ are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. *7s. 6d.*

ADIANTUM REGINÆ, *3s. 6d.*
RHODOPHYLLUM, *5s.*
RUBELLUM, *3s. 6d.*
SANCTÆ CATHERINÆ, *3s. 6d.*
SCUTUM, *vide* GHIESBREGHTII.
SPECIOSUM, *3s. 6d.*
TENERUM, *2s. 6d.*
TINCTUM, *3s. 6d.*
TRAPEZIFORME, *3s. 6d.*
VEITCHII, *3s. 6d.*
VICTORIÆ, *3s. 6d.*
WEIGANDII, *2s. 6d.* and *3s. 6d.*
ALSOPHILA REBECCÆ, *3s. 6d.* and *5s.*
ANEMEDICTYON PHYLLITIDIS, *1s. 6d.* and *2s. 6d.*
PHYLLITIDIS TESSELLATA, *5s.*
ANGIOPTERIS EVECTA.
ANTIGRAMMA BRASILIENSIS *7s. 6d.* and *10s. 6d.*
ASPIDIUM TRIFOLIATUM, *2s. 6d.* and *3s. 6d.*
ASPLENIUM ALATUM, *3s. 6d.*
BELANGERI, *2s. 6d.*
CICUTARIUM, *2s. 6d.*
FERNANDEZIANUM, *3s. 6d.*
FÆNICULACEUM, *2s. 6d.*
HOOKERIANUM, *3s. 6d.*
PROLONGATUM, *3s. 6d.* and *5s.*
SHEPHERDII, *2s. 6d.* and *3s. 6d.*
VIVIPARUM, *3s. 6d.*
BLECHNUM BRASILIENSE, *3s. 6d.*
INTERMEDIUM, *3s. 6d.*
POLYPODIOIDES, *2s. 6d.* and *3s. 6d.*

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. *5s.* and *7s. 6d.*

CHEILANTHES ELEGANS, *2s. 6d.* and *3s. 6d.*
HIRTA ELLISIANA, *3s. 6d.*
CIBOTIUM SCHIEDEI, *5s.* and *7s. 6d.*
CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 120.

DAVALLIA FIJIENSIS.

A charmingly elegant evergreen Fern, free in growth, firm and durable in texture, and bright green in colour, introduced from the Fiji Islands. The fronds grow two or three feet in height, and have a deltoid outline, the points of the fronds and of the pinnæ being gracefully deflexed; they are compoundly divided, the whole frond being split up into lanceolate pinnules and pinnulets, and finally cut into narrow linear bifid divisions. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. *5s.*

GYMNOGRAMMA ELEGANTISSIMA.

GYMNOGRAMMA ELEGANTISSIMA.

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnæ being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. 10*s.* 6*d.*

DAVALLIA FIJIENSIS PLUMOSA.

This is certainly one of the most charming forms of a remarkably ornamental species. It has creeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or more in length It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, the *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 7*s*. 6*d*.

DAVALLIA BULLATA, 2*s*. 6*d*.
CHÆROPHYLLA, 3*s*. 6*d*.
FÆNICULACEA, 3*s*. 6*d*.
HEMIPTERA, 5*s*.
LORRAINII, 10*s*. 6*d*. and 15*s*.
MARIESII, 3*s*. 6*d*.
—— CRISTATA, 3*s*. 6*d*.
MOOREANA, 2*s*. 6*d*. and 3*s*. 6*d*.
NOVA ZEALANDIÆ, 2*s*. 6*d*.
PENTAPHYLLA, 3*s*. 6*d*.
POLYANTHA, 3*s*. 6*d*.
PYXIDATA, 3*s*. 6*d*.
SOLIDA, 3*s*. 6*d*.
TENUIFOLIA, 3*s*. 6*d*.
TYERMANNI (HUMATA), 3*s*. 6*d*.
DIPLAZIUM ARNOTTII, 7*s*. 6*d*.
DORYOPTERIS PALMATA, 2*s*. 6*d*.
SAGOITTÆFOLIA, 3*s*. 6*d*.
ELAPHOGLOSSUM GLABRATUM, 7*s*. 6*d*.
L'HERMINIERI, 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
GLEICHENIAS, *vide* page 122.
GONIOPHLEBIUM FRAXINIFOLIUM, 5*s*.
GLAUCOPHYLLUM, 5*s*.
SUBAURICULATUM, 3*s*. 6*d*.
GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 3*s*. 6*d*. and 5*s*.
CALOMELANOS, 2*s*. 6*d*. & 3*s*. 6*d*.
CHRYSOPHYLLA, 2*s*. 6*d*. and 3*s*. 6*d*.
DECOMPOSITA, 3*s*. 6*d*.
ELEOANTISSIMA, *vide* page 118.
LAUCHEANA, 3*s*. 6*d*.
—— GIGANTEA, 3*s*. 6*d*.
MAYII, 3*s*. 6*d*. and 5*s*.
MERTENSII, 2*s*. 6*d*. and 3*s*. 6*d*.
—— DOBROYDENSIS, 5*s*.
PERUVIANA ARGYROPHYLLA, 3*s*. 6*d*.
SCHIZOPHYLLA, 1*s*. 6*d*. and 2*s*. 6*d*.
—— GLORIOSA, 3*s*. 6*d*.
WETENHALLIANA, 2*s*. 6*d*. and 3*s*. 6*d*.
GYMNOPTERIS QUERCIFOLIA, 3*s*. 6*d*.
GYMNOTHECA RADDIANA, 2 and 3 guineas
HEMIONITIS PALMATA, 2*s*. 6*d*. and 3*s*. 6*d*.

LASTREA JENMANI.

This Fern has been introduced from Jamaica. The stipes is erect, stout and scaly, the frond about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinnæ are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis, into blunt slightly crenulate segments. 5*s*.

LASTREA QUINQUANGULARIS, 3*s*. 6*d*.
RICHARDSII MULTIFIDA, 3*s*. 6*d*.
See also page 122.
LOMARIA GIBBA, 1*s*. 6*d*. and 2*s*. 6*d*.
HETEROPHYLLA, 3*s*. 6*d*. and 5*s*.
LYGODIUM SCANDENS, 3*s*. 6*d*.
MENISCIUM RETICULATUM, 5*s*.
MICROLEPIA HIRTA CRISTATA, 3*s*. 6*d*.
NEPHRODIUM TRUNCATUM, 7*s*. 6*d*.
NEPHROLEPIS BAUSEI. 5*s*.
DAVALLIOIDES FURCANS, 3*s*. 6*d*.
DUFFII, 2*s*. 6*d*. and 3*s*. 6*d*.
ENSIFOLIA, 5*s*.
PECTINATA, 3*s*. 6*d*.
RUFESCENS TRIPINATIFIDA, 3*s*. 6*d*.
PHILIPPINENSIS, 3*s*. 6*d*.

PHLEBODIUM GLAUCUM, 3*s.* 6*d.* and 5*s.*
PLATYCERIUM GRANDE
STEMMARIA, 10*s.* 6*d.* and 15*s.*
PLEOCNEMIA LEUZEANA, 5*s.* and 7*s.* 6*d.*
PLEOPELTIS PICTA, 5*s.*
POLYSTICHUM LENTUM, 5*s.*
VIVIPARUM, 3*s.* 6*d.* and 5*s.*
POLYPODIUM PECTINATUM, 3*s.* 6*d.*
PLUMOSUM, 5*s.*
VENOSUM, 3*s.* 6*d.*
PTERIS HASTATA, 1*s.* 6*d.*
INTERNATA, 2*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 18s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tasselate growths, which cause the fronds to arch over in a most elegant manner. The pinnules are of a bright green colour, which, combined with the pendulous character of its fronds, renders it one of the most useful for growing in suspended baskets, &c. It has been imported from Victoria. 10*s.* 6*d.*

ADIANTUM CAPILLUS-VENERIS, 1*s.* 6*d.*
CAPILLUS-VENERIS GRANDE, 2*s.* 6*d.* & 3*s.* 6*d.*
—— —— MAGNIFICUM, 3*s.* 6*d.*
—— —— MARIESII, 3*s.* 6*d.*
ADIANTUM CAPILLUS-VENERIS PACOTTI, 1*s.* 6*d.* and 2*s.* 6*d.*
CUNEATUM, 1*s.* 6*d.* and 2*s.* 6*d.*

ADIANTUM CUNEATUM ELEGANS.

This is an elegant variety of the old and favourite *Adiantum cuneatum*. Less dense than the typical form and less gossamer-like than the variety *gracillimum*, it is about intermediate between the two, perfectly distinct and equally effective as a decorative plant, added to which it is hardier, stands better when cut and produces a much larger quantity of fronds. The pinnæ, which are triangular ovate, have a distinct stalk, and the whole frond has a light and airy appearance, owing to the small and narrowly wedge-shaped pinnules being rather widely set on the hair-like divisions of the fronds. 2*s.* 6*d.*

ADIANTUM CUNEATUM GRANDICEPS, 3*s.* 6*d.*
DECORUM, 3*s.* 6*d.*
FORMOSUM, 1*s.* 6*d.*
GRACILLIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
HISPIDULUM, 1*s.* 6*d.*
MUNDULUM 3*s.* 6*d.*
PEDATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
WILLIAMSII, 2*s.* 6*d.*
See also page 117.
ALSOPHILA AUSTRALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
CAPENSIS, 10*s.* 6*d.* and 15*s.* For large plants *vide* page 116.
ASPLENIUM BULBIFERUM, 1*s.* 6*d.* and 2*s.* 6*d.*
COLENSOI, 2*s.* 6*d.*
FALCATUM, 7*s.* 6*d.*
CHEILANTHES, *vide* page 117.
CIBOTIUM REGALE, 3*s.* 6*d.* and 5*s.*
—— SCHIEDEI, *vide* page 117.

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* For large plants, *vide* page 116.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3*s.* 6*d.* and 5*s.* For large plants, *vide* page 116.

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10*s.* 6*d.*

CYATHEA MEDULLARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
(CIBOTIUM) PRINCEPS, 3*s.* 6*d.* and 5*s.*
CYRTOMIUM CARYOTIDEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FALCATUM, 2*s.* 6*d.*
FORTUNEI, 2*s.* 6*d.*
DAVALLIA DISSECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*
DICKSONIA ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
For large plants, *vide* page 116.
(BALANTIUM) CULCITA, 5*s.*
SQUARROSA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
DIDYMOCHLÆNA TRUNCATULA, 3*s.* 6*d.*
DIPLAZIUM, *vide* page 119.
DORYOPTERIS PALMATA, *vide* page 119.



GLEICHENIA DICARPA LONGIPINNATA, *vide* page 122.

DOODIA ASPERA MULTIFIDA.

A handsomo crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds aro prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at tho Provincial Show of the Royal Horticultural Society, held at Preston. 3*s.* 6*d.*

GLEICHENIA DICARPA, 3*s.* 6*d.* and 5*s.*
DICARPA LONGIPINNATA, 10*s.* 6*d.*
DICHOTOMA, 7*s.* 6*d.*
FLABELLATA, 5*s.* and 7*s.* 6*d.*
MENDELII, 10*s.* 6*d.* and 15*s.*
MICROPHYLLA, 5*s.* and 7*s.* 6*d.*
RUPESTRIS GLAUCESCENS, 10*s.* 6*d.*
SEMIVESTITA, 5*s.* and 7*s.* 6*d.*
SPELUNCÆ, 7*s.* 6*d.*
HYMENOPHYLLUM DEMISSUM, 5*s.* and 7*s.* 6*d.*
LASTREA ARISTATA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
CORUSCA, *vide* pago 7.
OLABELLA, 2*s.* 6*d.* and 3*s.* 6*d.*
LEPIDA, 3*s.* 6*d.*
PROLIFICA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
LOMARIA CILIATA, 3*s.* 6*d.*
CYCADÆFOLIA, 5*s.* and 7*s.* 6*d.*
GIBBA, *vide* page 119.
DALGAIRNSLÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
ZAMIÆFOLIA, 3*s.* 6*d.* and 5*s.*
NEPHRODIUM MOLLE CRISTATUM, 3*s.* 6*d.*
MOLLE RAMOSUM, 3*s.* 6*d.*
ONYCHIUM JAPONICUM, 1*s.* 6*d.*
OSMUNDA JAPONICA CORYMBIFERA, 2*s.*6*d.*& 3*s.*6*d.*
PALUSTRIS, 3*s.* 6*d.*
PLATYCERIUM ALCICORNE, 3*s.* 6*d.*
ALCICORNE MAJUS, 7*s.* 6*d.*
POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
POLYSTICHUM POLYBLEPHARUM, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PTERIS ARGYREIA, 1*s.* 6*d.* and 2*s.* 6*d.*
CRETICA ALBO-LINEATA, 1*s.* 6*d.*
—— MAYII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— NOBILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
HASTATA, 1*s.* 6*d.*
INTERNATA, 2*s.* 6*d.*
REX, 3*s.* 6*d.* and 5*s.*
SERRULATA, 1*s.*
—— CRISTATA, 2*s.* 6*d.*
—— —— COMPACTA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
TREMULA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FLACCIDA, 2*s.* 6*d.* and 3*s.* 6*d.*

PTERIS TREMULA GRANDICEPS.

This handsome greenhouso Fern, which is well adapted to become a very useful one for decorativo purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7*s.* 6*d.*

PTERIS TRICOLOR, *vide* pago 120.

TODEA AFRICANA, 2*s.* 6*d.* and 3*s.* 6*d.*

TODEA (LEPTOPTERIS) SUPERBA.

Auy attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 3*s.* 6*d.* and 5*s.* Fine strong plants, 10*s.* 6*d.*, 15*s.* and 1 guinea.

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

TRICHOMANES RADICANS DISSECTUM, 5*s.* & 7*s.* 6*d.* | WOODWARDIA ORIENTALIS, 2*s.* 6*d.* & 3*s.* 6*d.*

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS.)

G, greenhouse; *H*, hardy; *S*, stove.

	s.	d.		s.	d.
S AFRICANA	2	6	*G* KRAUSSIANA AUREA ..... 1*s.* 6*d.* &	2	6
S ALBO-SPICA	3	6	*G* —— VARIEGATA	1	6
S AMŒNA ..... 2*s.* 6*d.* &	3	6	*S* LÆVIGATA (CÆSIA ARBOREA)	3	6
S APUS (APODA)	1	6	*S* LOBBII	2	6
S ATROVIRIDIS	2	6	*S* LYALLII	3	6
S BROWNII	2	6	*S* MARTENSII	1	6
S CANALICULATA	5	0	*S* —— ALBO-VARIEGATA	1	6
S COGNATA	3	6	*S* POULTERI	2	6
S CUSPIDATA	2	6	*S* RUBRICAULIS	2	6
S EMILIANA	3	6	*S* SERPENS (MUTABILIS and VARIABILIS)	1	6
S FILICINA (DICHROUS)	2	6	*S* SETOSA	2	6
S FLAGELLIFERA	3	6	*S* TASSELLATA, *vide* page 124.		
S GALEOTTII (SCHOTTII)	2	6	*S* VOGELLII VARIEGATA	5	0
S GRANDIS ..... 3*s.* 6*d.* &	5	0	*S* UNCINATA (CÆSIA)	1	6
S INÆQUALIFOLIA ..... 1*s.* 6*d.* &	2	6	*S* VICTORIÆ	3	6
G INVOLVENS ..... 2*s.* 6*d.* &	3	6	*S* WALLICHII	3	6
G KRAUSSIANA (DENTICULATA)	0	9	*G* WILDENOVII (PUBESCENS)	2	6

Selection of good kinds can be supplied at 18s. per dozen.



SELAGINELLA TASSELLATA.

SELAGINELLA TASSELLATA.

A remarkably handsome and elegant species introduced from Brazil. From the creeping caudex are developed at intervals erect stems; these have flat closely pinnate branches and branchlets, from the tips of which are produced fertile quadrangular spikelets about an inch and a half in length, giving the plant the appearance of being furnished with a profusion of elegant tassels. This striking and peculiar character renders it one of the most desirable and attractive of the Club-mosses. 3*s.* 6*d.* & 5*s.*

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

ACANTHOPHŒNIX CRINITA (ARECA CRINITA) ..... 10*s.* 6*d.* and 15*s.*

ACANTHORRHIZA ACULEATA (CHAMÆROPS STAURACANTHA) ..... 10*s.* 6*d.* and 15*s.*

***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes ..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas.

ARECA ALBA, *vide* DICTYOSPERMA ALBUM.

ALICÆ, a North-east Australian Palm, found in Trinity Bay by Mr. Walter Hill, and commemorates the late Grand Duchess of Hesse—Princess Alice. The leaves are pinnatisect, the pinnæ-like segments sessile. Its comparatively dwarf habit will render this pinnate Palm, a valuable one for decorative purposes ..... 1 guinea.

AUREA, *vide* DICTYOSPERMA AUREUM.

* BAUERI *vide* RHOPALOSTYLIS BAUERI.

CRINITA, *vide* ACANTHOPHŒNIX CRINITA.

LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS

MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

MONOSTACHYA, *vide* BACULARIA MONOSTACHYA

RUBRA, *vide* DICTYOSPERMA RUBRUM

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA

TRIANDRA ..... 10*s.* 6*d.* and 15*s.*

VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII

***ARENGA** WIGHTII ..... 1 guinea.

ASTROCARYUM MALYBO (A. ARGENTEUM) ..... 1½ and 2 guineas

BACULARIA MONOSTACHYA, "Walking Stick Palm," (ARECA MONOSTACHYA, LINOSPADIX MONOSTACHYA) ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from the crowns of which are developed its large and handsome leaves, which differ materially from the typal and only other known Bowenia in having the margins distinctly toothed or serrated. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Carlisle, and the First Prize at the International Horticultural Exhibition at Ghent ..... 5*s.* and 7*s.* 6*d.*

CALAMUS AUSTRALIS .....

CILIARIS ..... 1, 1½ and 2 guineas

MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*

(DÆMONOROPS) PALEMBANICUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

(——) PERIACANTHUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

ROXBURGHII ..... 10*s.* 6*d.*

CALYPTROGYNE SWARTZII "Mountain Thatch Palm" (CALYPTRONOMA SWARTZII) 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*

CALYPTRONOMA SWARTZII, *vide* CALYPTROGYNE SWARTZII

CARLUDOVICA DRUDEI, a noble and decorative stove Cyclanth, introduced from the United States of Colombia. In habit it somewhat resembles a Fan Palm, with handsome and effective deep green lustrous leaves. The flowers are borne on a stalked erect spadix of cylindrical form and of ivory-white colour, and resemble a bottle brush by reason of the long stamens which project horizontally from the female flowers ..... 10*s.* 6*d.* and 15*s.*

PALMATA ..... 10*s.* 6*d.* and 15*s.*

PLUMIERI, a remarkably interesting plant. It has an erect waving caudex, with alternate leaves. The leaf blades are bipartite, the divisions lanceolate, plicate, with the ribs raised on the upper surface, bright green above, paler beneath. The pendulous spadices are four inches long, axillary, pedunculate, and covered with twisted threads 10*s.* 6*d.*

WALLISII, a Palm-like stove plant. It has erect semi-tereto petioles, which support the spreading ovate blade of the leaf, which is two-lobed and plicate. Each division of the leaf is about a foot long and six or eight inches broad. Flowers white, remarkably sweet-scented. Introduced from the United States of Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CARYOTA URENS "Wine Palm" ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CATAKIDOZAMIA HOPEI .....
DENISONI, *vide* LEPIDOZAMIA

CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS

CHAMÆDOREA ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
FORMOSA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CHAMÆDOREA GRAMINIFOLIA .. 10*s.* 6*d.* and 15*s.*
* POLITA, a neat-habited greenhouse Palm. The stems are quite smooth, as also are the petioles, which are terete, the leaves being bifid, or when a stage more advanced breaking up into two pairs of green pinnæ, with the terminal leaflet larger than the others. It has been imported from Mexico. 10*s.* 6*d.*

***CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS
* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI
* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea, to 2, 3 and 4 guineas each.
* —— GRACILIS ..... 15*s.* and 1 guinea.
* —— ROBUSTA ..... 15*s.* and 1 guinea.
* —— TOMENTOSA ..... 15*s.* and 1 guinea.
STAURACANTHA, *vide* ACANTHORRHIZA ACULEATA

CHRYSALIDOCARPUS LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 5*s.* and 7*s.* 6*d.*
* CHILENSIS, *vide* JUBÆA SPECTABILIS
* FLEXUOSA ..... 3*s.* 6*d.* and 5*s.*
INSIGNIS (GLAZIOVA INSIGNIS), 7*s.* 6*d.* and 10*s.* 6*d.*

***COCOS** PLUMOSA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PROCOPEANA ..... 5*s.* and 7*s.* 6*d.*

WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnæ or segments, of a rich green colour. In all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* 5*s.* to 1 guinea.

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS

* DECORA, an elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments each about half-an-inch in breadth. This species will undoubtedly be found one of the most useful of greenhouse palms ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

CYCAS ARMSTRONGII .....

CIRCINALIS ..... 1½ and 2 guineas.

MEDIA, a noble form of Cycad introduced from intertropical New Holland. The trunk is both stout and tall, cylindrical, and tolerably even in outline, the surface closely dotted by the scar-like marks which indicate the places whence leaf-stalks have been removed. This stem produces a grand head of leaves, which are of a large size, and somewhat variable in form and character in different specimens. Trunks in various sizes. Prices on application.

NORMANBYANA ..... 10*s.* 6*d.* and 15*s.*

* REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

RUMPHII .....

SIAMENSIS .....

CYCLANTHUS DISCOLOR ..... 1 guinea

CYPHOKENTIA GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

MACROCARPA, *vide* KENTIOPSIS MACROCARPA

DÆMONOROPS, *vide* CALAMUS

DICTYOSPERMA ALBUM (ARECA ALBA) ..... 3*s.* 6*d.* and 5*s.*

AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*

RUBRUM (ARECA RUBRA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

DIOON EDULE ..... 1, 2 and 3 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS

CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*

DRYMOPHLŒUS SINOAPORENSIS (PTYCHOSPERMA SINOAPORENSIS). Truly a "most elegant" Palm. It has slender stems, and rich green leaves on smooth green petioles. The leaves are elegantly drooping in habit and ovate in form, consisting of numerous narrow leaflets, tapering to a long slender point. It has been introduced from Singapore.

***ENCEPHALARTOS** CAFFRA .....

* HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.

* HORRIDUS .....

* —— MULTIFLEXUS .....

* (ZAMIA) LEHMANNI .....

* (——) —— OLAUCUS .....

* (——) —— SPINOSUS .....

* (——) REGALIS. A noble and stately Cycadaceous plant, imported from the interior of the Zulu country, where it grows in rifts on the precipitous sides of deep kloofs or ravines. It forms a stout cylindrical trunk or stem, from which springs a handsome head of twelve to twenty gracefully arching palm-like leaves six to seven feet in length. The leaflets are lanceolate, with occasional spines on the upper margins; thickly coriaceous in texture and from five to six inches long by one and a quarter inches broad. These are closely set on the rachis, which, as well as the leaflets, are slightly tomentoso. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. *Vide* illustration page 4. Price on application.

* (——) VILLOSUS .....

* (——) —— AMPLIATUS ..

* (——) —— DENTICULATUS

* (——) —— GRACILIS....

* (——) —— VROOMII.... 4 and 5 guineas.

EUTERPE EDULIS "ASSAI PALM" (OREODOXA SANCONA) 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA GRACILIS ..... 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.* to 10*s.* 6*d.*

LATIFOLIA ..... 3*s.* 6*d.* and 5*s.*

PRINCEPS ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

SCHOTTIANA ..... 3*s.* 6*d.* and 5*s.*

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA

INSIGNIS, *vide* COCOS INSIGNIS

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA

FORSTERIANA, *vide* HOWEA FORSTERIANA

***HEDYSCEPE** CANTERBURYANA "Umbrella Palm" (KENTIA CANTERBURYANA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

HETEROSPATHE ELATA (METROXYLON ELATUM), 10*s.* 6*d.*, 15*s.* and 1 guinea.

OEONOMA GRACILIS.

*HOWEA BELMOREANA, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

* FORSTERIANA, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA) .....

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS

INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS

(ARECA) VERSCHAFFELTII, 10*s.* 6*d.*, 15*s.* and 1 guinea

*JUBÆA SPECTABILIS, "Coquito Nut Palm," (COCOS CHILENSIS, MOLINIA CHILENSIS)

*KENTIA AUSTRALIS .....

* BELMOREANA, *vide* HOWEA BELMOREANA

* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA

ELEGANTISSIMA .....

* FORSTERIANA, *vide* HOWEA FORSTERIANA

GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

LINDENI, *vide* KENTIOPSIS MACROCARPA

MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII

MONOSTACHYA, *vide* ARECA MONOSTACHYA

* RUPICOLA

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA

WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA

*KENTIOPSIS MACROCARPA (CYPHOKENTIA MACROCARPA, KENTIA LINDENI) .....

OLIVÆFORMIS (KENTIAGRACILIS, CYPHOKENTIA GRACILIS) .....

HOWEA (KENTIA) BELMOREANA.

*LATANIA BORBONICA, *vide* LIVISTONA CHINENSIS

* COMMERSONI (L. RUBRA)..... 1 and 1½ guinea.

LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA

LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI) .....

LINOSPADIX MONOSTACHYA, *vide* BACULARIA MONOSTACHYA

LIVISTONA ALTISSIMA ..... 10*s.* 6*d.*, 15*s.* & 1 guinea.

* AUSTRALIS (CORYPHA AUSTRALIS).....1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

* CHINENSIS (LATANIA BORBONICA, L. SINENSIS. L. MAURITIANA) in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea, to 2, 3, 4 and 5 guineas each.

HOOGENDORHFII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, and giving the leaves a bold and distinctive character ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* MAURITIANA, *vide* L. CHINENSIS

ROTUNDIFOLIA (SUBGLOBOSA) ..... 3*s.* 6*d.* and 5*s.*

* SINENSIS, *vide* L. CHINENSIS

LOXOCOCCUS RUPICOLA (PTYCHOSPERMA RUPICOLA) ..... 1 and 1½ guinea.

*MACROZAMIA CYLINDRICA, a distinct and well-marked Cycad, introduced from Queensland. It has a long-necked stem, and dark green coriaceous leaves; the pinnæ are glossy on the surface, each being marked at the base with a large ivory-white patch, which strongly contrasts with the dark green mid-rib which lies between the two rows of ivory markings.

* DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA

* MACKENZII, a handsome and ornamental Cycad from Queensland. The leaves are ovate in outline, with numerous pairs of narrow tapering segments of a dark green colour, and nine to ten inches in length. The rachis is strongly convex behind, slightly so in front, with the segments of the central portion set on at about half an inch apart, the upper ones being more closely, the lower ones more distantly placed. 3, 4 and 5 guineas.

*MACROZAMIA PLUMOSA, this beautiful Cycadaceous plant has been imported from Queensland. From a small ovate stem, the scales of which are woolly, rise the erect spirally-twisted leaves, which have a flattened petiole. These leaves are furnished nearly to the base with narrow linear leaflets, which are set on at intervals of about a quarter of an inch, and are from six to eight inches long. The plant is remarkable for its distinct and elegant character. It has been awarded a First Class Certificate by the Royal Horticultural Society. 2, 3 and 4 guineas.

MARTINEZIA GRANATENSIS ..... 10*s.* 6*d.* and 15*s.*

MAXIMILIANA REGIA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

METROXYLON ELATUM, *vide* HETEROSPATHE ELATA

*MOLINIA OHILENSIS, *vide* JUBÆA SPECTABILIS

OREODOXA SANCONA, *vide* EUTERPE EDULIS

PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA

*PHŒNIX COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis;* its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

DACTYLIFERA (THE DATE PALM) ..... 10*s.* 6*d.*, 15*s.* and 1 guinea.

* HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera.* It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera.* The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 1 and 1½ guinea.

*PHŒNIX INTERMEDIA, an interesting hybrid botween *P. sylvestris* and *P. æquinoctialis.* It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouso and couservatory 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* REOLINATA ..... 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*

* RUPICOLA, this is oue of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition 2*s.* 6*d.* and 3*s.* 6*d* : fine plants, 21*s.*, 31*s.* 6*d.* and 42*s.*

* SYLVESTRIS, a Sugar-yielding Palm 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

PHOLIDOCARPUS THUR. 21*s.* and 31*s.* 6*d.*

PHYTELEPHAS MACROCARPA, this Palm yields the Vegetable Ivory of commerce 1 & 1½ guinea.

PHŒNIX RUPICOLA.

PINANGA KUHLEI ..... 7*s.* 6*d.* and 10*s.* 6*d.*

LEPIDA, an elegant growing stove palm, introduced from the East Indies. In the young state it has short rufescent petoles, the laminæ being pinnately parted into unequal segments, promiuently veined on the upper surface. When first developed the leaves have a brownish-crimson tint, gradually chauging, as the foliage matures, to a deep lustrous green, faintly mottled with a darker shade ..... 1 guiuea.

MACULATA ..... 10*s.* 6*d.* to 1 guinea.

SANDERIANA ..... 1 guinea.

SPECTABILIS, an ornamental Stove Palm, introduced from the East Indies. Tho leaves have short petioles with long sheathing bases, which in the young state are bilobed, and in the more mature state pinnate, of a dark green colour, mottled with light green, the nerves being prominently raised on the upper surface; the under surface of the leaves have a silvery appearance ..... 21*s.*

PRITCHARDIA AUREA ..... 1½, 2 and 3 guineas
PACIFICA ..... 1 and 1½ guinea

*PTYCHOSPERMA ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ
* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA
MACARTHURII (KENTIA MACARTHURII) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
RUPICOLA, *vide* LOXOCOCCUS RUPICOLA
SINGAPORENSIS, *vide* DRYMOPHLŒUS SINGAPORENSIS

RHOPALOBLASTE HEXANDRA, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, broadly ovato in outline, composed of numerous narrow elongated segments, in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. *Vide* New Plants, page 7, and illustration page 5. Price on application.

*RHOPALOSTYLIS BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA) ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*RHAPIS FLABELLIFORMIS ..... 5*s.*, 7*s.* 6*d.* to 1 guinea

SABAL ADANSONI "DWARF PALMETTO" ..... 3*s.* 6*d.* and 5*s.*
GLAUCESCENS ..... 7*s.* 6*d.* and 10*s.* 6*d.*
UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... 3*s.* 6*d.* and 5*s.*
*SEAFORTHIA ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA
* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI

STANGERIA PARADOXA ..... strong specimens, 1½, 2 and 3 guineas

STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM), ... 1, 1½, 2 to 5 guineas

THRINAX BARBADENSIS, a very elegant neat-growing Fan Palm. The petiole terminates in a digitately multipartite blade, the numerous segments of which are of a lively green colour. It is, as its name implies, a native of the Island of Barbadoes. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, at Kensington ..... 1, 1½ and 2 guineas
CHUCO ..... 5*s.* and 7*s.* 6*d.*
ELEGANS, very handsome for exhibition purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... 15*s.* and 1 guinea
GRAMINEA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
* PARVIFLORA ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

TRACHYCARPUS EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* to 2, 3, 4 and 5 guineas each.
FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* to 2, 3, 4 and 5 guineas each.

ZALACCA NITIDA, a handsome Stove Palm from Western Africa. It forms a noble head of handsome pinnate leaves, with a spiny trunk. In the young plants the leaves, which are of a shining rich dark green colour, are only biparted, with broad divisions. It is a highly ornamental species ..... 15*s.*

*ZAMIA BREVIFRONS ..... 1½ and 2 guineas
* FURFURACEA ..... 2 and 3 guineas
* INTEGRIFOLIA ..... 2 and 3 guineas
* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI
LINDENI .....
OBLIQUA .....
PRASINA ..... 1½ guinea
* ROEZLII .....
SKINNERI .....
* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS
* VROOMII, *vide* ENCEPHALARTOS VROOMII.

ECHEVERIAS.

ECHEVERIA CÆRULESCENS, 1*s.* 6*d.* and 2*s.* 6*d.*
GLAUCO-METALLICA, 1*s.* 6*d.* and 2*s.* 6*d.*
GRANDISEPALA, 2*s.* 6*d.*
IMBRICATA, 2*s.* 6*d.*
MUTABILIS, 2*s.* 6*d.*
PRUINOSA, 2*s.* 6*d.*

ECHEVERIA RETUSA GLAUCA, 1*s.* 6*d.* and 2*s.* 6*d.*
ROSEO-PICTA, 5*s.*
SCAPHYLLA, 2*s.* 6*d.*
SCHEIDECKERI, 1*s.* 6*d.*
SECUNDA, 9*d.* each; 6*s.* per dozen.
—— GLAUCA, 9*d.* each; 6*s.* per dozen.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties, 5s., 7s. 6d., 10s. 6d., 15s. and 21s. each.

ADOLPHE ADAMS, green, densely speckled with white; rose-coloured mid-ribs. *2s. 6d.* and *3s. 6d.*

ADOLPHE ANDRIEN, a very attractive variety with large richly coloured foliage. *3s. 6d.*

AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. *3s. 6d.*

AÏDA, transparent ruddy rose tissue with a network of green ribs. *5s.*

ALBO-LUTEUM, yellowish-white with green tint, very long leaves. *5s.*

ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. *3s. 6d.*

ALFRED BLEU, green, with white spots and flesh-coloured centre. *2s. 6d.* and *3s. 6d.*

ALFRED MAME, carmine-red, bordered with white and spotted with rose. *7s. 6d.*

ALICE VAN GEERT, creamy-white, veined soft rose, *10s. 6d.*

ALPHAND, green, spotted red; crimson centre. *2s. 6d.* & *3s. 6d.*

ALPHONSE KARR, carmine centre and red spots. *3s. 6d.*

ALZIRE, *7s. 6d.*

AMŒNUM, transparent rose, with red ribs, violet-rose veins green margin. *5s.*

ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. *5s.*

ANNIBAL, *3s. 6d.*

ARETHUSE, *3s. 6d.*

ARGYRITES, pale green with white spots. *1s. 6d.* & *2s. 6d.*

ARISTIDE, light green; crimson centre. *3s. 6d.* and *5s.*

ARSINOË, *3s. 6d.* and *5s.*

ARTEMISE, silvery-white with rosy-crimson ribs. *3s. 6d.*

ATALA, light rose, veins dark green, *7s. 6d.*

AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined golden-green. *5s.*

AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. *3s. 6d.*

AUGUSTE REVIÈRE, white centre and rays, and crimson spots. *3s. 6d.*

AURORE BOREALE, dark red, spotted with bronzy-green, reddish carmine ribs. *7s. 6d.*

BARAQUINII, crimson centre, dark green margin. *2s. 6d.* and *3s. 6d.*

BARAQUINII SUPERBUM, *5s.*

BARILLET, green, bright rosy crimson centre and ribs. *3s. 6d.* and *5s.*

BARON DE ROTHSCHILD, mottled green, with red centre and spots. *3s. 6d.*

BARONNE JAMES DE ROTHSCHILD, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 5*s*.

BARRAL, bright green, with a fine red centre, and large spots of rose. 3*s*. 6*d*. & 5*s*.

BEETHOVEN, ground colour white, intersected and veined with green, centre rib delicate rose. 2*s*. 6*d*. and 3*s*. 6*d*.

BELLEYMEI, white variegated leaves. 3*s*. 6*d*.

BELLINI, mottled pale green ground, with rosy centre and spots. 2*s*. 6*d*. and 3*s*. 6*d*.

BELLONE, centre carmine-rose, shading off to reddish-maroon and metallic brown. 3*s*. 6*d*.

BICOLOR. 1*s*. 6*d*.

BICOLOR SPLENDENS. 2*s*. 6*d*. and 3*s*. 6*d*.

BOIELDIEU, like *Bicolor splendens*, but superior. 3*s*. 6*d*.

BOSPHORE. 5*s*.

BRONGNIARTII, 2*s*. 6*d*. & 3*s*. 6*d*.

BUREL, dark bluish-green veined bright rose, marked with rosy-violet and spotted orange-red. 3*s*. 6*d*.

CALYPSO, dark green margin, bright crimson centre and veins and pink spots. 3*s*. 6*d*. & 5*s*.

CANDIDUM, white ground with strongly marked ribs. 5*s*.

CANNÆRTII, leaves flushed with salmon-red, and spotted white. 2*s*. 6*d*. and 3*s*. 6*d*.

CARDINALE, brilliant red, dotted with golden-yellow and greenish-yellow. 7*s*. 6*d*.

CERES, rich green with rosy-salmon centre. 5*s*.

CHANTINII, reddish ground, spotted with white. 2*s*. 6*d*.

CHANTINII FULGENS, rich metallic green, with crimson centre and white spots. 3*s*. 6*d*.

CHARLEMAGNE, large rosy-red leaves, nerves dark red. 7*s*. 6*d*.

CHARLES VERDIER, fine green, with blush-pink centre and spots. 2*s*. 6*d*. & 3*s*. 6*d*.

CHELSONI, bright glossy green, suffused with brilliant red, and blotched with crimson. 2*s*. 6*d*. and 3*s*. 6*d*.

CLIO, ground colour deep rose shaded white; green ribs, and narrow green margin. 5*s*.

COMTE DE GERMINY, dull-red leaves with brighter veins, maculated white. 10*s*. 6*d*.

COMTESSE DE CONDEIXA, white ground shaded rose; carmine-red veins; narrow green margin. 5*s*.

COMTESSE DE MAILLE, white ground, veined with bright rosy-red and green. 3*s*. 6*d*.

COMTESSE DU BERTHIER. 3*s*. 6*d*.

COYPEL. 3*s*. 6*d*.

CYPRIS. 3*s*. 6*d*.

DE CANDOLLE, rich green, rose coloured spots and creamy-white centre rays. 3*s*. 6*d*.

DE HUMBOLDT, glossy green, spotted with scarlet. 3*s*. 6*d*.

DEVINCK, leaves heart-shaped; delicate pink centre ribs, with white spots. 3*s*. 6*d*.

DONIZETTI, rich red centre, green border, rose spots. 3*s*. 6*d*.

DR. BOISDUVAL, centre rayed crimson; snow-white blotches on a green ground. 3*s*. 6*d*.

DR. LINDLEY, crimson centre, the green ground marked with rose blotches. 3*s*. 6*d*.

DUC DE CLEVELAND, red centre, surrounded with pea-green; red spots. 3*s*. 6*d*.

DUC DE MORNY, deep green leaf borders with large crimson-rayed centre. 3*s*. 6*d*.

DUC DE NASSAU, brilliant red centre and ribs, white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

DUC DE RATIBOR, green with red mid-ribs and white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

DUCHARTRE, leaf ground white, flushed rose, green veins and red spots. 3*s*. 6*d*.

EDOUARD ANDRE, crimson centre, rose blotches. 3*s*. 6*d*.

EDOUARD MOREAUX, mottled green ground, with lake centre. 3*s*. 6*d*. and 5*s*.

EDOUARD RODRIGUES, deep carmine, margined with light green, and spotted with rose. 3*s*. 6*d*. and 5*s*.

E. G. HENDERSON, green, with transparent rose spots and mottled crimson rays and centre. 2*s*. 6*d*. and 3*s*. 6*d*.

ELSA, silvery rose, with red spots; fine. 5*s*.

ELVINA, bright green, blotched with red; grey centre and veins. 3*s*. 6*d*.

EMILIE VERDIER, leaves of a light transparent rose colour, spotted with red. 3*s*. 6*d*.

ETOILE D'ARGENT, green, mid-ribs and veins creamy-white, shaded grey. 5*s*.

EUCHARIS, rose centre with violet reflections margined with bright green. 5*s*.

EUTERPE. 5*s*.

FAUST. 5*s*.

FELICIEN DAVID, carmine centre, surrounded white, and veined with red on green ground. 3*s*. 6*d*. and 5*s*.

FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs, and deep green spots. 5*s*.

FLORE. 5*s*.

GABRIELLE LEMOINIER, silver white translucid leaves, centre veined green. 15*s*.

GAZE DE PARIS, translucid leaves, green ribs. 3*s*. 6*d*. & 5*s*.

GERARD DOW, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 5*s*.

GOLDEN QUEEN, pale golden yellow. 5*s*.

GLUCK. 5*s*.

GRATIOSUM. 3*s*. 6*d*.

GRETRY, carmine centre, with white spots. 3*s*. 6*d*.

HELEVY, white mid-ribs and crimson blotches. 3*s*. 6*d*.

HEROLD, dark carmine veins, surrounded by light green, blotched pure white. 3*s*. 6*d*.

HOULLETTII, green with white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

IBIS ROSE, a magnificent variety, with beautiful rich rose-coloured foliage. 10*s*. 6*d*. and 15*s*.

IMPERATRICE EUGENIE, light green with greyish-pink centre, and roso-coloured veins. 2*s*. 6*d*. and 3*s*. 6*d*.

ISADORA LEROY, rich metallic green, with crimson-red centre rays. 3*s*. 6*d*.

ISIS, bright rose, veins violet-carmine. 5*s*.

JOHN R. BOX, red and greenish-maroon ground; carmine-red veins; violet-rose centre. 5*s*.

JULES DUPLESSIS, bright rose centre, shaded with red and bordered with green. 5*s*.

JULES PUTZEYS, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3*s*. 6*d*. & 5*s*.

JUPITER. 3*s*. 6*d*.

KETELEER, spotted white, upon emerald-green; large crimson centre. 3*s*. 6*d*.

LAINGII, reddish-carmine centre; the whole of the leaf sprinkled with white. 3*s*. 6*d*.

LA LORRAINE, rosy-carmine, narrow green margin; a brilliant variety. 15*s*.

LAMARTINE, crimson centre white and red spots. 3*s*. 6*d*.

LA PERLE DU BRESIL, white, delicately tinted with rose, mid-rib and veins dark green. 3*s*. 6*d*. and 5*s*.

L'ALBANE. 3*s*. 6*d*.

L'AURORE, orange-red, carmine veins, creamy-white margin. 7*s*. 6*d*.

L'AUTOMNE, creamy-white, with bluish maculations. 7*s*. 6*d*.

LAVINIA, bright green with grey centre and veins. 3*s*. 6*d*.

LEOPOLD ROBERT, rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. *5s.*

LEPESCHKINEI, leaves marked with rich rose spots; bright red centre. *3s. 6d.*

LEPLAY, leaves marked with white, and beautifully veined with rosy-violet. *3s. 6d.*

LE TITIEN, ground network of red and rich green, pure magenta ribs. *5s.*

LOUISE DUPLESSIS, red rays and veins on a white ground; green margin. *3s. 6d.*

LOWII, *vide* ALOCASIA LOWII.

LUDDEMANNI, deep crimson ribs; the leaf blotched with magenta and white. *3s. 6d.*

LULLII. *3s. 6d.* and *5s.*

MADAME ALFRED BLEU, deep green, with large white blotches, and broad crimson-scarlet veins. *3s. 6d.* & *5s.*

MADAME ALFRED MAME, light green, covered with large white spots; rosy-carmine centre *3s. 6d.* & *5s.*

MADAME D'HALLOY, silver white, suffused with rose, veined carmine. *15s.*

MADAME DE LA DEVANSAYE, leaves white, shaded rose, and veined with red and green. *3s. 6d.* and *5s.*

MADAME DOMBRAIN, centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. *3s. 6d.*

MADAME FRITZ KŒCHLIN, white ground, violet-rose ribs, green veins. *3s. 6d.*

MADAME HEINE, silvery-white, stained and edged with pale green; distinct. *3s. 6d.*

MADAME HOULLET, large leaves, with clustering blush-white blotches. *3s. 6d.*

MADAME HUNNEBELLE, leaves veined with garnet on white ground, and margined with green. *3s. 6d.* & *5s.*

MADAMEIMBERTKŒCHLIN, green with large dark red spots. *7s. 6d.*

MADAME JULES MENOREAU, white centre, tinted rose, veined rich bright rose, margined green. *3s. 6d.* & *5s.*

MADAME JULES PICOT, translucid rosy-violet. *7s. 6d.*

MADAME LAFORGE, centre and ribs reddish-crimson, with green margin. *3s. 6d.*

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy-white. *5s.*

MADAME MARCHAND, voilet-red, margined with dark green. *15s.*

MADAME MARJOLIN SCHEFFER, white foliage, charmingly veined and netted with rosy-lake. *3s. 6d.*

MADAME MITJANA, transparent reddish-crimson rose centre. *7s. 6d.* and *10s. 6d.*

MADAME T. DE VIGIER, rosy-white, carmine nerves. *5s.*

MADAME WILLAUME, delicate salmon-rose-coloured transparent leaves. *3s. 6d.*

MARIA MITJANA, very bright rose, translucid leaves. *15s.*

MARQUIS DE CAUX, red centre and veins, with rose blotches on margins. *3s. 6d.*

MARS, clouded crimson centre, the whole leaf spotted with crimson *3s. 6d.*

MARTERSTYGINUM, crimson centre and white spots. *2s. 6d.* and *3s. 6d.*

MAXIME DUVAL, fine broad crimson centre and ribs, green margin. *3s. 6d.*

MAX KOLB, light green ground with pale centre; distinct. *2s. 6d.* and *3s. 6d.*

MERCADANTE, pale copper-coloured centre and veins, bordered with green. *3s. 6d.*

MEYERBEER, white leaf ground, green veins and red mid-ribs. *2s. 6d.* and *3s. 6d.*

MINERVE, silvery-white mid-rib and rays, surrounded with greyish-white; green margin, with white spots. *5s.*

MINUS ERUBESCENS, very dwarf; leaves reddish crimson, bordered with green. *2s. 6d.*

MITHRIDATE, crimson-lake with darker ribs, and dark bronze-green margin. *3s. 6d.*

MONSIEUR A. HARDY, rich reddish-carmine veins on white ground, tinted with rose and spotted with green. *5s.*

MONSIEUR D'HALLOY, delicate rose, bright rose centre, red and green veins. *5s.*

MONSIEUR J. LINDEN, fine large whitish leaf, with metallic reflections, coral-rose veins and reticulated green border. *5s.*

MOZART, rose centre and veins on green ground. *3s. 6d.*

MRS. LAING, white ground; deep rose centre and veins; green margin. *5s.* and *7s. 6d.*

NAPOLÉON III, flamed crimson centre, with forked rays, and carmine-red spots. *3s. 6d.*

ONSLOW, deep rosy-crimson centre with broad green margin, spotted with rose. *3s. 6d.*

ORIFLAMME, brilliant red, margined with green. *15s.*

ORNATUM, golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. *3s. 6d.*

PAUL VERONESE, pinkish-white centre, deep scarlet ribs and green margin. *3s. 6d.* & *5s.*

PETROPOLIS, *5s.*

PHILIPPE HERBERT, deep mottled crimson rays and clear green margin, spotted with crimson. *2s. 6d.*

PHILIPPE SCHULDT, *5s.*

PICTUM, green, blotched and spotted with white. *3s. 6d.*

PRINCE ALBERT EDWARD, dark emerald-green, rich crimson radiating mid-rib, white spots. *2s. 6d.* & *3s. 6d.*

PRINCE OF WALES, large golden-yellow leaves. *5s.*

PRINCESS ALEXANDRA, rosy-salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. *3s. 6d.*

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. *5s.* and *7s. 6d.*

PRINCESS OF WALES, golden-yellow, spotted with crimson. *5s.*

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. *5s.*

PROSERPINE, *3s. 6d.*

PYRRHUS, centre and ribs deep crimson, pea-green margin. *3s. 6d.* and *5s.*

QUADRICOLOR, centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. *3s. 6d.*

RAMEAU, centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red. *3s. 6d.* & *5s.*

RAOUL PUGNO, very transparent, pale flesh colour, margin dark green. *5s.*

RAULINII, rich red centre and veins, finely spotted with white. *3s. 6d.*

REGALE, silvery-grey centre, rosy red ribs, vermilion-red spots. *2s. 6d.* and *3s. 6d.*

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon zone-green border. *5s.*

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. *2s. 6d.* and *3s. 6d.*

ROSSINI, pale centre, pink mid-ribs, red blotches. *3s. 6d.*

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. *3s. 6d.*

RUBENS, golden-green ground, shaded bright red and veined with dark brown. *5s.*

NEW AND CHOICE CALADIUMS—continued

RUBRUM METALLICUM, violet-red, rose centre, shaded violet, margin copper-red. 10*s.* 6*d.*
SALVATOR ROSA, bright red centre tinted with rosy-violet; light green margin. 3*s.* 6*d.*
SANCHONIATHON, crimson centre; deep crimson ribs and pea-green margin. 3*s.* 6*d.*
SIEBOLDII, rich green, with fiery red crimson-rayed centre and claret-red spots. 3*s.* 6*d.*
SIRIUS, centre scarlet-red, spotted with rosy-red and golden-green. 5*s.* and 7*s.* 6*d.*
SIR WALTER SCOTT, 5*s.*
SOFIA, 5*s.*
SOUVENIR DE LILLE, translucid delicate rose leaves, nerves bright rose. 7*s.* 6*d.*
SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden-yellow, green and white; light green border. 5*s.*
SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy-crimson. 3*s.* 6*d.* and 5*s.*
SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7*s.* 6*d.*
SOUVENIR DU DOCTEUR BLEU, reddish-scarlet centre; pale green border shaded with rich red. 10*s.* 6*d.*
SPONTINI, pea-green, with white spots and rosy-pink ribs and veins. 5*s.*
TENIERS, carmine centre outer portion green, with carmine veins. 7*s.* 6*d.*
TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5*s.* and 7*s.* 6*d.*
TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 3*s.* 6*d.*
URANUS, 3*s.* 6*d.*
VAN DYCK, transparent rosy-lake, pale rose centre, grey-green margin. 5*s.*
VERDI, crimson-lake centre, with small green zone and apple-green margin. 3*s.* 6*d.*
VESTA, greenish-white veins, surrounded with crimson; leaf spotted rose. 3*s.* 6*d.*
VICOMTESSE DE LA ROQUE-ORDAN, red mid-rib and rays bordered white; green margin. 3*s.* 6*d.*
VILLE DE HAMBOURG, rosy red, prettily netted with carmine. 10*s.* 6*d.*
VILLE DE MULHOUSE, greenish-white, shaded rose; rich green centre. 5*s.*
VIRGILE, 3*s.* 6*d.*
VIRGINALE, shining white, veined dark bluish-green; a grand variety. 3*s.* 6*d.* and 5*s.*
WEBER, 7*s.* 6*d.*

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

ALFONSO, a fine flower; colour cinnamon, shaded with salmon. 1*s.* 6*d.*
AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 1*s.* 6*d.*
BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 3*s.* 6*d.*
BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 2*s.* 6*d.*
CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 2*s.* 6*d.*
CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 2*s.* 6*d.*
CAROLINE, deep rosy-pink, a very fine showy flower with broad petals. 1*s.* 6*d.*
CHELSEA GIANT, light carmine-scarlet; a huge flower. 3*s.* 6*d.*
CLEMENCE DENIZARD, bright rosy-carmine flowers, very full and double. 1*s.* 6*d.*
CLEOPATRA, rosy-lake, shaded with magenta; a very large flower with fine broad petals. 2*s.* 6*d.*
CLIMAX, deep rich rosy-carmine; the two outer petals extremely broad; a beautiful variety. 1*s.* 6*d.*
CORONET, rich rosy-carmine; a large flower with broad petals. 2*s.* 6*d.*
CORSAIR, rosy-salmon; a most profuse blooming variety. 1*s.* 6*d.*
DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 3*s.* 6*d.*
DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1*s.*
DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 3*s.* 6*d.*
DELICATA, a charming variety, with beautiful blush-white flowers 1*s.* 6*d.*
DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 2*s.* 6*d.*
EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 1*s.* 6*d.*
ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 1*s.* 6*d.*
ETHEL, a beautiful flower of a light salmon-pink colour. 3*s.* 6*d.*
FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 3*s.* 6*d.*
FLAMBEAU, bright crimson, shaded with rose, fine round flower. 3*s.* 6*d.*
FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 2*s.* 6*d.*
FRŒBELLI, a splendid species from Ecuador, producing brilliant scarlet flowers. 1*s.*
GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 2*s.* 6*d.*
HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 1*s.* 6*d.*
ICARUS, a very fine large flower of a bright salmon colour. 2*s.* 6*d.*
IMPERIALIS, splendid flower, dark rosy-crimson. 5*s.*
JUPITER, deep crimson, fine large flower of good shape. 5*s.*
LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 2*s.* 6*d.*
MABEL, delicate salmon-pink; a fine flower of good shape. 3*s.* 6*d.*
MAGNET, beautiful light pink, the reverse of the petals deep pink; a charming variety. 1*s.* 6*d.*
MARATHON, deep crimson; a very fine large flower. 2*s.* 6*d.*
MARTHA, soft delicate rose-pink; a beautiful flower. 3*s.* 6*d.*
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 1*s.* 6*d.*
MINIATA, a fine showy variety, producing flowers of bright rosy-carmine colour. 1*s.* 6*d.*
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 2*s.* 6*d.*

HANDSOME-FLOWERED BEGONIAS.

OBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 2*s.* 6*d.*
ORESTES, deep rosy-carmine; a magnificent flower with fine large petals. 2*s.* 6*d.*
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 1*s.* 6*d.*
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2*s.* 6*d.*
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1*s.* 6*d.*
PINK BEAUTY, fine large bright rosy-pink flowers, beautiful shape. 3*s.* 6*d.*
REGALIS, a beautiful salmon-rose flower, of good form and substance. 3*s.* 6*d.*
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 2*s.* 6*d.*
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 1*s.* 6*d.*
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 2*s.* 6*d.*
STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink. 2*s.* 6*d.*
SUNRISE, a magnificent variety, producing large flowers of a bright rosy-scarlet colour. 1*s.* 6*d.*
SUNSET, rich crimson; a fine large showy flower. 2*s.* 6*d.*
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 1*s.* 6*d.*
TEMPLAR, a fine flower, with broad petals of a rosy-pink colour. 2*s.* 6*d.*
TROJAN, an effective variety, freely producing fine flowers of a light rosy-pink colour. 1*s.* 6*d.*
VERONA, bright rosy-pink; a very pretty variety. 2*s.* 6*d.*
VESTA, pure white; very large flower. 3*s.* 6*d.*
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 3*s.* 6*d.*
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 1*s.* 6*d.*
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 1*s.* 6*d.*

Selections of good single-flowering Varieties can be made by Mr. W. B. at 12s., 18s. and 30s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 2, 3, and 4 guineas per dozen. Unnamed varieties, when dormant, 18s. per dozen.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ABBÉ DELAHAYE, 2*s.* 6*d.*
ACUMINATA SPLENDIDA, 2*s.* 6*d.*
ADRIEN ROBINE, 2*s.* 6*d.*
ALEXANDRINE OLSOUFIEFF 3*s.* 6*d.*
ANDALOUSIE, 2*s.* 6*d.*
ANNETTE, 2*s.* 6*d.*
ANNICA, 2*s.* 6*d.*
ARCTURUS, 2*s.* 6*d.*
ARGENTEA HIRSUTA, 2*s.* 6*d.*
ARGUS, 3*s.* 6*d.*
ARIADNE, 3*s.* 6*d.*
ARTHUR MALET, 5*s.*
BARONNE DURANTEAU, 3/6.
BARON ED. OSY, 3*s.* 6*d.*
BARANA, 3*s.* 6*d.*
BEERCHOTEN, 3*s.* 6*d.*
CALLIOPE, 2*s.* 6*d.*
CHARLES LAURENT, 3*s.* 6*d.*
COMTESSE R. DE MONTBRON, 3*s.* 6*d.*
CRYSTALLINA, 2*s.* 6*d.*
DESFONTAINES, 3*s.* 6*d.*
DUCHESS, 1*s.*
EDWARD B. KENNEDY, 3/6.
ELAINE, 3*s.* 6*d.*
EUGENIA, 2*s.* 6*d.*
GRAZIELLA, 3*s.* 6*d.*
HENRIETTE GRAUX, 2*s.* 6*d.*
HENRIETTE LUSSEAU, 3*s.* 6*d*
JEANNE MARRE, 3*s.* 6*d.*
JULES DEHAUSSY, 3*s.* 6*d.*
JULESDUPLESSISMAJOR, 2/6.
LA PERLE DE PARIS, 2*s.* 6*d.*
LE POUSSIN, 2*s.* 6*d.*
LE SCHAH, 3*s.* 6*d.*
LEDA, 5*s.*
LOUISE CLOSON, 2*s.* 6*d.*
LUCRECE, 3*s.* 6*d.*
MADAME ADR SCHMITT, 2/6.
—— ALAMAGNY, 2*s.* 6*d.*
—— BENOIT, 2*s.* 6*d.*
—— BICHAT, 3*s.* 6*d.*
—— DE CAUVILLE, 3*s.* 6*d.*
—— EDOUARD PYNAERT, 2/6
—— EYEN, 3*s.* 6*d.*
—— FR. ALEGATIÈRE, 2*s.* 6*d.*
—— FRISTOT, 3*s.* 6*d.*
—— GILKINET, 3*s.* 6*d.*
—— GRISAR, 3*s.* 6*d.*
—— HACHETTE, 2*s.* 6*d.*
—— HENRI GACHE, 2*s.* 6*d.*
—— ISABELLE BELLON, 2/6.
—— JULES LECOCQ, 2*s.* 6*d.*
—— LEBOUCQ, 3*s.* 6*d.*
—— LOTHAR STRASSNER, 3*s.* 6*d.*
—— PATE, 3*s.* 6*d.*
—— PERRENOUD, 3*s.* 6*d.*
—— POULET, 3*s.* 6*d.*
MADLLE. A. BLEU, 3*s.* 6*d.*
—— BERTHE PROUTIERE, 3*s.* 6*d.*
MALETTA, 2*s.* 6*d.*
MARGARITACEA, 2*s.* 6*d.*
MARIE FREEMAN, 3*s.* 6*d.*
MARQUISE DE PERALTA, 3*s.* 6*d.*
MAZEPPA, 3*s.* 6*d.*
MENTOR, 2*s.* 6*d.*
MISTRESS DUPLESSIS, 3*s.* 6*d.*
MONGE, 5*s.*
MONSIEUR BIENAIME, 2*s.* 6*d.*
——DE LA TERRADE, 3*s.* 6*d.*
OTTO FORSTER, 2*s.* 6*d.*
PAVONIA, 3*s.* 6*d.*
PEARL, 3*s.* 6*d.*
PHÈDRE, 3*s.* 6*d.*
PRESIDENT DE BOUREUILLES, 5*s.*
—— DE LA DEVANSAYE, 3*s.* 6*d.*
PROGNE, 5*s.*
ROSALIE, 5*s.*
SATIN BLANC, 2*s.* 6*d.*
STARLIGHT, 5*s.*
STELLATA, 2*s.* 6*d.*
SYLVIA, 3*s.* 6*d.*
THEODORA, 3*s.* 6*d.*
THOMAS CLARA, 3*s.* 6*d.*
TOURNEFORT, 3*s.* 6*d.*
VICOMTE DE CONDEIXA, 2*s.* 6*d.*
VIVIAND MOREL, 3*s.* 6*d.*
VICOMTESSE DE BELLEVAL, 3*s.* 6*d.*
VIRGINIA, 3*s.* 6*d.*
VOIE LACTEE, 2*s.* 6*d.*

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s., and 42s. per dozen, according to the selection.

ALBO PICTA
ARGENTEO GUTTATA
ARGYROSTIGMA ELEGANTISSIMA
ASCOTIENSIS
BEDDOMEI (Assamica)
CARRIERI
—— VILLOSA
CLEMENTINÆ
COMPTA
DECORA
DIGSWELLIANA
DREGEI
EGREGIA
ERECTA MULTIFLORA
GLOIRE DE SCEAUX
IMPERIALIS
INGRAMII
KNOWSLEYANA
LESOUDSII
LUCIANÆ
LYNCHEANA
MADAME ISABELLA BELLON
MANICATA
MARGARITÆ
METALLICA
NELUMBIÆFOLIA RUBRA
NITIDA
—— ALBA
OLBIA
PAUL BRUANT
RUBELLA
SEMPERFLORENS ELEGANS
—— GIGANTEA CARMINEA
—— —— ROSEA
SCEPTRA
SCHARFFII
SMARAGDINA
SOCOTRANA
VALIDA
WELTONIENSIS

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

NEW FRINGED CHRYSANTHEMUM.—Mrs. ALPHEUS HARDY.

The most lovely and distinct Chrysanthemum ever introduced. As may be seen from the above illustration, it is a snow-white incurved Japanese flower, its most remarkable feature being the profusion of fine white silky hairs or threads attached to the reverse or under-side of the petals, giving the flower very much the appearance of the tip of an ostrich's feather. Wherever shown in America, it has been awarded premier honours, amongst others the following:—Silver Medal, Boston; Silver Medal, Philadelphia; Medal of Superiority, New York; First Prize, best Japanese, New York; Premier Honours, New Jersey. 1*s.* 6*d.*

For other new Chrysanthemums of this season see next page.

SELECT NEW CHRYSANTHEMUMS.

JAPANESE.

ADIRONDAC, 1*s.* 6*d.*
ADVANCE, 2*s.* 6*d.*
ALASKA, 2*s.*
CORTEZ, 4*s.*
DORÉE, 1*s.* 6*d.*
E. S. RENWICK, 2*s.* 6*d.*
EYNSFORD, WHITE 7*s.* 6*d.*
JOHN THORPE, 1*s.*
J. R. PEARSON, 2*s.* 6*d.*
MRS. ALPHEUS HARDY, *see* page 137.
MRS. ANDREW CARNEGIE, 1*s.* 6*d.*
MRS. CHARLES PRATT, 1*s.* 6*d.*
MRS. DE WITT SMITH, 4*s.*
MRS. FALCONER JAMESON, 1*s.*
MRS. T. H. SPAULDING, 1*s.* 6*d.*
MRS. W. K. HARRIS, 3*s.* 6*d.*
MONADNOCK, 1*s.* 6*d.*
MONTAUK, 3*s.* 6*d.*
NEWPORT, 3*s.* 6*d.*
RAMONA, 3*s.* 6*d.*

JAPANESE—continued.

ROBERT CRAIG, 1*s.* 6*d.*
ROBERT CRAWFORD, 1*s.*
SACHEM, 1*s.* 6*d.*
SHASTA, 1*s.* 6*d.*
SIR JOSEPH, 1*s.*
STANSTEAD SURPRISE, 1*s.*6*d.*
THOMAS STEVENSON, 1*s.* 6*d.*
VOLUNTEER (*syn* Mrs. Irving Clarke), 3*s.* 6*d.*

CHINESE.

ADA SPAULDING, 3*s.* 6*d.*
ALFRED LYNE, 1*s.*
EMILY DALE, IMPROVED 2*s.* 6*d.*
FLORA (American) 2*s.* 6*d.*
FRANK WILCOX, 1*s.*
H. SHOESMITH, 9*d.*
JOHN DOUGHTY, 3*s.* 6*d.*
JOHN LAMBERT, 2*s.* 6*d.*
L'AUTOMNE, 1*s.*

CHINESE—continued.

MALABAR, 2*s.* 6*d.*
MISS M. A. HAGGIS, 1*s.*
MISS VIOLET TOMLIN, 1*s.*
MR. ROBERT MUDIE, 3*s.* 6*d.*
MRS. COLEMAN, 3*s.* 6*d.*
PRESIDENT HYDE, 1*s.*
PRINCE KAMONTSKI, 1*s.*
TACOMA, 2*s.*

EARLY FLOWERING.

CLARENCE BRYANT, 1*s.* 6*d.*
COMTESSE F. DE CARIEL, 1*s.* 6*d.*
DUCHESS OF FIFE, 2*s.* 6*d.*
GOLDEN SHAH, 2*s.* 6*d.*
GRACE ATTICK, 1*s.*
JACINTHA, 1*s.* 6*d.*
MARTIMAS, 1*s.*
MISS P. BROUGHTON, 1*s.* 6*d.*
MRS. HAWKINS, 1*s.*
OCTOBER BEAUTY, 9*d.*
WHITE LADY, 1*s.* 6*d.*

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

All 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ALICE BUTCHER
ANASTASIO
AUREOLE
A VILLATTE DES PRUGNES
BLANC PRECOCE
BOUQUET ESTIVAL
CASSY
CLAIRE ALOZIO
CRIMSON PRECOCITÉ
CURIOSITY
DELPHINE CABOCHE
EARLY FLORA
E. G. HENDERSON & SON
ELDORADO
ETE FLEURI
FIBERTA
FLAMBEAU TOULOUSAIN
FLEUR D'ETÉ
FREDERIC MARRONET
FREDERICK PELÈ
GOLDEN FLEECE
G. WERMIG (Golden Madame Desgrange)
G. WRIGLEY
HELOISE MIELLEZ
HENDERSONI
HIPPOLYTE JAMAIN
INIMITABLE
LA BIEN-AIMÉE
LAKME
LAMBETH AMATEUR
LAVALLEE
LE LUXEMBOURG
LEONIE LASSALI
LORD MAYOR
LUCINDA
LYON
MADAME C. DESGRANGE
MADAME DUFOY
MADAME JOLIVART
MADAME PICOUL
MADELINE DAVIS
MANDARIN
M. COSSART
M. WILLIAM HOLMES
M. DUFOY
MR. W. PIERCY
MRS. J. R. PITCHER
NANUM
O. J. QUINTUS
ORANGE YELLOW
PERPETUÉL TOULOUSAIN
PETIT MIGNON
PIERRE VERFIEL
POMPONIUM
PRECOCITÉ
ROI DES PRECOCES
ROSE D'ÉTE
ST. CROUTS
ST. MARY
SALTER'S EARLY BLUSH
SOUVENIR
SOUVENIR DE M. RAMPONT
SURPRISE
TORREADOR
WHITE ST. CROUTS
WILLIAM BEALBY
ZENOBIE

All 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 137 and 138.

Excepting those priced, all 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

AGNES FLIGHT, 9*d.*
AGREMENTS DE LA NATURE
ALBERT DE NURIOS
ALBERT VICTOR, 1*s.* 6*d.*
ALBUM FIMBRIATUM, 1*s.*
ALEXANDRE DUFOUR
ALFRED CHANTRIER
ALICE BIRD, 9*d.*
ALPHA, 9*d.*
AMARANTINA CARMINATA
AMY FURZE
ANNA DÉLAUX
ANNA M. PAYNE, 9*d.*
ANNIE CLARK
AQUIDNECK
ARLEQUIN
AVALANCHE, 1*s.*
AURORE BORÈALE
BEAUTE DES JARDINS
BEAUTE DE TOULOUSE
BEAUTY OF SWANLEY
BELLE ETOILE
BELLE GABRIELLE
BELLE PAULE
BEND OR
BERTIER RENDATLER
BICOLOR
BISMARCK
BOULE D'ARGENT
BOULE D'OR
BOUQUET FAIT
BRISE DU MATIN
CAREW UNDERWOOD, 9*d.*
CHARLIE SHARMAN, *see* W. M. Singerley
CHARLOTTE DE MONTCABRIER
CHIMÉNE
CHISTMAS EVE, *syn* Mrs. H. Cannell, 1*s.*
CŒUR FIDÈLE
COMMANDANT DOMINÉ
COMTE DE GERMINY
COMTESSE DE BEAUREGARD
COQUETTE DE CASTILLE
CULLINGFORDII
DAIJ GAKKO
DARWIN
DAVID WINDSOR, 1*s.* 6*d.*
DAVID ALLEN, *syn* G. F. Moseman, 9*d.*
DELICATUM
DIAMOND
DOLORES
DOMINATION, *syn* Mrs. Bullock, 9*d.*
DON DIÈGUE
DON QUICHOTTE
DR. AUDIGUIER
DR. MASTERS
DUCHESS
DUCHESS OF ALBANY
DUCHESS OF ALBANY (Delaux)
DUCHESS OF CONNAUGHT
DUCHESSE DE GEROLSTEIN
DUKE OF BERWICK, 9*d.*
EDOUARD AUDIGUIER
EDWIN MOLYNEUX, 9*d.*
ELAINE
ELSIE, 9*d.*
EMBLÈME
ENCHANTERESSE
ESPÉRANCE
ETHEL
ETOILE DE LYON, 1*s.* 6*d.*
ETOILE DU MIDI
ETOILE FLEURI
ETOILE TOULOUSAINE
FAIR MAID OF GUERNSEY
FAVOURITE, 1*s.* 6*d.*
FERNAND FERAL
FEU DE BENGALE, 1*s.*
FIMBRIATUM
FLAMBEAU
FLEUR DES BOIS
F. L. HARRIS
FLOCON DE NEIGE
FLORENCE PERCY
FRIZOU
FULTON
GEORGES DANIELS, 1*s.* 6*d.*
GEORGE WALCOTT
G. F. MOSEMAN, *see* David Allen
GIL BLAS
GLADIATOR, *see* W. M. Singerly
GLOIRE DE TOULOUSE
GLOIRE RAYONNANTE
GLORIOSUM
GOLDEN GEM, 9*d.*
GOLDEN GLOIRE RAYONNANTE
GOLDEN PRINCE
GOLD LACE
GOLD THREAD
GOOD TIDINGS, 1*s.* 6*d.*
GORGEOUS
GOVERNOR OF GUERNSEY, 9*d*
GRANDIFLORUM
HARRY TOWNSEND, *see* Amy Furze
HELVETIE
HERNANI
HIVER FLEURI
HON. JOHN WELSH
ILE JAPONAISE
ILLUSTRATION
ISODORE FERAL
JAMES SALTER
J. COLLINS
J. DELAUX
JESSICA
JUPITER
KÆMPFER
KATAKANA
LA CHARMEUSE
LADY AVENEL
LADY BULLER
LADY BRASSEY, 1*s.*
LADY EMILY, 1*s.*
LADY MATHESON
LADY SELBORNE
LADY T. LAWRENCE, *see* Robert Bottomley
LA FRISURE
LAMARTINE
LA NYMPHE
LA TRAVIATA
LA TRIOMPHANTE
LAURENCE
L'ADORABLE
L'AIGRETTE
L'AUBE MATINALE
LE CYGNE
LE NEGRE
L'EBOURIFFÉE
L'INCOMPARABLE
L'INCROYABLE
L'ISLE DES PLAISIRS
LORD BEACONSFIELD
L'OR DE FRANCE
MACAULAY, 1*s.*
MADAME BERTIER RENDATLER
MADAME CHRETIEN
MADAME CLEMENCE AUDIGEUR

CHRYSANTHEMUMS—JAPANESE—continued.

MADAME DE REYDELLET
MADAME DE SEVIN
MADAME EMILE DUFOUR
MADAME FERAL
MADAME JOHN LAING
MADAME LA MARQUISE DE MUN
MADAME MARIE CLOSES
MADAME ROZAIN
MADLLE. ANTOINETTE BRUNEL
MADLLE. JULIETTE DORDAN
MADLLE. LACROIX
MADLLE. LOUISE DE REYDELLET
MADLLE. MELANIE FABRE
MADLLE. PAUL DUTOUR
MAGGIE MITCHELL, *syn* Miss Clara Harris, 1*s.*
MAGICIENNE, *see* William Robinson
MAGNUM BONUM
MAIDEN'S BLUSH
MANHATTAN
MARCHIONESS OF DOWNSHIRE, *see* William Robinson
MARGOT
MARIE OUVRAY, 9*d.*
MARQUIS OF LORNE
MARSA
MARTHA HARDING
MARY, 1*s.* 6*d.*
MASTIC
MIGNON
MINNIE MILLER
MISS CLARA HARRIS, *see* Maggie Mitchell
MISS STEVENS, 1*s.* 6*d.*
M. ASTORG
M. A. VILMORIN
M. BLANC
M. BOYER
M. BRASSAC
M. BRUNET
M. CASTEL
M. CAVALIER
M. CHARLES HUBERT
M. CHRETIEN
M. COCHET
M. D. D. HILLIER
M. DELAUX
M. EUGENE POURQUIE
M. FREEMAN
M. GARNER
M. GHYS
M. H. ELLIOTT
M. HENRI JACOTOT
M. H. FLAUVANT
M. J. ALDEBERT
M. J. H. LAING
M. JOHN LAING
M. JUAN CRUZ DE EGUILEOR
M. LEMOINE
M. LEON BRUNEL
M. MAXIME CORNU
M. PAUL FABRE
M. P. WOLKENSTEIN
M. RICHARD LARIOS
M. THOMAS S. WARE
M. VIVIAND MOREL
M. WEICK
M. YVON
MM. THIBAUT et KETELEER
MR. ADDISON, 9*d.*
MR. C. ORCHARD, 1*s.*
MR. D. B. CHAPMAN, 1*s.*
MR. H. CANNELL, 9*d.*
MR. H. WELLAM, 9*d.*
MR. STEPHENSON CLARKE, 9*d.*
MR. W. R. BURBIDGE, 9*d.*
MRS. A. MAYES, 1*s.*
MRS. BEALE, *see* Robert Bottomley
MRS. BULLOCK, *see* Domination
MRS. DOUGLAS, 1*s.* 6*d.*
MRS. FRANK THOMPSON, *syn* W. G. Drover, 9*d.*
MRS. GEORGE W. CHILDS
MRS. GOLDRING, 1*s.* 6*d.*
MRS. H. J. JONES, *syn* Yellow Ethel, 1*s.*
MRS. H. CANNELL, *see* Christmas Eve
MRS. J. J. HILLIER, 1*s.* 6*d.*
MRS. J. WRIGHT, 9*d.*
MRS. L. CASTLE, 9*d.*
MRS. VANNAMAN
MRS. WM. MENCKE
MOONLIGHT
NUIT D'HIVER
ODORATUM, 9*d.*
ORNEMENTS
PARASOL
PAUL & SON
PÈRE DELAUX
PETER THE GREAT
PETIT NORBERT
PHŒBUS
PLUIE D'OR
PRESIDENT ARTHUR
—— CLEVELAND
—— GARFIELD
—— SPAULDING, *see* W. M. Singerley
PRINCE OF ORANGE
PRINCE ZILAH
PRINCESSE BLANCHE
PUTNEY GEORGE, 1*s.*
RALPH BROCKLEBANK, 9*d.*
RED DRAGON
REDUPLICATA
REINE DES BEAUTÉS
REX RUBRORUM
ROBERT BOTTOMLEY, *syn* Lady T. Lawrence and Mrs. Beale, 9*d.*
ROBERT OWEN
ROB ROY
ROI DES JAPONAIS
ROSA BONHEUR
ROSE CELESTE
—— LACE
—— SUPREME
ROSEUM SUPERBUM
ROZAIN BOUCHARLAT
R. T. BIGGS
RUBRUM STRIATUM
SALMONEUM PLENUM
SAMUEL HENSHAW
SARAH OWEN, 9*d.*
SARNIA
SOLEIL LEVANT
SOURCE D'OR
SOURCE JAPONAISE
SOUVENIR D'AMSTERDAM
SOUV. D'ANGÈLE AMIEL
SOUVENIR DE HAARLEM
SOUVENIR DE REINE MARIE
SOUVENIR DU JAPON
SNOWSTORM
STANSTEAD WHITE, 1*s.*
STRIATUM PERFECTUM
SUNFLOWER, 2*s.* 6*d.*
SWANLEY WHITE, 1*s.* 6*d.*
SYRINGA
TALFOURD SALTER
TENDRESSE
THE COSSACK
THEODORA
THUNBERG
TISIPHONE
TOKIO
TRICOLOUR
TRIOMPHE DE LA RUE DU CHATELET
TUBIFLORUM
VENUS
VILLE D'HYÈRES
WALTER SCOTT
W. G. DROVER, *see* Mrs. Frank Thompson
WELCOME
WENONAH
WILLIAM CLARK
WILLIAM COBBETT, 9*d.*
WILLIAM ROBINSON, *syn* Magicienne, Marchioness of Downshire
WILLIAM STEVENS, 9*d.*
W. L. SCHEFFER
W. M. SINGERLEY, *syn* Charlie Sharman, Gladiator, President Spaulding, 1*s.*
YELLOW ETHEL, *see* Mrs. H. J. Jones

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

Excepting those priced, all 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
AGNES HAMILTON
ATARGULLE
BIJOU
CALLIOPE
CINCINNATI
DICK TURPIN
E. M. BOLAS
EUGENE LAUJAULET
FABIEN DE MADERANAZ
FAIR MARGARET
FINETTE
FIREFLY
FLEURE DE MARIE
GEORGES SAND
GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
JAMES WESTON, 1*s.* 6*d.*
LADY MARGARET
LILAC CEDO NULLI
MADAME BERTHE PIGMY
MADAME CLOS
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CRATE
MISS ANNIE LOWE, 1*s.*
MISS EYRE
MISS NIGHTINGALE
M. PANKAUCKE, 1*s.* 6*d.*
MR. ASTIE
MRS. M. RUSSELL, 1*s.*
MRS. WYNESS
NELSON, 1*s.*
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
SŒUR DOROTHÉE SOUILLE
THORPE, Jun., 9*d.*
VIRGINALE
WYOMING

Excepting those priced, all 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS

For New Varieties, vide page 138.

All 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ABBÉ PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BEAUTY
BEVERLEY
BRONZE JARDIN DES PLANTES
BRONZE QUEEN OF ENGLAND
CARMEN
CHAS. GIBSON
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE
DIDO
DR. LINDLEY
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FINGAL
GARIBALDI
GAZELLE
GEORGE PEABODY
GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKE NEWINGTON
IONA
JARDIN DES PLANTES
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LEDA
LE GRAND
L'EMIR
LORD EVERSLEY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES
MARÉCHAL DUROC
MOUNT EDGCUMBE
MOUNT ETNA
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HUFFINGTON
MRS. NORMAN DAVIS
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE
PINK PERFECTION
PRINCE OF WALES
PRINCESS IMPERIAL
PRINCESS OF TECK
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REINE DES BLANCHES
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE
SIR BEAUCHAMP SEYMOUR
SIR STAFFORD CAREY
SULPHUREUM SUPERBUM
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, *vide* GLOBE WHITE
WHITE VENUS
ZEPHYR

All 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIS
ANNETTE
ARIOSTO
AURORE
BERROL
BELLE NAVARRAISE
BLACK DOUGLAS
BOULE DE NEIGE
BRAHMA
BRUNETTE
CARMINATUM ALBUM
CENDRILLON
CHAMPS ELYSEES
CRIMSON PERFECTION
DANAE
DIAMANT
DIANA VERNON
ELEGANT
ERNEST BENARY
ETINCELANT
EXPOSITION DE CHALON
FABIOLA
FEU D'AMOUR
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX
HECLA
JASON
JERSEY GEM
JULIA ENGLEBACK
LACINIATUM SUPERBUM
LA DÉSIREE
LA FAVORITE
LA RENONCULE
LA VIERGE
LACINIATUM ROSEUM
LE CID
LILACEE
LUCIEN CABOCHE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. DARNAUD
MADLLE. ELISA LAYEILLON
MADLLE. ELISE DORDAN
MADLLE. MARTHE
MADLLE. MATHILDE RAYNAUD
MADLLE. POURQUIE
MAGENTA KING
MAID OF KENT
MARABOUT
MARGUERITE VINCENT
MARIE CROZAT
M. BONAMY AINE
M. DELEUIL
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET
M. ULRICH
MUSTAPHA
NEATNESS
NEW YORK
OLIVAR
ORANGE QUILL
ORNATUM
OSIRIS
PABLO
PERFECTION
POLYCARP
POMPON ROSE
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
RAJAH
ROSE D'AMOUR
ROSE DE LA CASTILE
ROSE TREVENNA
ROSINA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SANS PAREIL
SNOWDROP
SŒUR MELANIÉ
SOIRÉE D'ETE
TOUSSAINT MAURISOT
VARIEGATUM
VICTOR HUGO
ZAIRE

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

Excepting those priced, all 6d. each.

ATTRACTION
BRUNETTE
CASINO
COACHMAN
CRIMSON AND GOLD
CRUSHED STRAWBERRY 1*s.*
DR. KELLOCK
EXQUISITE
GUS. HARRIS
HENRY IRVING
LORD MAYOR
MAGENTA KING
MARIGOLD, 9*d.*
MARY ANDERSON, 9*d.*
MISS CANNELL, 9*d.*
MISS ELLEN TERRY
MISS ROSE
MRS. A. LE MOULT
MRS. FRANCIS RICARDO
MRS. J. WILLS
MRS. KELLOCK
MRS. LANGTRY
MRS. W. WOOD
PERFECTION
PURE GOLD
PYRETHRUM
QUEEN OF THE YELLOWS
SADIE MARTINOT
SIMS REEVES
TERRA COTTA
THE FRIARY BEAUTY
THE VIRGIN
TRISTAM
W. E. GLADSTONE

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUM FRUTESCENS, *vide page* 147.

NEW AND CHOICE FUCHSIAS.

Those marked (*) are double-flowered varieties.

***ADAIR**, short tube and well reflexed sepals of a bright crimson colour; double, bluish-purple corolla, often flaked rose. 1*s.* 6*d.*

***A. DE NEUVILLE**, large open double reddish-violet corolla; bright rose sepals. 1*s.*

***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 1*s.* 6*d.*

AÉROSTAT, vinous-red recurved sepals; long trumpet-shaped bluish-violet corolla. 2*s.*

***ALPHONSE DAUDET**, bright red recurved sepals and bluish-violet corolla. 1*s.*

AMADEO, bright rosy-pink tube and sepals; tube very short; bright bluish corolla. 1*s.*

***ARAB**, short bright crimson tubo and well-reflexed sepals; fine large deep bluish-purple double corolla. 2*s.* 6*d.*

***AUGUSTIN THIERRY**, enormous semi-double bright rose corolla; sepals bright red, a good market variety. 2*s.*

***AYRSHIRE**, bright coral red tube and sepals, rich blue corolla; stout and fine. 1*s.* 6*d.*

***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish-coral colour; enormous double azure-violet corolla. 1*s.*

***BEAUTY OF WEST KENT**, largo flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 3*s.* 6*d.*

BLUE KING, bright crimson tube, well-reflexed sepals, and fine blue corolla. 1*s.*

***BUFFON**, large red reflexed sepals; enormous rosy-white corolla, very double, 7*s.* 6*d.*

BULGARIE, large brilliant red well-shaped sepals; large violet-plum corolla. 1*s.*

BULRUSH, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy-purple corolla. 1*s.*

CAMILLE FLAMMARION, a large flower; with reflexed sepals of a rosy-red colour, and well-formed reddish-violet corolla. 1*s.*

CERVANTES, sepals rose; corolla rosy-mauve, bordered with blue. 2*s.*

CISSIE, bright crimson tube and sepals, the latter prettily recurved; fine full corolla of a rich dark purple colour. 1*s.*

***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1*s.*

***COLONEL DOMINÉ**, clear red reflexed sepals; large imbricated white corolla, lightly suffused with rose. 1*s.*

***COMTE LÉON TOLSTOI**, large dark scarlet sepals; dark blue corolla, very double and compact. 1*s.* 6*d.*

CONSTANCY, flesh coloured tube and sepals; the latter well-reflexed, rich carmine corolla, stout and extra fine. 1*s.* 6*d.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 2*s.* 6*d.*

COUNTESS OF ABERDEEN, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk white. 1*s.* 6*d.*

C. N. MAY, scarlet tubo and sepals; corolla dark plum colour; excellent habit. 1*s.*

CREUSA, rich crimson tubo, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1*s.*

DELIGHT, pure white tube and sepals, pink and carmine corolla, slightly shaded with violet, extra fine for exhibition purposes. 1*s.*

DIADEM, blush tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 1*s.*

DORCAS, short tube and large rosy-carmine sepals, immense soft bluish-purple corolla, veined and shaded with rose. 1*s.* 6*d.*

***DR. PRILLIEUX**, large bright scarlet recurved sepals; very large dark violet double corolla, with extended petals. 7*s.* 6*d.*

DR. TOPINARD, largo cerise-red sepals; corolla white suffused with rose, the petals being very evenly extended. 7*s.* 6*d.*

***DOROTHY FRY**, short crimson tube and recurved sepals; very largo semi-double white corolla. 3*s.* 6*d.*

***EDMOND ABOUT**, large vermilion-carmine reflexed sepals; enormous double white corolla, suffused with rose. 1*s.*

EMILY BRIGHT, creamy-white tube and sepals; bright carmine corolla, of fine form. 1*s.*

ERNEST RENAN, short rosy tube and reflexed sepals; rose corolla; pyramidal habit. 1*s.*

FAIR MAID, creamy white tube and sepals, tinted with blush; corolla deep carmine flushed with magenta. 1*s.* 6*d.*

***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 1*s.* 6*d.*

FLOCON DE NEIGE, well reflexed carmine sepals; large creamy-white corolla. 1*s.*

***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy-carmine. 1*s.* 6*d.*

***FRANCISQUE SARCEY**, corolla bluish-violet; large reflexed sepals, dark rose on the inside and bright red on the exterior. 1*s.*

***FRAU EMMA TOPFER**, broad well reflexed rosy-magenta sepals; double white corolla suffused and veined with rose. 1*s.*

GANNET, short tube with long bright crimson reflexed sepals; bluish-purple corolla, shaded with rosy-crimson at the base. 1*s.* 6*d.*

GEORGE FRY, scarlet tube and sepals, violet veined with scarlet at the base; a large fine flower. 3*s.* 6*d.*

GERALD, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish-crimson colour. 1*s.* 6*d.*

GERTRUDE, bright rose-carmine tube and sepals, the latter large and completely reflexed; large white corolla, veined carmine from the base. 3*s.* 6*d.*

GLORY, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 1*s.* 6*d.*

NEW AND CHOICE FUCHSIAS—continued.

HARLEQUIN, a gigantic variegated flower; sepals rich carmine, bread and reflexed; immense bluish-purple corella striped with rosy-pink. 1*s.* 6*d.*

HARMONIE, reflexed whitish-rose sepals, corella soft lilac; of good habit. 1*s.*

HEROINE, white tube and sepals, with lines of pink, bright carmine corella; new in colour, and of excellent habit. 1*s.* 6*d.*

HERON, short tube, and broad rosy-carmine sepals; corella rich bluish-purple. 1*s.* 6*d.*

***HOCHE**, rose sepals, completely reflexed; full rosy-lilac corella of good shape; a new colour. 1*s.* 6*d.*

IRMA, bright rosy-carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy-purple corella. 1*s.* 6*d.*

JAMES WELCH, bright rosy-red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1*s.*

JASON, fine corella about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1*s.*

***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy-crimson. 2*s.* 6*d.*

JUNO, short tube with large and broad well-reflexed crimson sepals, corella deep purple marked with rosy-pink at base. 2*s.* 6*d.*

***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corella. 1*s.*

***KLÉBER**, sepals horizontally refloxed, rosy-white tipped with green; double violet-blue corella. 2*s.* 6*d.*

LADY DOREEN LONG, creamy-white tube and sepals; deep pink corella, suffused with pale violet. 1*s.*

***LA FRANCE**, large recurved bright red sepals; the large double corella being of a beautiful cobalt-blue; very fine. 1*s.*

LADY HEYTESBURY IMPROVED, an improvement on *Lady Heytesbury*, both in habit and flower. 9*d.*

LAMUS, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corella of a dark satiny-purple colour. 1*s.*

LANCER, short tube with bright coral red recurved sepals; long corella of a bluish-purple colour. 3*s.* 6*d.*

L'AVENIR, short tube and recurved sepals, rosy-crimson tipped with green; fine expanded tricolor corolla, blue, rose and white. 1*s.* 6*d.*

LE VERRIER, large dark red reflexed sepals; plum coloured corolla with bright centre; a remarkable variety suitable for planting in the open. 7*s.* 6*d.*

LITTRÉ, corella of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1*s.*

LORD LYONS, coral-red reflexed sepals; enormous plum-coloured corolla. 1*s.*

LOTTIE, creamy tube, delicate blush-pink sepals and bright carmine corella; very pleasing; of fine shape, and good grower. 1*s.* 6*d.*

LOVELINESS, a grand white Fuchsia, creamy tube and pale blush sepals very long and stout; pale violet-pink corolla margined with carmine; extra fine. 1*s.*

MADAME DIEULAFOY, long white tube and sepals, the latter large and recurved; corolla rose, brightening at the margin; of good habit, and very florifereus. 2*s.*

***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy-red sepals, and alabaster white corolla. 1*s.*

***MADAME JULES CHRETIEN**, brilliant crimson tube and sepals; pure snowy white corella, flaked with carmine. 1*s.*

MADAME MILLET-ROBINET, white tube of great length; sepals greenish-white; corella large and long, clear rose. 2*s.*

***MADAME THIBAUT**, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 1*s.* 6*d.*

***MARVELLOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1*s.*

***MATHIAS DUVAL**, small tube and large scarlet sepals; long double corella of dark violet serrated petals. 7*s.* 6*d.*

***M. BROWN SÉQUARD**, large well recurved scarlet sepals; perfectly shaped creamy-white double corella. 7*s.* 6*d.*

MEMPHIS, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1*s.*

MISTRAL, short tube and large, well reflexed, brilliant scarlet-red sepals; corella reddish-violet; plant of robust habit, and very florifereus. 2*s.*

***MOLESWORTH**, tube and sepals bright carmine, the latter well reflexed, displaying an unusually large and full pure white double corolla. 1*s.*

M. DUFAURE, rosy-salmon corella and elegantly recurved sepals of a yellowish-salmon colour, with green tips. 1*s.*

M. JOULE, well-formed flowers of medium size of a pretty sky-blue colour, marked with white at the base; clear red sepals. 7*s.* 6*d.*

***M. LOMBROSO**, sepals reddish crimson, large bluish-violet double corolla. 7*s.* 6*d.*

***MONUMENT**, full double corella of a deep purple colour, striped with rosy-carmine; tube and sepals rosy-crimson. 1*s.*

MR. F. GLASS, tube and sepals bright crimson; corolla purplish-maroon; distinct. 1*s.*

MRS. BRIGHT, waxy white tube and sepals, clear orange-scarlet corella; a wonderfully free-blooming variety of fine habit. 1*s.*

***MRS. E. G. HILL**, flower very large and double, corella creamy-white, dark red sepals well reflexed; of good habit and growth, and probably the finest double white variety existing. 1*s.*

***MRS. SHORT**, the raiser describes this as the finest double white Fuchsia yet sent out; immense white corella, bright rose tube and sepals. 2*s.* 6*d.*

NEW AND CHOICE FUCHSIAS—continued.

*NANCY, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 3s. 6d.

NELLIE, creamy-white tube and sepals, pink corolla of good form, suffused with mauve; very distinct. 1s.

*NOVEAU MASTODONTE, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1s.

*PATTERN, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 2s. 6d.

PEASANT GIRL, white tube and sepals tinted with delicate blush; corolla pink and carmine, slightly shaded violet. 1s. 6d.

PERA, short tube and bright coral-red sepals, horizontally reflexed; long bluish-purple corolla. 2s. 6d.

*PHENOMENAL, short tube and reflexed sepals of a rich reddish-crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1s.

*PIERRE LOTI, enormous bluish-violet double corolla; large bright red sepals. 2s.

PRESIDENT, tube and well-recurved petals of a bright vermilion; beautiful formed corolla of the richest violet colour. 1s.

*PRESIDENT CARNOT, rosy-crimson reflexed sepals, double violet blue corolla. 1s.

*PRÉSIDENT GREVY, sepals rosy-lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1s.

PROGRESS, very long bright red sepals and rich violet corolla. 2s. 6d.

*RANGER, short tube and completely recurved rosy-crimson sepals; fine large double light bluish-purple corolla, shaded with rose at the base. 2s. 6d.

*REAPER, short tube and wide sepals, of a bright rosy-carmine colour; short double corolla of a purplish-crimson colour. 1s.

*REDWING, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. 2s. 6d.

RENOWN, pale red tube and sepals, purplish corolla shaded with maroon; very bright and pleasing; vigorous habit. 1s. 6d.

ROSALIND, large waxy-white tube and sepals, pale rosy-pink corolla. 1s.

ROSE OF CASTILE IMPROVED, a great improvement on the old and favourite variety, of free growth and good habit. 9d.

*SÉNATEUR BERLET, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1s.

SURPRISE, waxy-white tube and sepals, the latter tipped with green, pale bright magenta corolla, fine and free. 1s.

*SYLVANUS, short tube and long rosy-crimson sepals; bluish-purple corolla. 2s. 6d.

THOMAS KING, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1s. 6d.

*TRITON, short tube and long crimson sepals well reflexed, double corolla, bright lavender flaked with bright rosy-pink. 1s. 6d.

TULIP, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1s.

*ULYSSE TRÉLAT, large bright red sepals, large double corolla, white suffused with rose. 7s. 6d.

UTERPE, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy-crimson at the base. 1s. 6d.

VENUS VICTRIX IMPROVED, white tube and sepals; dark purple corolla. 1s.

*VIOLET DE DUC, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1s.

*VOIX DU PEUPLE, large flowers with fine expanded milky-white double corolla; sepals well recurved, of a rosy-carmine colour. 1s.

WALTER LONG, bright coral-red tube and sepals; clear violet corolla. 1s.

*WHITE GIANT, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1s.

WINIFRED GLASS, blush tube and sepals; corolla rich carmine shaded with magenta; very free and pleasing. 1s.

*WYVERN, short tube and large rosy-crimson sepals well-reflexed, long semi-double purple corolla. 1s. 6d.

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

HYBRID FUCHSIAS AND SPECIES.

AMPLIATA, a handsome large scarlet-flowered species, introduced from the Andes. 3s. 6d.

CANARY BIRD, foliage golden-yellow; tube and sepals scarlet; corolla dark purple. 1s. 6d.

CRIMSON BEDDER, a distinct variety with bronzy-crimson leaves, the bright colouring of which will make it a useful, novel, and effective bedding plant; the flowers are pale red. 2s. 6d.

DEPENDENS, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 1s. 6d.

PROCUMBENS, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1s.

SPLENDENS, rich crimson flowers with the ends of the sepals light green. 1s.

SUNRAY, a beautiful plant, with leaves of a rich bright crimson, white and bronzy-green, in about equal parts; the flowers are of fine form; scarlet tube and sepals; light purple corolla. 1s.

THYMIFOLIA, a very pretty neat-growing species; flowers rosy-crimson, the petals or corolla completely recurving on the sepals. 2s. 6d.

TRIPHYLLA, flowers at every growth in trusses of orange-scarlet or Indian-red colour; a very distinct and beautiful species. 2s. 6d.

NEW AND CHOICE COLEUS.

DOCTEUR CHEVILLON, very pretty, centre white, maculated with purple, widely margined bright green. 3*s*. 6*d*.

GROUPE IX., beautiful variety, irregularly marked with green, white, purple and carmine. 3*s*. 6*d*.

LA ROQUE, large serrated leaves, dark green, spotted dark purple. 3*s*. 6*d*.

LOUISE, rosy centre, green margin, very pretty toothed leaves. 3*s*. 6*d*.

MADLLE. ALICE, rose leaf, white at the base and lightly margined with green. 3*s*. 6*d*.

M. FÉRARD, dark purplish maroon, veins bright carmine. 3*s*. 6*d*.

M. MAGLOIRE, creamy white ribs, turning carmine and purple, green margin. 3*s*. 6*d*.

M. SCHNEIDER, leaves suffused red rose, green and cream. 3*s*. 6*d*.

NOCES D'OR, light centre, nerves rose, zoned purple and margined green. 3*s*. 6*d*.

PETIT ROBERT, serrated leaves, rose centre, with zone of rich purplish-maroon. 3*s*. 6*d*.

CHOICE COLEUS.

AILSA, *vide* page 8.
ALARM, 1*s*.
ALPHONSE BERNOUD, 1*s*. 6*d*.
AMAZEMENT, 1*s*.
ANACREON, 1*s*. 6*d*.
ARLEQUIN, 1*s*. 6*d*.
ARMAINVILLIERS, 2*s*. 6*d*.
AURORA, 1*s*.
BEAUMARCHAIS, 1*s*. 6*d*.
BOUTARD, 1*s*. 6*d*.
CEDRUS, 2*s*. 6*d*.
CELINE CHENU, 1*s*. 6*d*.
CHAM, 1*s*. 6*d*.
CLAIRE DE CHANDENEUX, 1*s*.
CLOWN, 1*s*.
COMTE DE SERVILLIERS, 1*s*. 6*d*.
COMTESSE AGUADO, 9*d*.
—— **DE KERCHOVE**, 1*s*. 6*d*.
CORNÉLIE, 1*s*. 6*d*.
CUPID, 1*s*.
DESAUGIERS, 1*s*. 6*d*.
DOLLY VARDEN, 1*s*.
ECLIPSE, 1*s*.
EDITH, 1*s*. 6*d*.
ELDORADO, 1*s*.
ERNEST, 1*s*.
ERNST BENARY, 1*s*.
ESTELLE, 1*s*. 6*d*.
FARA, 2*s*. 6*d*.
FLAMBEAU, 1*s*.
GAIETY, 1*s*.
GEM, 1*s*.
GIL BLAS, 1*s*. 6*d*.
GEORGE BOLAS, 1*s*.
GLITTER, 1*s*.
GLOIRE DE ROUGEMONT, 2*s*. 6*d*.
GLOW, 1*s*.
GOLIATH, 2*s*. 6*d*.
HARLEQUIN, 1*s*.
HEBE, 1*s*.
HERODE, 1*s*. 6*d*.
JAMES BARNSHAW, 1*s*.
JOHN BENARY, 1*s*.
LESBIA, *vide* page 8.
LE COUTANCONNAIS, 1*s*.
LILAH, 2*s*. 6*d*.
LE KAIN, 1*s*. 6*d*.
LOUIS CHRETIEN, 1*s*.
LOUIS KETELEER, 1*s*.
MADEMOISELLE LUCIE THOMAS, 1*s*.
MADEMOISELLE DE LA ROCHETTERIE, 1*s*.
MAGIC, 1*s*.
MAGGIE, 1*s*.
MARINER, 1*s*.

CHOICE COLEUS—continued.

MARQUIS DE NADAILLAC, 1*s.* 6*d.*
MARY BOLAS, 1*s.*
MIDAS, 1*s.* 6*d.*
MIRIAM ROTHSCHILD, 2*s.* 6*d.*
MODEL, 1*s.*
MON CAPRICE, 1*s.*
M. BOUTARD, 1*s.*
M. CASIMIR PERIER, 1*s.*
M. COLMET D'AAGE, 1*s.*
M. P. HOCHET, 1*s.*
M. THIBAUT, 1*s.*
MRS. G. SIMPSON, 1*s.*
MULTICOLOR SPLENDENS, 1*s.*
NONSUCH, 1*s.*
PARAGON, 1*s.*
PEGASUS, 1*s.*
PERICLES, 1*s.*
PLATON, 1*s.* 6*d.*
PLINY, *vide* page 8.
POMPADOUR, 1*s.*
QUADRICOLOUR, 2*s.* 6*d.*
RECAMIER, 1*s.* 6*d.*
RUBICON, 1*s.*
SOWTERI, 1*s.*
SPANGLE, 1*s.*
STELLA, 1*s.*
SURPRISE, 2*s.* 6*d.*
SYBIL, 1*s.*
THEOPHRASTE, 1*s.* 6*d.*
TINTORET, 1*s.* 6*d.*
TURBAN, 1*s.*
UTOPIA, 2*s.* 6*d.*
ZELINDA, 1*s.*

NEW AND CHOICE BEDDING AND SOFT-WOODED PLANTS.

ABUTILON, of sorts, *vide* page 62.
AGERATUM, of sorts, 6*s.* per dozen.
ALTERNANTHERA, of sorts, 6*s.* per dozen.
BOUVARDIA, ALBA ODORATA, 2*s.* 6*d.*
ALFRED NEUNER, 1*s.* and 1*s.* 6*d.*
CANDIDISSIMA, 1*s.* 6*d.*
CONSPICUA, 2*s.* 6*d.*
DAVIDSONI, 1*s.* 6*d.* and 2*s.* 6*d.*
DAZZLER, 1*s.*
ELEGANS, 1*s.*
ETNA, 1*s.* 6*d.*
FLAVESCENS, 1*s.* 6*d.*
—— FL. PL., 1*s.*
HOGARTHI FL. PL., 1*s.*
HUMBOLDTII CORYMBIFLORA, 1*s.* 6*d.*
JASMINOIDES, 1*s.* and 1*s.* 6*d.*
LONGIFLORA FLAMMEA, 1*s.* 6*d.*
BOUVARDIA, LUTEOLA PLENA, 3*s.* 6*d.*
MAIDEN'S BLUSH, 1*s.* 6*d.*
MRS. GREEN, 2*s.* 6*d.*
PRESIDENT CLEVELAND, 1*s.* 6*d.*
—— GARFIELD, 1*s.* and 1*s.* 6*d.*
PRIORY BEAUTY, 1*s.* 6*d.*
QUEEN OF ROSES, 1*s.*
ROSEA OCULATA, 1*s.*
SANG LORRAINE, 1*s.*
TRIOMPHE DE NANCY, 1*s.*
UMBELLATA ALBA, 1*s.* 6*d.*
—— CARNEA, 1*s.* 6*d.*
UNIQUE, 2*s.* 6*d.*
V. LEMOINE, 1*s.*
VIVICANS, 2*s.* 6*d.*
VREELANDII, 1*s.*

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s.* 6*d.* and 3*s.* 6*d.*

CANNAS.

ADMIRAL COURBET, citron yellow, striped and splashed carmine, 2*s.*
ANNETTE NOVEL, large reddish-purple flowers, 1*s.*
B. COUSANCAT, reddish-scarlet, very floriferous, 1*s.* 6*d.*
BERTHAL, large bright red flowers, 1*s.* 6*d.*
BIHORELLI PURPUREA, purplish-scarlet, 1*s.* 6*d.*
CARDINALIS, very bright reddish-purple, 1*s.* 6*d.*
CINNABARINA, large cinnabar red flowers, 1*s.* 6*d.*
COMMANDANT RIVIERE, clear yellow, flamed and striated with red, 2*s.* 6*d.*
EDOUARD ANDRE, amaranth-purple, 2*s.* 6*d.*
FRANCOIS LAPEUTE, purplish-scarlet, 1*s.*
GENSOUL, large cinnabar-coloured flowers, 1*s.* 6*d.*
GEOFFROY ST. HILAIRE, bright cardinal flowers. 2*s.*
HENRI MARTIN, reddish-vermilion. 1*s.* 6*d.*
IRIDIFLORA EHEMANNI, 1*s.* 6*d.*
J. CORDIOUX, brilliant red flowers. 1*s.*
LOUISE CHRETIEN, deep canary-yellow, margined rosy-carmine, 2*s.*
MADAME JUST, red, shading to saffron-yellow, large flowers. 2*s.*
MONTE CINDRE, citron yellow, flamed with red in centre, 2*s.* 6*d.*
PICTATA, large canary yellow flowers, edged with dark carmine. 1*s.* 6*d.*
PRESIDENT FAIVRE, reddish-purple flowers. 1*s.* 6*d.*
PETITE JEANNE, madder-red, bordered yellow, shading to white. 1*s.* 6*d.*
REVAL-MASSOT, marbled reddish flowers 1*s.*
SOUVENIR DE JEANNE CHARRETON, very rich cardinal colour. 2*s.*
SOUVENIR DE MADAME LIABAUD, reddish-cerise, shaded vermilion. 2*s.*
ULRICH BRUNNER, bright scarlet-cerise. 2*s.*

CARNATIONS, Tree of sorts, 30*s.* and 42*s.* per doz.
CHRYSANTHEMUM FRUTESCENS, 1*s.*
FRUTESCENS ALICE CROUSSE, 1*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS COMTE DE CHAMBORD, 1*s.* 6*d.*
FRUTESCENS ETOILE D'OR, 1*s.* 6*d.*

DAHLIAS.

Bouquet or Pompon Varieties, 9*s.* and 12*s.* per dozen.
Cactus-Flowered Varieties, 9*s.*, 12*s.* and 18*s.* per dozen.
Choice Exhibition Varieties, 9*s.*, 12*s.*, 18*s.* and 24*s.* per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9*s.*, 12*s.*, 18*s.* and 24*s.* per dozen.
Dwarf Bedding Varieties, 9*s.* and 12*s.* per dozen.
Single-Flowered Dahlias, 9*s.*, 12*s.* and 18*s.* per dozen.

ECHEVERIAS, *vide* page 130.

HELIOTROPE, ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is marbled with golden-yellow. 1*s.*

IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9*d.* each.

HELIOTROPE, PRESIDENT GARFIELD, 1*s.*
WHITE LADY, 1*s.*
LANTANAS, of sorts, 18*s.* per dozen.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s.*, 12*s.* and 18*s.* per dozen.

MIMULUS MOSCHATUS GRANDIFLORUS, a new and robust hybrid Musk, an excellent bedding plant, freely producing large pure yellow flowers of fine shape. Awarded First Class Certificate by the Floral Committee of the Royal Horticultural Society. 1*s.*

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s.* and 18*s.* per dozen.

PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

New Double-white Petunia, Snowdrift, *vide* page 8.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s.* and 18*s.* per dozen.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.

SALVIA, INGÉNIEUR CLAVENAD.

A variety raised from *S. splendens*, similar in character, but more floriferous, and the flowers much darker in colour. 2*s.* 6*d.*

SALVIA BETHELII, 1*s.*
BOLIVIENSIS, 1*s.*
CÆLESTINA, 1*s.* 6*d.*
GESNERÆFLORA, 1*s.*
M. ISSANCHOU, 1*s.* 6*d.*
PATENS, 6*d.*
SALVIA PATENS ALBA, 2*s.* 6*d.*
PITCHERI, 1*s.* 6*d.*
RUTILANS, 1*s.* 6*d.*
SPLENDENS, 1*s.*
SPLENDENS BRUANTII, 1*s.*
SEMPERVIVUM HAWORTHII, 1*s.*

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. **Good Selections made at 30s. and 42s. per dozen.**

NEW PLANTS

Introduced and sent out for the first time in 1885.

ARDISIA PICTA
ARISÆMA FIMBRIATUM
BEGONIA ALBO-PICTA
BIGNONIA REGALIS
CAMOËNSIA MAXIMA
CLERODENDRON DELECTUM
CRINUM SANDERIANUM
CUROULIGO DENSA
DIOHÆA VAGINATA
DRACÆNA EXCELLENS
ERYTHRINA VESPERTILIO
GOVENIA DELICIOSA
HELIOTROPIUM INCANUM
HEMIGRAPHIS COLORATA
IXORA EMINENS
—— GEMMA
MARANTA CONSPICUA
NEPENTHES RAFFLESIANA INSIGNIS
ODONTOGLOSSUM VEXILLARIUM INSIGNE
PHILODENDRON NODILE
PINANOA SANDERIANA
SCHISMATOGLOTTIS SIAMENSIS
STYRAX CALIFORNICA

NEW PLANTS

Introduced and sent out for the first time in 1886.

ANTHURIUM CHELSEIENSE
ARISTOLOCHIA ELEGANS
BEGONIA COMPTA
—— DECORA
CLERODENDRON MINAHASSÆ
COTONEASTER FONTANESII
DENDRODIUM PARTHENIUM
ERANTHEMUM MACROPHYLLUM
—— VELUTINUM
EUCHARIS MASTERSII
GYMNADENIA MACRANTHA
IMPATIENS HAWKERII
IXORA CONSPICUA
—— SPECIOSA
PALICOUREA JUGOSA
PINANGA SPECTABILIS
SELAGINELLA FLAGELLIFERA
SMILAX DISCOLOR
TECOMA AMBOINENSIS
THUNIA MARSHALLIANA IONOPHLEBIA
ZALACCA NITIDA

NEW PLANTS

Introduced and sent out for the first time in 1887.

ADIANTUM ASSIMILE CRISTATUM
ALOCASIA GRANDIS
APHELANDRA CHRYSOPS
ARISTOLOCHIA RIDICULA
BEGONIA EGREGIA
BOUGAINVILLEA REFULGENS
CLERODENDRON RUMPHIANUM
CORYPHA DECORA
COSTUS MOSAICUS
CROTON BEAUTY
CROTON NESTOR
—— SUNBEAM
CYPRIPEDIUM AMANDUM
—— CONCINNUM
—— REGALE
HÆMANTHUS ABYSSINICUS
HELICONIA BREVISPATHA
LASTREA JENMANI
MARANTA ICONIFERA
NEPHTHYTIS PICTURATA
PANORATIUM GUIANENSIS
POTHOS ARGENTEUS
—— NITENS
PTERIS TREMULA CRANDICEPS
RHODODENDRON ALDESCENS
—— GRAVEOLENS
SELAGINELLA TASSELLATA
THUNIA MARSHALLIANA TRICOLOR

NEW PLANTS

Introduced and sent out for the first time in 1888.

AGLAONEMA PICTA COMPACTA
ALOCASIA MARGINATA
—— PRINCEPS
APHELANDRA AMŒNA
ARDISIA POLYCEPHALA
CROTON DELIGHT
—— JUNIUS
—— MAGNIFICENT
CROTON MONARCH
—— VICTORY
CYPRIPEDIUM SAUNDERSIANUM
DRACENA ARGENTEO-STRIATA
EOMICON CHIONANTHA
ESMERALDA DELLA
MUSSÆNDA ERYTHROPHYLLA
NIDULARIUM STRIATUM
PANAX CRISPATUM
—— LEPIDUM
—— NITIDUM
—— ORNATUM
PAVETTA NATALENSIS
PINANGA LEPIDA
RHODODENDRON DIANA
—— FAIR ROSAMOND

NEW PLANTS

Introduced and sent out for the first time in 1889.

CAVENDISHIA SPECTABILIS
CROTON FLAMINGO
—— MEMPHIS
—— MIRABILE
—— PRINCE OF ORANGE
CROTON REIDII
CYPRIPEDIUM TAUTZIANUM LEPIDUM
DIPLARRHENA MOREÆ
ENCEPHALARTOS REGALIS
GYMNOGRAMMA ELEGANTISSIMA
HIBISCUS ROSA SINENSIS INTERMEDIUS
IMANTOPHYLLUM BLANDFORDIÆ. FLORUM STRIATUM
TECOMA SMITHII

NEW PLANTS

Introduced and sent out for the first time in 1890.

EUCHARIS BAKERIANA
GLORIOSA SUPERBA GRANDIFLORA
LASTREA CORUSOA
RHOPALOBLASTE HEXANDRA
NEW SONERILAS
STREPTOCARPUS REXII PURPUREUS
GREENHOUSE RHODODENDRON MYRA

"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."

CALCEOLARIA, HERBACEOUS (Prize Strain.) *Vide* page 151.

"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."

"I have had some flowers 2¾ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 151.

"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2½ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."

CINERARIA, extra choice mixed. *Vide* page 151.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s.	d.
ABUTILON, new varieties, extra choice ..	1	0
Auricula, Alpine, very fine strain .. 1*s.* &	1	6
Balsam, Camelia-flowered	1	0
BEGONIA HYBRIDA GIGANTEA, the flowers, which are produced in great abundance, are of gigantic size, measuring 4 to 5 inches, and of various and attractive colours 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Begonia, Ornamental Foliaged varieties ..	2	6
—— Double, finest mixed	2	6
Calandrinia umbellata, crimson	0	6
CALCEOLARIA, HERBACEOUS, Prize Strain .. .. 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Candytuft, dark crimson	0	3
—— **Tom Thumb**, white	0	6
CARNATION, Bizarre ..2*s.* 6*d.*, 3*s.* 6*d.* &	5	0
—— Flaked .. ..2*s.* 6*d.*, 3*s.* 6*d.* &	5	0
—— Self .. .. ..2*s.* 6*d.*, 3*s.* 6*d.* &	5	0
—— Fancy .. ..2*s.* 6*d.*, 3*s.* 6*d.* &	5	0
CHRYSANTHEMUM JAPONICUM ..	1	0
—— large flowering, extra choice ..	1	0
—— pompon varieties	1	0
CINERARIA, extra choice mixed 1*s.* 6*d.* &	2	6
—— **hybrida grandiflera nana** 1*s.* 6*d.* &	2	6
—— Double	2	6
Cockscomb, Glasgow Prize	1	0
—— The Queen	1	6
COLEUS, choice hybridised .. 1*s.* &	1	6
CYCLAMEN PERSICUM, finest, mixed colours .. .. .. 1*s.* 6*d.* &	2	6
—— —— **giganteum** *(grandiflorum)* 1/6 &	2	6
—— —— —— **compactum**, pure white, purple base	2	6
—— —— —— **roseum**, rose, dark crimson eye	2	6
—— —— **Charming Bride**, pure white ..	2	6
—— —— **Duke of Connaught**, rich purplish-crimson .. .. 1*s.* 6*d.* &	2	6
—— —— **Rosy Morn**, delicate rose, 1*s.* 6*d.* &	2	6
—— —— **Picturata**, claret-purple base, 1*s.* 6*d.* &	2	6
DAHLIA, single, choice mixed	1	0
Eschscheltzia Mandarin, orange	0	6
FREESIA refracta alba	1	0
GLOXINIA, extra choice hybridised, 1/6 &	2	6
—— Finest Spotted	2	6
—— **grandiflora erecta**	2	6
—— —— **pendula**	2	6
Godetia, Duchess of Albany	0	6
—— FAIRY QUEEN (New)	1	0
Hollyhock, extra choice mixed	1	0
Larkspur, Dwarf Rocket, finest mixed ..	0	3
Lathyrus splendens	1	6
Lobelia erinus speciosa	0	6
—— **Royal Purple**	1	0
Mignonette, Golden Queen	1	0
—— **Machet**	0	6
—— **Mammoth** (New)	1	0

	Per pkt.—s.	d.
Myrsiphyllum asparagoides	1	0
Myosetis dissitiflera	1	0
Nasturtium, Empress of India	0	6
PANSY, ASHBURNHAM STRAIN ..	2	6
—— **Trimardeau**, extra choice	1	0
Papaver Marselli, "The Mikado" ..	0	6
—— **nudicaule album**	1	0
—— —— **miniatum**	1	0
—— **lœvigatum** (New)	1	0
PEAS, SWEET, Borcatton	0	9
—— —— CARDINAL	0	6
—— —— Duchess of Edinburgh	0	6
—— —— Isa Eckford	0	6
—— —— INDIOO KING	0	6
—— —— PRINCESS OF WALES	0	6
—— —— The Queen	0	6
—— —— Eckford's mixed	0	6
PELARGONIUM, Gold and Bronze, from named varieties .. 1*s.* 6*d.* &	2	6
Ivy-leaved, from named varieties ..	2	6
PETUNIA, choice hybridised	1	0
Phlox Drummondi cuspidata	1	0
—— —— **fimbriata**	1	0
Picotee, choice mixed	2	6
Pink, finest laced varieties .. 2*s.* 6*d.* &	3	6
Pelyanthus, choice mixed	0	6
—— **geld laced**	1	0
POPPY, "The Shirley" (New)	0	6
Primrose-Polyanthus, choice mixed ..	1	0
Primula OBCONICA	1	0
—— SINENSIS FIMBRIATA FULGENS	2	6
—— —— ALBA MAGNIFICA	2	6
—— —— IMPERIAL BLUE (New)	2	6
—— —— MONT BLANC	2	6
—— —— PINK BEAUTY (New)	3	6
—— —— SPLENDIDA	2	6
—— —— CHISWICK RED	2	6
—— —— AVALANCHE	2	6
—— —— BULL'S PREMIER MIXTURE, 1*s.* 6*d.* &	2	6
—— —— ALBA OCULATA LUTEA	2	6
—— —— ELEGANTISSIMA	2	6
—— —— ALBA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— RUBRA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— PRINCE ARTHUR, FL. PL., 2/6 &	3	6
PYRETHRUM AUREUM SELAGINOIDES ..	1	0
Stock, East-Lothian, crimson	1	0
—— —— purple	1	0
—— —— scarlet	1	0
—— —— white	1	0
Terenia, "White Wings" (New), pure white, with a slight flush of rose at the throat	1	0
Verbena, finest mixed	1	0
Wallflower Harbinger, fine dark red ..	0	6
—— **Belvoir Castle**	0	6

CHOICE GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some :—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated ; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.
They are gorgeously beautiful.
Their handsome spikes of flowers are useful for decorating vases and epergnes.
Their flower buds expand and last a long time when cut and placed in water.
They are charming when introduced into borders among Evergreens.
Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

Orders for the above are booked throughout the year at the following prices, and the bulbs supplied in January, February, or March.

100	in 12	Choice named varieties	40s.
100	,, 20	Ditto, ditto	80s.
100	,, 25	New and extra choice named varieties	100s.
50	,, 12	Extra choice named varieties	30s.
50	,, 25	New and extra choice named varieties	50s.
24	,, 8	Choice named varieties	15s.
24	,, 12	Extra choice named varieties	20s.
24	,, 12	New and extra choice named varieties	25s.
12	,, 12	,, ,, ,,	12/6
12	,, 12	,, ,, ,,	9s.
12	,, 12	Choice named varieties	7/6
12	,, 6	,, ,, ...	5s.

GLADIOLUS, Finest Mixed Hybrids.

Various colours, 12*s*. 6*d*. per 100 ; 1*s*. 9*d*. per dozen.

Scarlet and dark red ground varieties, mixed
Rose and light red ground ,, ,,
White ground varieties, mixed .. .. } 2*s*.6*d*. per doz

GLADIOLUS BRENCHLEYENSIS

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders. Selected bulbs can be supplied by the 1000 at 5*s*. per 100.

GLADIOLUS, HARDY HYBRIDS.

COLVILLI ALBUS, (The Bride), produces spikes of pure white flowers, specially used for cutting. 1*s*. per dozen ; 7/6 per 100.

FAIRY, pure white, the three lower petals beautifully blotched with deep rosy crimson, very pretty. 5/- per dozen ; 40/- per 100.

ROSY GEM, delicate pink, invaluable for cutting. 1/6 per dozen ; 10/6 per 100.

LEMOINEI.—A handsome hybrid early flowering variety. 3*s*. 6*d*. per dozen ; 6*d*. each.

MARY LEMOINE.—Very beautiful. 3*s*. 6*d*. per dozen ; 6*d*. each.

LEMOINE'S HYBRIDS.—Named varieties. 12/- per dozen.

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 365, KING'S ROAD, CHELSEA, S.W.
Cheques to be crossed "LONDON JOINT STOCK BANK."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

INDEX.

PAGE

Abroma 9
Abyssinian Banana 55 & 72
Abutilon 62
Acacia .. .. 9 & 47
Acalypha 9
Achimenes 105
Acineta 74
Acmena ovata 47
Acropera 74
Ada 74
Adiantum .. .. 117 & 120
—— assimile cristatum .. 120
Æchmea 9
Aërides .. .. 74 & 75
Aoapanthus 47
Aoave 47
Aolaonema .. 9
Allamanda 9
Alocasia 9
—— marginata 9
—— princeps 9
—— Sanderiana 9
Alpinia 9
Alsophila 116, 117 & 120
Althæa, *vide* Hibiscus .. 64
Amaryllis .. 9, 11 & 63
Amasonia 11
Amorphophallus .. 11 & 47
Ananassa 11
Anchomanes 11
Anemidictyon 117
Anoræcum 75
Anouloa 75
Angectochilus 75
Anthurium 10, 11, 12 & 15
—— chelseiense 10
—— insigne 11
Antioonon 15
Aphelandra .. 12 & 15
—— amœna 15
—— chrysops 12
Aralia .. 15, 47 & 63
Araucaria 47
Ardisia 15
Areca 125
Arenga 125
Aristolochia .. 13 to 15
—— elegans 13
—— ridicula 14
Arpophyllum 75
Artanthe 15
Artocarpus 15
Asparagus .. .. 47 & 48
—— plumosus nanus .. 47
Asplenium .. .. 117 & 120
Astrocaryum 125
Ataccia 15
Aucuba 63
Azalea .. .. 48 & 63
—— balsaminæflora .. 48
—— New Hybrid .. 48
Bambusa 63
Barkeria .. .. 75 & 76
Barleria 15
Batatas 15
Bauhinia 15
Beaumontia 15
Bedding Plants .. 147 & 148
Begonia .. .. 134 to 136
—— Handsome-Flowered 134 to 136

PAGE

Begonia Variegated Foliaged 136
—— Winter-Blooming .. 136
Beloperone 15
Berberis 63
Bertolonia 15
Biononia .. 15, 48 & 63
—— regalis 15
Billbergia 15
Blandfordia .. 48 & 49
Bletia 76
Bomarea 48
Boronia 48
Bougainvillea 15
—— refulgens 15
Bouvardia 147
Bowenia 125
Brasavola 76
Brassia 76
Bredia 48
Brougntonia 76
Brownea 15
Bruomansia 50
Brunsvioia, *vide* Amaryllis
Burbidgea 15
Burchellia 15
Burlinotonia 76
Caladium .. .. 131 to 134
Calamus 125
Calanthe .. .. 76 & 77
Calliphruria 17
Calodendron 50
Calpicarpum 17
Camellia 50
Camoënsia maxima .. 16
Campsidium 17
Canna 147
Capparis 17
Carludovica 126
Catasetum 77
Cattleyá .. .. 77 to 81
Cavendishia spectabilis .. 50
Ceratozamia 126
Cestrum 50
Chamælcladon 17
Chamærops 126
Chevalliera 17
Chirita 17
Chrysanthemum, Chinese or Laroe-flowered . 138 & 141
—— New .. .. 137 & 138
—— frutescens 147
—— Japanese .. 137 to 140
—— Pompon 142
Chysis 81
Cibotium .. .. 117 & 120
Cienkowskia 17
Cinnamomum 17, 63 & 72
Cissus .. .. 17 & 50
Clematis .. .. 50 & 63
Clerodendron 17
—— macrosiphon 17
—— Minahassæ 17
—— nutans 17
—— Rumphianum .. 17
Cleyera 50
Climbing Plants for Stove 46
—— —— for Greenhouse 46
Cocos Weddelliana .. 126

PAGE

Cœlogyne 81
—— cristata hololeuca (alba) 81
Coffea .. .. 17 & 72
Colax 81
Coleus .. 8, 146 & 147
Comparettia 81
Cotoneaster Fontanesii 63
Coryanthes 81
Corypha 126
—— *vide* Livistona .. 128
Costus 17
Crinum .. 17, 18, 50 & 64
—— nobile 18
Crossandra 17
Croton .. 17, 19 to 22
—— Beauty 19
—— Delight 19
—— eleoantissimus .. 20
—— Flamingo 19
—— insionis 19
—— Junius 19
—— Maonificent .. 19
—— Memphis 19
—— mirabile 22
—— Nestor 21
—— ornatus 22
—— Prince of Oranoe .. 22
—— ruberrimus 22
—— Reidii 22
—— Sunbeam 22
—— Victory 22
Cryptanthus 22
Cryptochilus 81
Cupania .. .. 22 & 23
Curculioo 23
Curcuma 23
Curmeria 23
Cyanophyllum 23
Cyathea .. .. 116 & 120
—— dealbata .. 116 & 120
—— Dregei .. 116 & 120
Cycas .. .. 50 & 127
Cyclamen .. .. 50 & 64
Cycnoches 81
Cymbidium .. .. 81 & 82
Cyperus 23
Cypripedium 82 to 84
—— amandum 84
—— hardy varieties .. 64
—— Saundersianum .. 84
—— Tautzianum lepidum 84
Cyrtodeira 23
Cyrtopodium 84
Cyrtosperma 23
Dæmonorops, *vide* Calamus
Dahlia .. .. 50 & 147
Dalechampia 23
Davallia .. 117, 119 & 120
—— fijiensis plumosa .. 119
Davidsonia .. 23 & 73
Dendrobium .. 84 to 87
Dendrochilum 87
Deyeuxia 52
Dichæa vaoinata 87
Dicksonia .. .. 116 & 120
—— antarctica .. 116 & 120
Dieffenbachia 23, 24 & 25
—— Reoina 24
—— Rex 25

INDEX—*continued.*

PAGE

Dieffendachia triumphans 24
Dionæa muscipula .. 52
Dioon edule 127
Dioscorea 23
Dipladenia 23
—— Brearleyana .. 23
Diplarrhena Moreæ .. 52
Dipterix 23
Disa 87
Doodia aspera multifida 122
Dorstenia .. .. 23 & 72
Doryanthes 52
Double-flowered Epacris 51
—— —— Ivy-leaved Pelaroniums .. 111
—— —— Zonal Pelargoniums 113 & 114
Dracæna 23, 26 to 28, & 52
—— argenteo-striata .. 26
—— fragrans variegata 28
—— Goldieana 27
—— Lindeni 28
Dracontium 28
Drosera 52
Drymonia 28
Drymophilœus 127
Echeveria 130
Echites 28
Elæocarpus .. 28 & 52
Encephalartos 127
—— regalis 127
Encholirion 28
Epacris .. .. 51 & 52
—— double 51
Epidendrum 87
Epipremnum mirabile .. 28
Eranthemum .. 28 & 30
—— macrophyllum .. 28
Erythrina .. .. 30 & 52
Erythroxylon Coca 30 & 72
Esmeralda 88
Euadenia 30
Eucalyptus 52
Eucharis 29
—— Bakeriana 7
Eucodonia 105
Eugenia 30
Eulalia 64
Eulophia 88
Euphorbia 30
Eurycles 30
Exostemma 30
Faradaya 30
Ferns .. .. 115 to 123
Ficus .. 30, 52, 72 & 73
Fittonia 30
Flax, New Zealand .. 55
Franciscea 30
Fraxinus 64
Freesias 52
Fuchsia .. .. 143 to 145
Galactodendron .. 30 & 73
Galeandra 88
Garcinia .. .. 30 & 73
Gardenia 30
Geonoma 127
Geranium, *vide* Pelargoniums .. 111
Gesnera .. .. 30 & 105
Gladiolus 152

PAGE

Gleichenia .. 121 & 122
Glonera 30
Gloriosa .. .. 7 & 30
—— superba grandiflora 7
Gloxinia 106
Godwinia oigas 30
Gomphia 30
Gonoora 88
Goniophlebium 119
Goodyera 88
Grammatophyllum .. 88
Greenhouse Plants 47 to 62
Grevillea 52
Griffinia 30
Gymnadenia 88
Gymnogramma .. 118 & 119
—— elegantissima .. 118
Habrothamnus 52
Hæmanthus .. 30 & 53
Hardy Plants .. 63 to 71
Hartwegia 88
Hedychium .. 30 & 53
Helcia 88
Heliconia 30
—— brevispatha 30
Heliotrope 148
Hemiorahis 30
Heterospathe elata .. 127
Hibiscus .. 31, 32, 54 & 64
—— Rosa Sinensis intermedius 32
—— syriacus 64
Hippeastrum, *vide* Amaryllis .. 9 & 11
Hoffmannia 33
Houlletia 88
Howea 128
Hoya 33
Hydranoea .. 53 & 64
Hymenocallis 33
Hymenosporum 33
Imantophyllum 54
—— blandfordiæflorum striatum 54
Impatiens 33
—— Hawkeri 33
Ionopsis 88
Ipomœa 33
Ipsea 88
Iris .. .. 54, 61 & 65
—— German 65
—— Kæmpferi 65
Isoloma 33
Ivy-leaved Pelargoniums 111
Ixora .. .. 33 & 34
—— conspicua 33
—— eminens 33
—— gemma 33
—— speciosa 34
Jacaranda 34
Jasminum .. .. 34 & 54
Jatropha 34
Juncus zebrinus, *vide* Scirpus
Justicia 34
Kentia 128
Kæmpferia 34
Kniphofia 65
Lælia .. .. 88 to 90
Lamprococcus 34
Landolphia 34

PAGE

Lapageria 54
—— alda 54
—— rosea 54
Laportea 34
Lasiandra 54
Lastrea .. 7, 122 & 124
—— corusca 7
Latania 128
Leptotes 90
Libertia .. .. 54 & 65
Lilacs, new double 69 to 71
Lilium .. .. 65 to 67
—— auratum 65
—— longiflorum floribundum 66
Limatodis 90
Livistona 128
Lomaria .. .. 119 & 122
Lycaste 90
—— Skinneri 90
Lycopodium, *vide* Selaginella 123 & 124
Mackaya bella 55
Macrozamia 128 & 129
Magnolia .. 34, 55 & 67
Manettia 34
Maranta 34
Marcgravia .. 34 & 36
—— indica 36
Masdevallia .. 90 to 93
—— Harryana acanthifolia .. 91
—— —— conchiflora .. 91
—— —— regalis .. 92
Maxillaria 93
Medicinal and Officinal Plants .. 72 & 73
Medinilla 36
Mesospinidium .. 93 & 94
Microstylis 94
Miltonia 94
Monolophus 36
Monstera 36
Montbretias 67
Mormodes 94
Musa .. 36, 55, 72 & 73
Mussænda .. .. 35 & 36
—— erythrophylla .. 35
Myrtus 55
Nægelia, *vide* Gesnera .. 105
Napoleona 36
Nanodes 94
Nepenthes .. .. 36 & 37
—— Rafflesiana insignis 37
Nepirodium .. 119 & 122
Nephrolepis 119
Nephthytis .. 36 & 38
—— picturata 38
Nerine 55
New Plants 149
—— —— announced for the first time .. 3 to 8
New Greenhouse Plants 47 to 62
—— Hardy Plants 63 to 71
—— Stove Plants 9 to 46
Nidularium .. 36 & 39
—— striatum 39
Nosegay Pelargoniums .. 112
Odontoglossum .. 94 to 98
—— crispum (Alexandræ) 95

INDEX—*continued.*

PAGE

Odontoglossum vexillarium 98
—— —— insigne 98
Officinal and Medicinal Plants .. 72 & 73
Oncidium .. .. 98 to 100
—— macranthum 99
Ophioglossum 55
Orchids .. .. 74 to 104
Oxalis 36
Palicourea juncea .. 36
Palisota 36
Palms, Cycads, &c. 125 to 130
Palumbina 100
Panax 40
Pancratium 40, 41, & 67
—— guianensis 41
Pandanus 40
Panicum, *vide* Oplismenus 36
Paphinia 100
Parmenteira 40
Passiflora 40, 55, 67, 72 & 73
Paullinia 40
Pavetta 40
Pavonia 40
Pelargonium Bronze and Gold 114
—— Cape Hybrids .. 111
—— Chelsea Gem .. 113
—— Double-flowered Zonal .. 113 & 114
—— —— Ivy-leaved .. 111
—— Fancy 111
—— Hybrid Perpetual, &c. 111
—— Ivy-leaved 111
—— —— with double flowers 111
—— Nosegay 112
—— Regal .. 8 & 107
—— Show .. .. 109 & 110
—— Spotted .. 108 & 109
—— Tricolor 114
—— Variegated 114
—— Zonal .. 112 & 113
Pellionia 40
Pentas 40
Pentstemon 148
Peperomia 40
Peristeria elata 100
Pescatoria 100
Petunia .. .. 8 & 148
Phaius .. .. 100 & 101
Phalænopsis 101
Philodendron .. 40 & 42
—— nobile 40
Phlox .. .. 67 & 148
Phœnix 129
—— rupicola 129
Pholidota 101
Phormium 55
Phyllagathis 42
Phyllanthus 42
Phyllotænium 42
Pieris 69
Pilea 42
Pilumna 101
Pinanga 129
Piper .. 42, 69 & 72
Pitcairnia 42
Pittosporum .. 55 & 57

PAGE

Pleione 101
Plegpeltis 120
Pleurothallis 101
Plumbago .. .. 42 & 57
Pogostemon 42
Poinciana 42
Poinsettia 42
Polygonum 69
Polystichum .. 120 & 122
Portlandia 42
Pothos .. .. 42 & 43
—— argenteus 42
—— flexuosus 43
—— nitens 42
Primula .. .. 57 & 69
Promenæa 101
Psidium .. .. 42 & 73
Pteris .. .. 120 & 122
—— tremula grandiceps 122
Ptychosperma 130
Punica 57
Puya 42
Ravenala 42
Regal Pelargoniums .. 107
Reidia 42
Reinwardtia 57
Renanthera 101
Restrepia 101
Rheum 69
Rhodea 57
Rhododendron 59 to 61 & 69
—— albescens 59
—— Diana 59
—— Fair Rosamond .. 59
—— Myra 8
—— Pink Beauty .. 60
Rhopalobla stemandra 7
Richardia 57
Rodriguezia 101
Roezlia .. .. 42 & 57
Rondeletia 42
Ronnbergia 42
Rosa 69
Roscoea 42
Rubus .. 42, 57 & 69
Rudgea 42
Ruellia 42
Saccharum 42
Saccolabium .. 101 & 102
Salvia 148
Sanchezia 42
Sanseveira 42
Sarcanthus 102
Sarcochilus 102
Sarcopodium 102
Sarracenia .. 56 & 57
Saxifraga 69
Schismatoglottis 42
Schomburgkia 102
Schubertia 42
Scindapsus 44
Scirpus 69
Scuticaria 102
Seafortkia 130
Seeds .. .. 150 & 151
Selaginella .. 123 & 124
—— connata 123
—— flagellifera .. 123
—— tasselata 124

PAGE

Sempervivum 148
Senecio .. .. 57 & 69
Show Pelargoniums 109 & 110
Shrubs, *vide* Hardy Plants 63
Smilax 44
—— discolor 44
Sobralia 102
Sonerila .. .. 8 & 44
Sonerilas, New 8
Sophronitis 102
Sparmannia 58
Spathiphyllum 44
Spathoglottis 102
Spiræa .. .. 68 & 69
—— astilboides 68
Stadmannia 44
Stanhopea .. .. 102 & 103
Stephanotis 44
Stove Plants .. 9 to 46
Strelitzia 44
Streptocarpus .. 8 & 44
—— Rexii purpureus .. 8
Styrax 69
Synoonium 44
Syrinoa .. .. 69 to 71
Tacsonia .. .. 44 & 58
Tecoma .. .. 44 & 58
—— ambiguensis 44
—— Smithii 58
Terminalia 44
The Dove Flower .. 100
—— Irish Fern 123
Thrinax 130
Thunbergia .. 44 & 45
Thrixspermum 103
Thunia 103
Tillandsia .. .. 44 & 46
—— Lindeniana vera .. 46
Todea .. .. 122 & 123
Tonga .. .. 28 & 73
Torenia 46
Tree Ferns .. 115 & 116
Trichocentrum 103
Trichopilia 103
Trichosma 103
Triggnidium 103
Tritoma, *see* Kniphofia .. 65
Tropical Fruits .. 72 & 73
Tuberoses 58
Tydæa 105
Uropedium 103
Utricularia 46
Vanda .. .. 103 & 104
Vanilla .. 46, 73 & 104
Veronica 58
Viburnum Sieboldii .. 71
Vitis .. 46, 58 & 71
Vriesia 46
Warrea 104
Warscewiczella 104
Weigela 71
Wistaria 71
Wormia 46
Xylophylla 46
Yucca .. .. 58 & 71
Zalacca nitida 130
Zamia 130
Zingiber .. .. 46 & 71
Zygopetalum 104

ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

Mr. WILLIAM BULL'S Establishment

FOR

NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN

TO

PATRONS OF THE ESTABLISHMENT

AND

THOSE RECEIVING CARDS OF INVITATION,

THURSDAY, MAY 1st, 1890,

And continue on view throughout MAY, JUNE and JULY.

The following are a few short extracts from the Press respecting Last Season's Exhibition:—

"The Times."

"Orchid Exhibition.—The annual exhibition of rare and choice Orchids by William Bull is now on view at his nursery, 536, King's Road, Chelsea. Many glasshouses are occupied with Orchids in different stages of development, but the plants in full blossom are grouped in one large conservatory, forming a study for connoisseurs of this very beautiful flower, drawn from the greater portion of the countries of the globe. The plants are arranged with artistic skill and good taste, due regard being paid to the size, form, and endless variety of tint and colour of the many thousand heads of bloom on show. The enormous number of different forms, the mass of luxurious blossom, and the sweet perfumes of some of the plants make the exhibition in every way attractive."

"The Gardeners' Chronicle."

"Again the season for the Orchid Exhibition at Mr. William Bull's Establishment in the King's Road, Chelsea, has returned, and again a marvellous display of beautiful and rare Orchids in flower, has been arranged with elegant Palms and Maiden Hair Ferns in the Show House, the rare plants exceeding in number and excellence of quality, those present in any of the former exhibitions, while a glance over the whole reveals a pleasing and effective arrangement."

"The Morning Post."

"The annual exhibition of Orchids, at William Bull's Establishment, King's Road, Chelsea, was opened last week, and the attendance of visitors has been very large. Of the exhibition, as a whole, it need only be said that it is arranged with the same artistic taste that has characterised its predecessors. Those who are familiar with Orchidaceous plants know how readily they lend themselves to decorative art; the whole scene is a dream of fairy land; it may be imagined, but it cannot be described; and as, week by week, new varieties come into bloom and are added to the collection, it is a sight that should be seen again and again during the two months the exhibition remains open."

"The Garden."

"Orchid Exhibition at Mr. Bull's, Chelsea.—For some years past we have had the pleasure to visit this show more than once in the season, and must say that the display this year far excels that of any former season, and well deserves a visit from every lover of plants, be they Orchid growers or not. The plants are arranged with exquisite taste and in the highest form of excellence, every foot of space is replete with interest and elegance. The thousands of flowers now in their beauty are truly marvellous, making one of the grandest shows of Orchid blooms ever seen."

"Standard."

"Orchid Show.—Lovers of flowers always look forward to the opening of the show of Orchids at Mr. Bull's Establishment, in King's Road, Chelsea, as one of the most interesting features of the season, and considerable numbers were present yesterday to obtain the first sight of the floral treasures gathered from all parts of the world lying within the tropical zone. Here the last importations are to be seen and commented upon by the *cognoscenti*, while the public in general, who care but little whether a flower is uncommon or common, go to admire the lovely sheets of delicate and often quaint blossoms. Both classes will be well satisfied with the exhibition opened yesterday, a display that is in its way unrivalled."

"The Daily Chronicle."

"The annual show of Orchids at Mr. William Bull's, 536, King's Road, Chelsea, commenced yesterday, eclipses everything of the kind previously held, for whilst, even at the Royal Botanic Society's summer Orchid shows, a number of fine specimens in limited variety are shown, at Mr. Bull's Establishment a perfect wealth of innumerable genera and their species are arranged. This exhibition, which continues in perfection for several weeks, really represents several grand exhibitions in panoramic form, for towards the end of the month early May blooming forms will have to make way for June flowering ones, whilst the early days of July will have produced equal change or transition. Orchid growers find here a perfect school for the study and comparison of the numerous new varieties."

Price 1/- *No. 257.*

A Catalogue of NEW, BEAUTIFUL AND RARE PLANTS, & ORCHIDS

offered by

WILLIAM BULL, F.L.S.

CHELSEA

S.W.

ENTERED AT STATIONERS' HALL.